

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

267

PRICE LIST

FALL, 1941 — SPRING, 1942

LIBRARY
RECEIVED

★ SEP 20 1941 ★

Department of Agriculture



TREES, SHRUBS, EVERGREENS, ROSES

HERBACEOUS PERENNIALS

HENRY KOHANKIE & SON

PAINESVILLE, OHIO

30 Miles East of Cleveland on Rt. 20

Tel. 4380

PRICE LIST

WE OFFER herein a complete list of hardy ornamental nursery stock. Our nursery of one thousand acres affords material to meet practically every need in landscape development. Stock is well grown and supplied with a fibrous root system which is of vital importance in the success of a planting.

All material will be freshly dug. We maintain no storage cellars since the superiority of freshly dug stock is recognized generally.

With few exceptions the plant names used conform to "Standard Plant Names" as adopted by the Joint Committee on Horticultural Nomenclature.

HENRY KOHANKIE & SON

Route 20

One Mile East of Painesville

PAINESVILLE, OHIO

Please Read Carefully

CONDITIONS OF SALE

Prices do not include packing. A charge for the cost of the boxes and material used in baling will be made.

Stock specially selected by customers at the nursery will be charged according to its value.

We give no warranty, expressed or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

Due to the perishable nature of nursery stock we cannot guarantee growth unless we charge a premium. Losses may occur from causes beyond our control. The purchaser may subject the plants to undue exposure before planting, fail to plant properly, or neglect aftercare such as cultivation, irrigation, etc. On the other hand, if properly planted and cared for, the failures will be limited to an occasional plant which may be lost for no apparent reason and which loss is to be expected. The success or failure of a planting, beyond the nominal loss above referred to, is in the hands of the planter. Our method of handling and packing stock is modern and goods will be in good condition and well packed when they leave our hands. Our responsibility ends upon delivery to the carriers. If goods suffer through delay in transit, claim should at once be made on the transportation company.

All claims for errors must be made within six days after receipt of goods, or positively will not be considered.

Unknown correspondents who wish to open an account will please give us references and allow us sufficient time to investigate same. Otherwise, cash must accompany order. If goods are desired C. O. D., the order must be accompanied by one third of the amount to guarantee acceptance.

Shipping facilities—We can make direct shipment over the N. Y. C. R. R.; B. & O. R. R.; N. Y. C. & St. L. R. R.; American Railway Express and Motor Freight. A siding to our packing house direct from the main line of the New York Central railroad enables us to handle stock with a minimum of exposure.

Auto Truck Delivery—We are in a position to make deliveries by auto truck to points within seventy-five miles of Painesville. Charges are made according to the size of truck required and the distance.

CONTENTS

| | |
|---|----------------|
| Deciduous and Evergreen Trees, Shrubs and Vines | 5-158 |
| Herbaceous Material (including Rock and Alpine Plants) | 159-197 |
| Fruit Garden Material | 198 |
| Large Specimen Material | 208 |
| Plants for Special Purposes | 208-210 |
| Schedule of B&B Charges | 211 |

PLANT CLASSIFICATIONS

| | |
|--------------------------------------|----------------|
| Coniferous Evergreens | 199-200 |
| Broad-leaved Evergreens | 200 |
| Deciduous Shade Trees | 200-201 |
| Deciduous Small Trees | 202-203 |
| Deciduous Shrubs | 203-207 |
| Vines | 207-208 |

THE production of many of the plants in this list represents no little effort. More than a few of the items are not profitable which accounts for their general scarcity, but on the other hand they are indispensable to good landscape work.

Since we specialize in the execution of complete planting lists we aim to keep our assortment unbroken. To that end we hope you will co-operate by ordering material in reasonable assortment. We cannot always accept orders which are confined to plants that are scarce and our stock of which is limited.

DECIDUOUS AND EVERGREEN TREES

SHRUBS AND VINES

We recommend that all items marked with an asterisk be lifted with a ball of earth and sewed in burlap. Experience has shown that the loss of these plants, which is otherwise high, is reduced to a minimum if handled in this way. This will involve extra charges, a schedule of which will be found on the last page. In all instances where "B&B" is indicated these charges are included in the printed price.

The figures printed in *italics* following the common name, indicate the approximate height of the plant at maturity.

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Abelia grandiflora. <i>Glossy Abelia.</i> 3' | | | |
| 12 to 15 in., 3 in. pots | .55 | .45 | .40 |
| 15 to 18 in., 3 in. pots | .65 | .55 | .50 |
| 18 to 24 in., 4 in. pots | .90 | .80 | .75 |
| 2 to 3 ft.B&B | 1.25 | 1.10 | 1.00 |

schumanni. 5'

| | | | |
|--------------------------------|------|------|--|
| 12 to 18 in., 4 in. pots | 1.50 | 1.25 | |
|--------------------------------|------|------|--|

Abies balsamea. *Balsam Fir.* 50'

| | | | |
|---------------|-------|------|------|
| 2 ft.B&B | 3.00 | 2.50 | 2.00 |
| 3 ft.B&B | 3.75 | 3.00 | 2.50 |
| 4 ft.B&B | 4.75 | 4.00 | 3.50 |
| 5 ft.B&B | 6.00 | 5.00 | |
| 6 ft.B&B | 7.50 | 6.00 | |
| 7 ft.B&B | 10.00 | | |

For larger sizes to 15 ft., add \$5.00 per foot.

concolor. *White Fir.* 70'

| | | | |
|----------------|-------|-------|------|
| 18 in.B&B | 2.50 | 2.00 | 1.50 |
| 2 ft.B&B | 3.50 | 2.50 | 2.00 |
| 3 ft.B&B | 5.00 | 4.00 | 3.50 |
| 4 ft.B&B | 7.50 | 6.50 | 5.00 |
| 5 ft.B&B | 10.00 | 8.50 | 7.50 |
| 6 ft.B&B | 12.50 | 10.00 | 8.50 |
| 7 ft.B&B | 15.00 | 12.50 | |
| 8 ft.B&B | 18.00 | 15.00 | |
| 9 ft.B&B | 20.00 | 18.00 | |
| 10 ft.B&B | 25.00 | 20.00 | |

For larger sizes to 25 ft., add \$10.00 per foot.

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|----------|-------------|--------------|-----------------|
| Abies. | | | | |
| concolor violacea. <i>Purplecone White Fir.</i> 70' | | | | |
| 2 ft. |B&B | 5.00 | 4.50 | 4.00 |
| 3 ft. |B&B | 6.50 | 5.50 | 5.00 |
| 4 ft. |B&B | 10.00 | 7.50 | |
| 5 ft. |B&B | 12.50 | 10.00 | |
| 6 ft. |B&B | 15.00 | 12.50 | |
| firma. <i>Momi Fir.</i> 50' | | | | |
| 2 ft. |B&B | 4.00 | 3.75 | |
| 3 ft. |B&B | 5.50 | 4.50 | |
| fraseri. <i>Fraser Fir.</i> 50' | | | | |
| 3 ft. |B&B | 5.00 | 4.75 | |
| 4 ft. |B&B | 6.50 | 6.00 | |
| 5 ft. |B&B | 7.50 | 7.00 | |
| 6 ft. |B&B | 10.00 | 8.50 | |
| 7 ft. |B&B | 12.50 | 10.00 | |
| For larger sizes to 12 ft., add \$5.00 per foot. | | | | |
| homolepis. <i>Nikko Fir.</i> 60' | | | | |
| 3 ft. |B&B | 6.00 | 5.00 | |
| 4 ft. |B&B | 7.50 | 6.50 | |
| 5 ft. |B&B | 10.00 | 8.00 | |
| nobilis glauca. <i>Blueleaf Noble Fir.</i> 20' | | | | |
| 18 in. |B&B | 6.00 | | |
| 2 ft. |B&B | 7.50 | | |
| nordmanniana. <i>Nordmann Fir.</i> 75' | | | | |
| 3 ft. |B&B | 5.00 | | |
| 4 ft. |B&B | 6.00 | | |
| 5 ft. |B&B | 7.50 | | |
| pectinata. <i>Silver Fir.</i> 50' | | | | |
| 2 ft. |B&B | 4.00 | 3.50 | |
| 3 ft. |B&B | 5.00 | 4.50 | |
| pectinata pyramidalis. <i>Sentinel Fir.</i> 10' | | | | |
| 18 in. |B&B | 4.00 | | |
| 2 ft. |B&B | 5.00 | | |
| 3 ft. |B&B | 7.50 | | |
| veitchi. <i>Veitch Fir.</i> 80' | | | | |
| 3 ft. |B&B | 5.00 | 4.50 | 3.50 |
| 4 ft. |B&B | 6.00 | 5.50 | 5.00 |
| 5 ft. |B&B | 10.00 | 8.50 | |
| 6 ft. |B&B | 12.50 | | |
| For larger sizes to 12 ft., add \$5.00 per foot. | | | | |

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Acanthopanax pentaphyllum. <i>Five-leaved Aralia.</i> 10' | | | |
| 2 to 3 ft. | .45 | .35 | .30 |
| 3 to 4 ft. | .60 | .45 | .35 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .65 |
| ricinifolium. <i>Castor Aralia.</i> 25' | | | |
| 6 to 8 ft. | 6.50 | 6.00 | |
| 8 to 10 ft. | 8.00 | 7.50 | |
| 10 to 12 ft. | 10.00 | 9.00 | |
| 12 to 14 ft. | 15.00 | 12.50 | |
| 14 to 16 ft. | 20.00 | 15.00 | |
| ricinifolium maximowiczii. 25' | | | |
| 7 ft. | 12.50 | | |
| 8 ft. | 15.00 | | |
| 10 ft. | 20.00 | | |
| 12 ft. | 25.00 | | |
| Acer buergerianum. <i>Trident Maple.</i> 40' | | | |
| 4 to 5 ft. | 3.00 | 2.50 | 2.25 |
| 5 to 6 ft. | 3.50 | 3.00 | |
| 6 to 8 ft. | 5.00 | 4.00 | |
| 8 to 10 ft. | 7.50 | 5.00 | |
| campestre. <i>Hedge Maple.</i> 25' | | | |
| 3 to 4 ft. | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft. | 4.50 | 3.50 | 3.00 |
| 8 to 10 ft. | 6.50 | 5.00 | 4.50 |
| 10 to 12 ft. | 10.00 | 8.50 | |
| 12 to 14 ft. | 15.00 | 12.50 | |
| 14 to 16 ft. | 20.00 | 15.00 | |
| cappadocicum. <i>Coliseum Maple.</i> 40' | | | |
| 12 to 14 ft. | 15.00 | | |
| 14 to 16 ft. | 20.00 | | |
| dasycarpum <i>Silver Maple.</i> 75' | | | |
| 8 to 10 ft. | 1.50 | 1.25 | 1.10 |
| 1¼ to 1½ in. | 2.00 | 1.60 | 1.35 |
| 1½ to 1¾ in. | 2.50 | 1.90 | 1.65 |
| 1¾ to 2 in. | 3.00 | 2.25 | 2.00 |
| 2 to 2½ in. | 3.50 | 2.75 | 2.50 |
| 2½ to 3 in. | 4.50 | 3.50 | 3.00 |
| 3 to 3½ in. | 6.00 | 5.00 | |
| 3½ to 4 in. | 7.50 | 6.50 | |

| | | |
|-------------|--------------|-----------------|
| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|

Acer**dasycarpum pyramidale.** *Pyramidal Silver Maple.* 75'

| | | |
|-------------------|------|------|
| 6 to 8 ft. | 1.50 | 1.25 |
| 8 to 10 ft. | 2.00 | 1.60 |
| 1¼ to 1½ in. | 2.50 | 1.90 |
| 1½ to 1¾ in. | 2.75 | 2.25 |

dasycarpum wieri. *Wier Maple.* 75'

| | | |
|-------------------|------|------|
| 8 to 10 ft. | 2.00 | 1.60 |
| 1¼ to 1½ in. | 2.50 | 1.90 |
| 1½ to 1¾ in. | 3.00 | 2.25 |
| 1¾ to 2 in. | 3.50 | 2.75 |
| 2 to 2½ in. | 5.00 | 3.50 |

ginnala. *Amur Maple.* 12'

| | | | |
|------------------|------|------|------|
| 3 to 4 ft. | .75 | .60 | .50 |
| 4 to 5 ft. | 1.00 | .75 | .65 |
| 5 to 6 ft. | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft. | 2.25 | 1.75 | 1.50 |
| 8 to 10 ft. | 2.50 | 2.25 | 2.00 |

griseum. *Paperbark Maple.* 25'

| | | |
|-------------------|-------|------|
| 6 to 8 ft. | 6.00 | 5.00 |
| 8 to 10 ft. | 7.50 | 6.00 |
| 10 to 12 ft. | 10.00 | 7.50 |

japonicum aureum. *Goldenmoon Maple.* 15'

| | | |
|-----------------|-----|-------|
| 2 to 3 ft. | B&B | 5.00 |
| 3 to 4 ft. | B&B | 7.50 |
| 4 to 5 ft. | B&B | 10.00 |

mandshuricum. *Manchurian Maple.* 30'

| | | | |
|-------------------|-------|------|------|
| 6 to 8 ft. | 3.00 | 2.75 | 2.50 |
| 8 to 10 ft. | 4.50 | 4.00 | 3.50 |
| 10 to 12 ft. | 7.50 | 6.00 | |
| 1½ to 1¾ in. | 10.00 | 8.00 | |

negundo. *Box Elder.* 60'

| | | | |
|-------------------|------|------|------|
| 6 to 8 ft. | 1.00 | .85 | .75 |
| 8 to 10 ft. | 1.50 | 1.25 | 1.00 |
| 1¼ to 1½ in. | 1.75 | 1.50 | 1.25 |
| 1½ to 1¾ in. | 2.25 | 2.00 | 1.50 |
| 1¾ to 2 in. | 3.00 | 2.50 | |

nigrum. *Black Maple.* 80'

| | | |
|------------------|------|------|
| 8 to 10 ft. | 4.50 | 4.00 |
|------------------|------|------|

Acer

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-----|-------------|--------------|-----------------|
| palmatum. Japanese Maple. 15' | | | | |
| 2 to 3 ft. | B&B | 2.25 | 1.75 | 1.50 |
| 3 to 4 ft. | B&B | 3.00 | 2.50 | 2.00 |
| 4 to 5 ft. | B&B | 3.50 | 3.00 | 2.50 |
| 5 to 6 ft. | B&B | 5.00 | 4.50 | |
| 6 to 8 ft. | B&B | 7.50 | 6.00 | |
| 8 to 10 ft. | B&B | 10.00 | 7.50 | |
| palmatum atropurpureum. Bloodleaf Japanese Maple. 10' | | | | |
| 2 to 3 ft. | B&B | 4.50 | 4.00 | 3.50 |
| 3 to 4 ft. | B&B | 6.00 | 5.50 | 5.00 |
| 4 to 5 ft. | B&B | 10.00 | 8.50 | 7.50 |
| 5 to 6 ft., heavy | B&B | 15.00 | 12.50 | |
| 6 to 8 ft., heavy | B&B | 20.00 | 15.00 | |
| 8 to 10 ft., heavy | B&B | 25.00 | | |
| palmatum dissectum atropurpureum. | | | | |
| <i>Purple Threadleaf Japanese Maple. 6'</i> | | | | |
| 18 to 24 in. | B&B | 8.50 | 7.50 | |
| 2 to 3 ft. | B&B | 10.00 | 8.50 | |
| 3 to 4 ft. | B&B | 15.00 | | |
| palmatum filicifolium. Fernleaf Maple. 10' | | | | |
| 2 to 3 ft. | B&B | 7.50 | 6.00 | |
| 3 to 4 ft. | B&B | 10.00 | 7.50 | |
| 4 to 5 ft. | B&B | 12.50 | | |
| 5 to 6 ft. | B&B | 17.50 | | |
| 6 to 8 ft. | B&B | 25.00 | | |
| palmatum roseo-marginatum. Pinkedge Maple. 10' | | | | |
| 2 to 3 ft. | B&B | 7.50 | | |
| 3 to 4 ft. | B&B | 10.00 | | |
| pennsylvanicum. Striped Maple. 25' | | | | |
| 4 to 5 ft. | | 2.25 | 2.00 | |
| 5 to 6 ft. | | 2.50 | 2.25 | |
| 6 to 8 ft. | | 3.00 | 2.50 | |
| platanoides. Norway Maple. 75' | | | | |
| 6 to 8 ft. | | 1.75 | 1.60 | 1.50 |
| 8 to 10 ft. | | 2.50 | 2.25 | 2.00 |
| 1¼ to 1½ in. | | 2.75 | 2.50 | 2.25 |
| 1½ to 1¾ in. | | 3.50 | 2.75 | 2.50 |
| 1¾ to 2 in. | | 4.50 | 3.50 | 3.00 |
| 2 to 2½ in. | | 5.50 | 4.25 | 3.75 |
| 2½ to 3 in. | | 7.00 | 5.50 | 4.50 |
| 3 to 3½ in. | | 10.00 | 7.50 | 6.00 |
| 3½ to 4 in. | | 12.50 | 10.00 | |
| 4 to 5 in. spec. | | 25.00 | | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------|-------------|--------------|-----------------|
| Acer | | | | |
| platanoides globosum. <i>Globe Norway Maple.</i> | | | | |
| 4 year, 8 ft. standards | | 10.00 | | |
| platanoides schwedleri. <i>Schwedler Maple. 60'</i> | | | | |
| 1¼ to 1½ in. | 4.00 | 3.50 | | |
| 1½ to 1¾ in. | 5.00 | 4.00 | | |
| 1¾ to 2 in. | 6.00 | 5.00 | | |
| 2 to 2½ in. | 10.00 | 7.50 | | |
| 2½ to 3 in. | 12.50 | 10.00 | | |
| 3 to 3½ in. | 17.50 | 15.00 | | |
| 3½ to 4 in. | 25.00 | | | |
| pseudoplatanus. <i>Sycamore Maple. 60'</i> | | | | |
| 6 to 8 ft. | 2.50 | 2.00 | | |
| 8 to 10 ft. | 3.00 | 2.25 | | |
| 1¼ to 1½ in. | 3.75 | 2.75 | | |
| 1½ to 1¾ in. | 4.50 | 3.75 | | |
| 1¾ to 2 in. | 5.50 | 4.50 | | |
| 2 to 2½ in. | 6.50 | 5.50 | | |
| 2½ to 3 in. | 10.00 | 7.50 | | |
| rubrum. <i>Red Maple. 75'</i> | | | | |
| 6 to 8 ft. | 2.25 | 2.00 | 1.50 | |
| 8 to 10 ft. | 3.00 | 2.50 | 2.00 | |
| 1¼ to 1½ in. | 3.75 | 3.00 | 2.50 | |
| 1½ to 1¾ in. | 4.50 | 4.00 | 3.25 | |
| 1¾ to 2 in. | 6.50 | 5.50 | 4.50 | |
| 2 to 2½ in. | 9.00 | 7.50 | 6.50 | |
| 2½ to 3 in. | 12.50 | 10.00 | 8.50 | |
| 3 to 3½ in. | 15.00 | 12.50 | 10.00 | |
| 3½ to 4 in. | 20.00 | | | |
| saccharum. <i>Sugar Maple. 75'</i> | | | | |
| 8 to 10 ft. | 2.50 | 2.25 | 2.00 | |
| 1¼ to 1½ in. | 3.00 | 2.50 | 2.25 | |
| 1½ to 1¾ in. | 3.75 | 3.00 | 2.75 | |
| 1¾ to 2 in. | 4.50 | 4.00 | 3.25 | |
| 2 to 2½ in. | 6.50 | 5.00 | 4.00 | |
| 2½ to 3 in. | 7.50 | 6.50 | 5.00 | |
| 3 to 3½ in. | 12.50 | 10.00 | 7.50 | |
| 3½ to 4 in. | 15.00 | 12.50 | | |
| 4 to 4½ in. | 25.00 | 20.00 | | |
| 4½ to 5 in. | 35.00 | | | |
| 5 to 5½ in. | 45.00 | | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Acer | | | |
| spicatum. <i>Mountain Maple.</i> 20' | | | |
| 3 to 4 ft. | 1.00 | .75 | |
| 4 to 5 ft. | 1.25 | 1.00 | |
| 5 to 6 ft. | 1.75 | 1.25 | |
| tataricum. <i>Tatarian Maple.</i> 20' | | | |
| 4 to 5 ft. | 1.25 | 1.00 | .75 |
| 5 to 6 ft. | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft. | 2.25 | 1.75 | 1.50 |
| 8 to 10 ft. | 3.00 | 2.50 | 2.00 |
| 10 to 12 ft. | 5.00 | 4.50 | |
| Actinidia arguta. <i>Bower Actinidia.</i> 20' | | | |
| 2 year | .60 | .45 | .35 |
| Aesculus carnea. <i>Red Horsechestnut.</i> 40' | | | |
| 4 to 5 in. | 60.00 | | |
| 5 to 6 in. | 75.00 | | |
| glabra. <i>Ohio Buckeye.</i> 25' | | | |
| 6 to 8 ft. | 3.00 | 2.50 | |
| 8 to 10 ft. | 4.00 | 3.00 | |
| 1¼ to 1½ in. | 5.00 | | |
| 1½ to 2 in. | 6.00 | | |
| 2 to 2½ in. | 7.50 | | |
| 2½ to 3 in. | 10.00 | | |
| 3 to 3½ in. | 15.00 | | |
| 3½ to 4 in. | 20.00 | | |
| hippocastanum. <i>Horsechestnut.</i> 70' | | | |
| 6 to 8 ft. | 2.50 | 2.25 | 2.00 |
| 8 to 10 ft. | 3.50 | 3.00 | 2.75 |
| 1¼ to 1½ in. | 4.00 | 3.50 | 3.00 |
| 1½ to 1¾ in. | 4.50 | 4.00 | 3.50 |
| 1¾ to 2 in. | 5.00 | 4.50 | |
| 2 to 2½ in. | 6.00 | 5.00 | |
| 2½ to 3 in. | 9.00 | 7.50 | |
| 3 to 3½ in. | 15.00 | 12.50 | |
| 3½ to 4 in. | 18.00 | | |
| 4 to 5 in. | 25.00 | | |
| hippocastanum baumanni. | | | |
| <i>Double White Horsechestnut.</i> 50' | | | |
| 5 to 6 ft. | 7.50 | | |
| 6 to 8 ft. | 10.00 | | |
| 8 to 10 ft. | 12.50 | | |
| 2½ to 3 in. | 25.00 | | |
| 3 to 3½ in. | 35.00 | | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|---------------------------|-------------|--------------|-----------------|
| Aesculus | | | | |
| octandra. <i>Yellow Buckeye.</i> 60' | | | | |
| 6 | to 8 ft. | 2.50 | 2.25 | 2.00 |
| 8 | to 10 ft. | 3.75 | 3.00 | 2.75 |
| 1½ | to 1½ in. | 4.00 | 3.50 | 3.00 |
| 1½ | to 1¾ in. | 5.00 | 4.00 | 3.50 |
| 1¾ | to 2 in. | 5.50 | 4.50 | 4.00 |
| 2 | to 2½ in. | 7.50 | 6.00 | 5.00 |
| 2½ | to 3 in. | 10.00 | 7.50 | 6.00 |
| 3 | to 3½ in. | 15.00 | 12.50 | 10.00 |
| 3½ | to 4 in. | 18.00 | 15.00 | |
| 4 | to 5 in. | 25.00 | 20.00 | |
| parviflora. <i>Dwarf Horsechestnut.</i> 12' | | | | |
| 15 | to 18 in. | B&B | 2.50 | |
| turbinata. <i>Japanese Horsechestnut.</i> 30' | | | | |
| 3 | to 4 in. | 25.00 | | |
| 5 | to 6 in. | 35.00 | | |
| Ailanthus glandulosa. <i>Tree of Heaven.</i> 50' | | | | |
| 6 | to 8 ft. | 1.75 | 1.50 | 1.25 |
| 8 | to 10 ft. | 2.25 | 2.00 | 1.75 |
| 10 | to 12 ft. | 2.50 | 2.25 | |
| 1½ | to 1¾ in. | 2.75 | 2.50 | |
| 1¾ | to 2 in. | 3.50 | 2.75 | |
| 2 | to 2½ in. | 4.00 | 3.25 | |
| vilmoriniana. 50' | | | | |
| 10 | to 12 ft. | 2.25 | 2.00 | |
| 1½ | to 1¾ in. | 2.75 | 2.50 | |
| 1¾ | to 2 in. | 3.50 | 3.00 | |
| 2 | to 2½ in. | 4.50 | 3.50 | |
| 2½ | to 3 in. | 6.00 | 5.00 | |
| 3 | to 3½ in. | 7.50 | | |
| Akebia lobata. <i>Threeleaf Akebia.</i> 15' | | | | |
| 2 year | | .75 | .60 | .50 |
| 3 year | from pots | 1.00 | .75 | .60 |
| quinata. <i>Fiveleaf Akebia.</i> 15' | | | | |
| 2 year | | .45 | .35 | .25 |
| 3 year | | .55 | .40 | .30 |
| Albizzia julibrissin rosea. <i>Silktree.</i> 30' | | | | |
| 12 | to 18 in. from 4 in. pots | 1.25 | 1.00 | |
| 3 | to 4 ft. | B&B | 4.00 | |
| 4 | to 5 ft. | B&B | 5.00 | |

| | | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|----------|-------------|--------------|-----------------|
| <i>Alnus cordata.</i> Italian Alder. 40' | | | | | |
| 8 | to 10 | ft. | 2.50 | 2.00 | |
| 1½ | to 1¾ | in. | 3.50 | 3.00 | |
| 1¾ | to 2 | in. | 5.00 | 4.00 | |
| 2½ | to 3 | in. | 7.50 | 6.00 | |
| 3 | to 3½ | in. | 10.00 | 7.50 | |
| <i>glutinosa.</i> European Alder. 60' | | | | | |
| 6 | to 8 | ft. | 1.50 | 1.25 | |
| 8 | to 10 | ft. | 1.75 | 1.50 | |
| 1¼ | to 1½ | in. | 2.00 | 1.75 | |
| 1½ | to 1¾ | in. | 2.75 | 2.50 | |
| 1¾ | to 2 | in. | 4.00 | 3.50 | |
| 2 | to 2½ | in. | 5.00 | 4.50 | |
| 2½ | to 3 | in. | 7.50 | 6.00 | |
| 3 | to 3½ | in. | 10.00 | 7.50 | |
| <i>glutinosa laciniata.</i> Cutleaf Alder. 40' | | | | | |
| 4 | to 5 | ft. | 5.00 | | |
| <i>incana.</i> Speckled Alder. 50' | | | | | |
| 8 | to 10 | ft. | 2.00 | 1.75 | 1.50 |
| 1¼ | to 1½ | in. | 2.50 | 2.00 | 1.75 |
| 1½ | to 1¾ | in. | 3.00 | 2.50 | 2.00 |
| 1¾ | to 2 | in. | 3.75 | 3.50 | 3.00 |
| 2 | to 2½ | in. | 5.00 | 4.50 | 4.00 |
| 2½ | to 3 | in. | 7.50 | 6.00 | 5.00 |
| 3 | to 3½ | in. | 10.00 | 8.50 | 7.50 |
| <i>japonica.</i> Japanese Alder. 50' | | | | | |
| 6 | to 8 | ft. | 2.25 | 2.00 | |
| <i>pendula.</i> 30' | | | | | |
| 2 yr. | 6 ft. stems | | 5.00 | | |
| <i>rugosa.</i> Hazel Alder. 10' | | | | | |
| 2 | to 3 | ft. | 1.00 | .75 | |
| 3 | to 4 | ft. | 1.25 | 1.00 | |
| 4 | to 5 | ft. | 1.50 | 1.25 | |
| 5 | to 6 | ft. | 1.75 | 1.50 | |
| 6 | to 8 | ft. | 2.50 | 2.00 | |
| 8 | to 10 | ft. | 4.00 | 3.00 | |
| <i>viridis.</i> European Green Alder. 6' | | | | | |
| 3 | to 4 | ft. | 1.50 | | |
| 4 | to 5 | ft. | 2.00 | | |
| <i>Althea.</i> (See <i>Hibiscus</i>) | | | | | |

| Amelanchier alnifolia. | <i>Saskatoon.</i> | <i>7'</i> | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------|--------------------------------|------------|-------------|--------------|-----------------|
| 3 to 4 ft. | | | 1.50 | | |
| 4 to 5 ft. | | | 1.75 | | |
| 5 to 6 ft. | | | 2.50 | | |
| asiatica. | <i>35'</i> | | | | |
| 3 to 4 ft. | | | 1.25 | | |
| 4 to 5 ft. | | | 1.50 | | |
| 5 to 6 ft. | | | 2.00 | | |
| 6 to 8 ft. | | | 2.50 | | |
| canadensis. | <i>Downy Shadblow.</i> | <i>30'</i> | | | |
| 2 to 3 ft. | | | .60 | .55 | .50 |
| 3 to 4 ft. | | | .75 | .65 | .60 |
| 4 to 5 ft. | | | 1.25 | 1.00 | .75 |
| 5 to 6 ft. | | | 1.75 | 1.50 | 1.25 |
| 6 to 8 ft. | | | 3.00 | 2.50 | |
| 8 to 10 ft. | | | 7.50 | | |
| 10 to 12 ft. | | | 12.50 | | |
| 6 to 8 ft. standards..... | | | 3.50 | 3.00 | |
| 8 to 10 ft. standards..... | | | 5.00 | 4.00 | |
| laevis. | <i>Allegheny Serviceberry.</i> | <i>35'</i> | | | |
| 3 to 4 ft. | | | 1.00 | .75 | .60 |
| 4 to 5 ft. | | | 1.25 | 1.00 | .75 |
| 5 to 6 ft. | | | 1.75 | 1.50 | 1.25 |
| 6 to 8 ft. | | | 3.00 | 2.50 | 2.00 |
| 8 to 10 ft. | | | 3.50 | 3.00 | 2.50 |
| 6 to 8 ft. standards..... | | | 3.50 | 3.00 | |
| 8 to 10 ft. standards..... | | | 5.00 | 4.00 | |
| 10 to 12 ft. standards..... | | | 7.50 | | |
| laevis rosea. | <i>35'</i> | | | | |
| 3 to 4 ft. standards..... | | | 2.00 | 1.75 | |
| 4 to 5 ft. " | | | 2.50 | 2.00 | |
| 5 to 6 ft. " | | | 3.50 | 3.00 | |
| 6 to 8 ft. " | | | 5.00 | 4.00 | |
| 8 to 10 ft. " | | | 7.50 | 6.50 | |
| 10 to 12 ft. " | | | 10.00 | | |
| oblongifolia. | <i>Thicket Shadblow.</i> | <i>25'</i> | | | |
| 2 to 3 ft. | | | .60 | .55 | .50 |
| 3 to 4 ft. | | | .75 | .65 | .60 |
| 4 to 5 ft. | | | 1.25 | 1.00 | .75 |
| 5 to 6 ft. | | | 1.75 | 1.50 | 1.25 |
| 6 to 8 ft. | | | 3.00 | 2.50 | 2.00 |
| 8 to 10 ft. | | | 3.50 | 3.00 | 2.50 |
| 6 to 8 ft. clumps.....B&B | | | 12.50 | | |
| 8 to 10 ft. clumps.....B&B | | | 15.00 | | |
| 10 to 12 ft. clumps.....B&B | | | 20.00 | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Amelanchier. | | | |
| rotundifolia, syn. vulgaris. <i>European Shadblow.</i> 25' | | | |
| 2 to 3 ft. | .60 | .55 | .50 |
| 3 to 4 ft. | .75 | .65 | .60 |
| 4 to 5 ft. | 1.25 | 1.00 | .75 |
| 5 to 6 ft. | 1.75 | 1.50 | 1.25 |
| 6 to 8 ft. | 3.00 | 2.50 | 2.00 |
| 8 to 10 ft. | 3.50 | 3.00 | 2.50 |
| 6 to 8 ft. standards..... | 3.50 | 3.00 | |
| 8 to 10 ft. " | 5.00 | 4.00 | |
| 8 to 10 ft. clumps..... | B&B 15.00 | | |
| 10 to 12 ft. " | B&B 20.00 | | |
| sanguinea. <i>Roundleaf Shadblow.</i> 8' | | | |
| 3 to 4 ft. | 1.00 | | |
| 4 to 5 ft. | 1.25 | | |
| 5 to 6 ft. | 2.00 | | |
| 6 to 8 ft. | 2.50 | | |
| 8 to 10 ft. | 3.50 | | |
| stolonifera. <i>Running Shadblow.</i> 4' | | | |
| 18 to 24 in. | .50 | .40 | .35 |
| 2 to 3 ft. | .60 | .55 | .50 |
| 3 to 4 ft. | .75 | .65 | |
| Amorpha brachycarpa. 3' | | | |
| 18 to 24 in. | .75 | .60 | .50 |
| canescens. <i>Lead Plant.</i> 2' | | | |
| 15 to 18 in. | .45 | .35 | .30 |
| 18 to 24 in. | .50 | .40 | .35 |
| 2 to 3 ft. | .60 | .45 | .40 |
| fruticosa. <i>Indigobush.</i> 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .35 | .30 |
| 4 to 5 ft. | .60 | .45 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .75 | |
| Ampelopsis aconitifolia. <i>Monkshood Vine.</i> 15' | | | |
| 2 year | .40 | .30 | .25 |
| 3 year | .50 | .40 | .35 |
| 4 year | .60 | .50 | .45 |
| henryana. <i>Silvervein Creeper.</i> 15' | | | |
| from 4-inch pots | .75 | .60 | .50 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Ampelopsis. | | | |
| heterophylla. <i>Porcelain Ampelopsis.</i> 25' | | | |
| 2 year | .40 | .30 | .25 |
| 3 year | .50 | .40 | .35 |
| 4 year | .60 | .50 | .45 |
| heterophylla amurensis. <i>Amur Ampelopsis.</i> 25' | | | |
| 2 year | .75 | .60 | .50 |
| 3 year | 1.00 | .75 | .60 |
| heterophylla elegans, syn. sieboldi. 15' | | | |
| 2 year | .40 | .30 | .25 |
| 3 year | .50 | .40 | .35 |
| 4 year | .60 | .50 | .45 |
| quinquefolia. <i>Virginia Creeper.</i> 35' | | | |
| 2 year | .35 | .25 | .15 |
| 3 year | .40 | .30 | .22 |
| 4 year | .50 | .40 | .30 |
| quinquefolia englemanni. <i>Englemann Creeper.</i> 35' | | | |
| 2 year | .35 | .25 | .15 |
| 3 year | .40 | .30 | .22 |
| 4 year | .50 | .40 | .30 |
| quinquefolia murorum. <i>Wall Creeper.</i> | | | |
| 2 year | 1.00 | .75 | |
| quinquefolia saintpauli. <i>St. Paul Creeper.</i> 35' | | | |
| 2 year | .35 | .25 | .20 |
| 3 year | .45 | .35 | .25 |
| tricuspidata veitchi. <i>Boston Ivy.</i> 40' | | | |
| 2 year | .40 | .30 | .22 |
| 3 year | .50 | .40 | .30 |
| 2 year from pots | .65 | .55 | .50 |
| tricuspidata lowi. <i>Geranium Ivy.</i> 8' | | | |
| 2 year from pots | .65 | .60 | .50 |
| 3 year from pots heavy | 1.00 | .90 | .75 |
| Amygdalus davidiana. <i>Chinese Wild Peach.</i> 25' | | | |
| 4 to 5 ft. | 1.75 | 1.50 | |
| 5 to 6 ft. | 2.25 | 2.00 | |
| 6 to 8 ft. | 3.50 | 3.00 | |
| 8 to 10 ft. | 4.50 | 4.00 | |
| davidiana alba. 25' | | | |
| 4 to 5 ft. | 2.50 | 2.00 | |
| 5 to 6 ft. | 3.00 | 2.50 | |
| 6 to 8 ft. | 4.00 | 3.50 | |
| 8 to 10 ft. | 5.00 | 4.50 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Amygdalus | | | |
| nana georgica. <i>Russian Almond.</i> 6' | | | |
| 2 to 3 ft. | 1.25 | 1.00 | |
| 3 to 4 ft. | 1.50 | 1.25 | |
| 4 to 5 ft. | 2.00 | 1.50 | |
| persica. <i>Double Flowering Peach.</i> 10' | | | |
| 3 to 4 ft. | .60 | .50 | |
| 4 to 5 ft. | 1.00 | .75 | |
| 5 to 6 ft. | 1.25 | | |
| 6 to 8 ft. | 2.00 | | |
| Alboplena —Double White. | | | |
| Clara Meyer —Double Pink. | | | |
| Rosea Plena —Double Pink. | | | |
| Rubroplena —Double Red. | | | |
| Andromeda. <i>(See Pieris).</i> | | | |
| Aralia japonica. <i>Angelica Tree.</i> 25' | | | |
| 5 to 6 ft. | 1.40 | 1.00 | .90 |
| 6 to 8 ft. | 2.00 | 1.75 | 1.25 |
| pentaphllum. <i>(See Acanthopanax).</i> | | | |
| spinosa. <i>Devil's Walkingstick.</i> 25' | | | |
| 3 to 4 ft. | .75 | .60 | .50 |
| 4 to 5 ft. | 1.00 | .75 | .60 |
| 5 to 6 ft. | 1.25 | 1.00 | .75 |
| 6 to 8 ft. | 2.00 | 1.50 | 1.00 |
| 8 to 10 ft. | 2.50 | 2.25 | 1.75 |
| 10 to 12 ft. | 3.50 | 3.00 | 2.50 |
| Arctostaphylos uva-ursi. <i>Bearberry.</i> | | | |
| 3½ in. pots. | .60 | .50 | .45 |
| Aristolochia sipho. <i>Dutchman's Pipe.</i> 30' | | | |
| 2 year | 1.25 | 1.00 | .75 |
| tomentosa. 30' | | | |
| 2 year | .75 | .60 | .50 |
| Aronia arbutifolia. <i>Red Chokeberry.</i> 8' | | | |
| 2 to 3 ft. | .50 | .35 | .30 |
| 3 to 4 ft. | .60 | .45 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .60 |
| atropurpurea. <i>Purple Chokeberry.</i> 8' | | | |
| 2 to 3 ft. | .50 | .35 | .30 |
| 3 to 4 ft. | .60 | .45 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .60 |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|---------------------------|-------------|--------------|-----------------|
| Aronia | | | | |
| melanocarpa. | <i>Black Chokeberry.</i> | | | |
| | 2 to 3 ft. | .50 | .35 | .30 |
| | 3 to 4 ft. | .60 | .45 | .40 |
| melanocarpa elata. | <i>Glossy Chokeberry.</i> | | | |
| | 2 to 3 ft. | .50 | .35 | .30 |
| | 3 to 4 ft. | .60 | .45 | .40 |
| | 4 to 5 ft. | .75 | .60 | .50 |
| | 5 to 6 ft. | 1.00 | .75 | .60 |
| Artemesia abrotanum. <i>Southernwood.</i> 5' | | | | |
| | 3 to 4 ft. | .35 | .30 | .25 |
| | 4 to 5 ft. | .45 | .35 | .30 |
| | 5 to 6 ft. | .60 | .45 | .40 |
| Asimina triloba. <i>Papaw.</i> 30' | | | | |
| | 2 to 3 ft. | 1.00 | .75 | |
| Azalea amoena. <i>Amoena Azalea.</i> 4' | | | | |
| | 10 to 12 in. | B&B 1.25 | | |
| | 12 to 15 in. | B&B 1.75 | | |
| | 15 to 18 in. | B&B 2.25 | | |
| calendulacea. | <i>Flame Azalea.</i> | | | |
| | 2 to 3 ft. | B&B 3.75 | 3.00 | 2.75 |
| canescens. | <i>Piedmont Azalea.</i> | | | |
| | 2 to 3 ft. | B&B 3.50 | 2.75 | 2.50 |
| hinodegiri. | <i>Carmine Azalea.</i> | | | |
| | 10 to 12 in. | B&B 1.50 | | |
| | 12 to 15 in. | B&B 2.00 | | |
| kaempferi. | <i>Torch Azalea.</i> | | | |
| | 15 to 18 in. | B&B 2.75 | 2.50 | |
| | 18 to 24 in. | B&B 3.75 | 3.50 | 3.00 |
| | 24 to 30 in. | B&B 4.50 | 4.00 | 3.50 |
| | 30 to 36 in. | B&B 6.00 | 5.00 | |
| ledifolia. | <i>Snow Azalea.</i> | | | |
| | 15 to 18 in. | B&B 3.00 | | |
| | 18 to 24 in. | B&B 3.50 | | |
| lutea. | 10' | | | |
| | 18 to 24 in. | B&B 3.50 | 3.00 | 2.50 |
| | 24 to 30 in. | B&B 4.00 | 3.50 | 3.00 |
| | 3 to 4 ft. | B&B 5.00 | 4.50 | |
| mollis. | <i>Chinese Azalea.</i> | | | |
| | 15 to 18 in. | B&B 2.50 | 2.25 | 2.00 |
| | 18 to 24 in. | B&B 3.75 | 2.75 | 2.50 |
| | 24 to 30 in. | B&B 4.50 | 3.50 | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------------------|------------------------------|-------------|--------------|-----------------|
| Azalea | | | | |
| mucronulatum. | <i>Dahurian Azalea.</i> | 6' | | |
| 3 to 4 ft. | B&B | 6.00 | 5.00 | |
| 4 to 5 ft. | B&B | 7.50 | | |
| nudiflora. | <i>Pinxterbloom.</i> | 4' | | |
| 2 to 3 ft. | B&B | 3.50 | 2.75 | 2.50 |
| 3 to 4 ft. | B&B | 4.00 | 3.50 | |
| poukhanensis. | <i>Korean Azalea.</i> | 4' | | |
| 18 to 24 in. | B&B | 3.50 | 3.00 | 2.50 |
| 24 to 30 in. | B&B | 4.00 | 3.50 | 3.25 |
| viscosa. | <i>Swamp Azalea.</i> | 6' | | |
| 18 to 24 in. | B&B | 2.75 | 2.50 | |
| 24 to 30 in. | B&B | 3.50 | 2.75 | 2.50 |
| yodogawa. | <i>Yodogawa Azalea.</i> | 4' | | |
| 18 to 24 in. | B&B | 3.00 | | |
| 24 to 30 in. | B&B | 3.50 | | |
| 3 to 4 ft. | B&B | 5.00 | | |
| Baccharis halimifolia. | <i>Groundselbush.</i> | 10' | | |
| 2 to 3 ft. | | .50 | .40 | .30 |
| 3 to 4 ft. | | .60 | .50 | .40 |
| 4 to 5 ft. | | .75 | .60 | .50 |
| 5 to 6 ft. | | 1.00 | .75 | .60 |
| *Benzoin aestivale. | <i>Spice Bush.</i> | 12' | | |
| 2 to 3 ft. | | .50 | .40 | .30 |
| 3 to 4 ft. | | .60 | .50 | .40 |
| 4 to 5 ft. | | .75 | .60 | .50 |
| 5 to 6 ft. | | 1.00 | .85 | .75 |
| 6 to 8 ft. | | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft. | | 2.50 | 2.00 | 1.75 |
| 8 to 10 ft. clumps. | B&B | 15.00 | | |
| Berberis julianae. | <i>Wintergreen Barberry.</i> | 5' | | |
| 15 to 18 in. | B&B | 1.75 | 1.50 | 1.25 |
| 18 to 24 in. | B&B | 2.25 | 2.00 | 1.75 |
| 24 to 30 in. | B&B | 2.75 | 2.50 | 2.25 |
| 30 to 36 in. | B&B | 3.50 | 3.00 | |
| koreana. | <i>Korean Barberry.</i> | 6' | | |
| 2 to 3 ft. | | 1.25 | 1.00 | .75 |
| 3 to 4 ft. | | 1.50 | 1.25 | |
| sargentiana. | <i>Sargent Barberry.</i> | 5' | | |
| 15 to 18 in. | B&B | 1.75 | 1.50 | 1.25 |
| 18 to 24 in. | B&B | 2.25 | 2.00 | 1.75 |
| 24 to 30 in. | B&B | 2.75 | 2.50 | 2.25 |

| | | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------|----------------|-------------|--------------|-----------------|
| Berberis | | | | | |
| thunbergi. <i>Japanese Barberry.</i> 4' | | | | | |
| 15 | to 18 | in. | .20 | .15 | .12 |
| 18 | to 24 | in. | .25 | .18 | .14 |
| 24 | to 30 | in. | .35 | .25 | .18 |
| 30 | to 36 | in. | .50 | .35 | .25 |
| 2 | to 2½ | ft. spec. | .85 | .75 | |
| 2½ | to 3 | ft. spec. | 1.25 | 1.00 | |
| 3 | to 3½ | ft. spec. | 1.75 | 1.50 | |
| thunbergi atropurpurea. <i>Redleaf Japanese Barberry.</i> 5' | | | | | |
| 18 | to 24 | in. | .40 | .30 | .25 |
| 24 | to 30 | in. | .50 | .40 | .30 |
| 30 | to 36 | in. | .60 | .50 | .40 |
| 36 | to 42 | in. | 1.00 | .75 | .60 |
| thunbergi minor. <i>Box Barberry.</i> 2' | | | | | |
| 12 | to 15 | in. | .35 | .25 | .20 |
| 15 | to 18 | in. | .40 | .30 | .25 |
| 18 | to 24 | in. | .50 | .40 | .35 |
| 24 | to 30 | in. | .60 | .50 | .45 |
| thunbergi pluriflora. 5' | | | | | |
| 18 | to 24 | in. | .35 | .25 | .20 |
| 24 | to 30 | in. | .45 | .35 | .25 |
| 30 | to 36 | in. | .50 | .40 | .30 |
| thunbergi pluriflora erecta. <i>Truehedge Columnberry.</i> | | | | | |
| 12 | to 15 | in. | .40 | .30 | .25 |
| 15 | to 18 | in. | .50 | .35 | .30 |
| 18 | to 24 | in. | .55 | .40 | .35 |
| 24 | to 30 | in. | .60 | .50 | .40 |
| triacanthophora. <i>Threespine Barberry.</i> 5' | | | | | |
| 15 | to 18 | in. B&B | 1.35 | 1.25 | 1.00 |
| 18 | to 24 | in. B&B | 1.50 | 1.35 | 1.25 |
| verruculosa. <i>Warty Barberry.</i> 3' | | | | | |
| 8 | to 10 | in. B&B | 1.50 | | |
| 12 | to 15 | in. B&B | 1.75 | | |
| 18 | to 24 | in. B&B | 2.50 | | |
| Berchemia racemosa. <i>Japanese Supplejack.</i> 3' | | | | | |
| 15 | to 18 | in. | .60 | .50 | .40 |
| 18 | to 24 | in. | .75 | .60 | .50 |

| | | | 1-4 Each | 5-24 Each | 25 & up Each |
|--------------------------|-------------------------------|--------|-------------|--------------|-----------------|
| *Betula alba. | <i>European White Birch.</i> | | 50' | | |
| 6 | to | 8 ft. | 1.75 | 1.50 | 1.25 |
| 8 | to | 10 ft. | 2.00 | 1.75 | 1.50 |
| 1¼ | to | 1½ in. | 2.50 | 2.25 | 2.00 |
| 1½ | to | 1¾ in. | 3.00 | 2.75 | 2.50 |
| 1¾ | to | 2 in. | 3.50 | 3.25 | 3.00 |
| 2 | to | 2½ in. | 5.00 | 4.00 | 3.50 |
| 2½ | to | 3 in. | 6.00 | 5.00 | |
| 3 | to | 3½ in. | 10.00 | 7.50 | |
| *alba fastigiata. | <i>Pyramidal White Birch.</i> | | 50' | | |
| 6 | to | 8 ft. | 4.00 | 3.50 | |
| 8 | to | 10 ft. | 5.00 | 4.00 | |
| 10 | to | 12 ft. | 7.50 | 6.00 | |
| *alba laciniata. | <i>Cutleaf Weeping Birch.</i> | | 35' | | |
| 6 | to | 8 ft. | 2.50 | 2.25 | |
| 8 | to | 10 ft. | 3.00 | 2.75 | |
| 1¼ | to | 1½ in. | 3.75 | 3.50 | |
| 1½ | to | 1¾ in. | 4.50 | 4.00 | |
| 1¾ | to | 2 in. | 6.00 | 5.00 | |
| 2 | to | 2½ in. | 7.50 | 6.00 | |
| 2½ | to | 3 in. | 10.00 | 7.50 | |
| *fontinalis. | <i>Water Birch.</i> | | 40' | | |
| 6 | to | 8 ft. | 3.50 | | |
| *lenta. | <i>Sweet Birch.</i> | | 40' | | |
| 6 | to | 8 ft. | 1.75 | 1.50 | 1.25 |
| 8 | to | 10 ft. | 2.50 | 2.25 | 1.75 |
| 1¼ | to | 1½ in. | 3.00 | 2.75 | 2.25 |
| 1½ | to | 1¾ in. | 3.50 | 3.00 | 2.75 |
| 1¾ | to | 2 in. | 4.00 | 3.50 | 3.00 |
| 2 | to | 2½ in. | 5.00 | 4.50 | 4.00 |
| 2½ | to | 3 in. | 7.50 | 6.00 | 5.00 |
| 3 | to | 3½ in. | 10.00 | 7.50 | |
| *lutea. | <i>Yellow Birch.</i> | | 50' | | |
| 6 | to | 8 ft. | 2.00 | 1.75 | 1.50 |
| 8 | to | 10 ft. | 2.50 | 2.25 | 2.00 |
| 1¼ | to | 1½ in. | 3.00 | 2.75 | 2.50 |
| 1½ | to | 1¾ in. | 3.50 | 3.00 | |
| 1¾ | to | 2 in. | 4.00 | 3.50 | |
| 2 | to | 2½ in. | 5.00 | 4.50 | |
| 2½ | to | 3 in. | 7.50 | 6.00 | |
| 3 | to | 3½ in. | 10.00 | 7.50 | |
| 3½ | to | 4 in. | 12.50 | 10.00 | |

| | | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------|----------------------|-------------|--------------|-----------------|
| Betula | | | | | |
| *maximowicziana. Monarch Birch. 60' | | | | | |
| 6 | to 8 | ft. | 2.75 | 2.50 | |
| 8 | to 10 | ft. | 3.50 | 3.00 | |
| 1½ | to 1¾ | in. | 4.50 | 4.00 | |
| 1¾ | to 2 | in. | 6.00 | 5.00 | |
| 2 | to 2½ | in. | 7.50 | 6.00 | |
| *nigra. River Birch. 50' | | | | | |
| 6 | to 8 | ft. | 1.75 | 1.50 | 1.25 |
| 8 | to 10 | ft. | 2.50 | 2.25 | 2.00 |
| 1¼ | to 1½ | in. | 3.00 | 2.75 | |
| 6 | to 8 | ft. clumps. B&B | 7.50 | 7.00 | |
| 8 | to 10 | ft. clumps. B&B | 10.00 | 9.00 | |
| *papyrifera. Canoe Birch. 40' | | | | | |
| 6 | to 8 | ft. | 2.00 | 1.75 | 1.50 |
| 8 | to 10 | ft. | 2.50 | 2.25 | 2.00 |
| 1¼ | to 1½ | in. | 3.00 | 2.75 | 2.50 |
| 1½ | to 1¾ | in. | 3.50 | 3.25 | 3.00 |
| 1¾ | to 2 | in. | 4.00 | 3.75 | 3.25 |
| 2 | to 2½ | in. | 5.00 | 4.50 | 4.00 |
| 2½ | to 3 | in. | 7.50 | 6.00 | 5.00 |
| 3 | to 3½ | in. | 10.00 | 7.50 | |
| 3½ | to 4 | in. | 12.50 | 10.00 | |
| 6 | to 8 | ft. clumps. B&B | 7.50 | 7.00 | |
| 8 | to 10 | ft. clumps. B&B | 10.00 | 9.00 | |
| *papyrifera cordifolia. 40' | | | | | |
| 1½ | to 1¾ | in. | 5.00 | | |
| 2 | to 2½ | in. | 7.50 | | |
| 2½ | to 3 | in. | 10.00 | | |
| *populifolia. Gray Birch. 40' | | | | | |
| 6 | to 8 | ft. | 1.75 | 1.50 | 1.25 |
| 8 | to 10 | ft. | 2.50 | 2.25 | 2.00 |
| 1¼ | to 1½ | in. | 3.00 | 2.75 | 2.50 |
| 1½ | to 1¾ | in. | 3.50 | 3.00 | 2.75 |
| 1¾ | to 2 | in. | 4.00 | 3.50 | 3.00 |
| 2 | to 2½ | in. | 5.00 | 4.50 | 4.00 |
| 2½ | to 3 | in. | 7.50 | 6.00 | 5.00 |
| 3 | to 3½ | in. | 10.00 | 7.50 | 6.50 |
| 4 | to 4½ | in. | 15.00 | 12.50 | |
| 6 | to 8 | ft. clumps. B&B | 7.50 | 7.00 | |
| 8 | to 10 | ft. clumps. B&B | 10.00 | 9.00 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Bignonia grandiflora. <i>Chinese Trumpet creeper.</i> 20' | | | |
| 2 year | .60 | .50 | .40 |
| 3 year | .75 | .60 | .50 |
| 4 year | 1.00 | .75 | .60 |
| grandiflora Mad. Gallen. 20' | | | |
| 2 year | 1.00 | .75 | .60 |
| radicans. <i>Trumpet creeper.</i> 30' | | | |
| 2 year | .30 | .20 | .15 |
| 3 year | .35 | .25 | .20 |
| speciosa. <i>Painted Trumpet creeper.</i> 30' | | | |
| 2 year | .75 | .60 | .50 |
| 3 year | 1.00 | .75 | |
| Bischoffia trifoliata. 12' | | | |
| 3 to 4 ft. | 2.50 | 2.25 | |
| Broussonetia papyrifera. <i>Paper Mulberry.</i> 40' | | | |
| 5 to 6 ft. | 3.00 | 2.50 | |
| Bruckenthalia spiculifolia. <i>Spikeheath.</i> 1' | | | |
| 6 in., 3 inch pots | 1.50 | 1.25 | 1.00 |
| Buddleia alternifolia. 12' | | | |
| 2 to 3 ft. | .50 | .40 | |
| 3 to 4 ft. | .60 | .50 | |
| Charming. <i>Pink Butterfly Bush.</i> 5' | | | |
| 2 to 3 ft. | .60 | .50 | .40 |
| davidi. <i>Orange-eye Butterfly Bush.</i> 5' | | | |
| 2 to 3 ft. | .30 | .20 | .15 |
| 3 to 4 ft. | .40 | .30 | .20 |
| davidi superba. 5' | | | |
| 2 to 3 ft. | .30 | .20 | .15 |
| 3 to 4 ft. | .40 | .30 | .20 |
| 4 to 5 ft. | .50 | .35 | .30 |
| davidi veitchi. <i>Veitch Butterfly Bush.</i> 5' | | | |
| 2 to 3 ft. | .30 | .20 | .15 |
| 3 to 4 ft. | .40 | .30 | .20 |
| 4 to 5 ft. | .50 | .35 | .30 |
| Dubonnet. 5' | | | |
| 18 to 24 in. | .50 | .40 | |
| farquhari. 5' | | | |
| 2 to 3 ft. | .30 | .20 | .15 |
| 3 to 4 ft. | .40 | .30 | .20 |
| 4 to 5 ft. | .50 | .35 | .30 |
| 5 to 6 ft. | .60 | .50 | .40 |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|-----------------------------------|---------------------------------|-------------|--------------|-----------------|
| Buddleia | | | | |
| Ile de France. | 4' | | | |
| 2 to 3 ft. | | .40 | .30 | .20 |
| 3 to 4 ft. | | .50 | .40 | .30 |
| intermedia. | <i>Wisteria Butterfly Bush.</i> | 5' | | |
| 2 to 3 ft. | | .30 | .20 | .15 |
| 3 to 4 ft. | | .40 | .30 | .20 |
| lindleyana. | <i>Lindley Butterfly Bush.</i> | 5' | | |
| 2 to 3 ft. | | .30 | .20 | .15 |
| 3 to 4 ft. | | .40 | .30 | .20 |
| paniculata. | | | | |
| 3 to 4 ft. | | .40 | .35 | .25 |
| 4 to 5 ft. | | .50 | .40 | .35 |
| Buxus microphylla. | | | | |
| 12 to 15 in. | B&B | 1.00 | .75 | .60 |
| 15 to 18 in. | B&B | 1.25 | 1.00 | .75 |
| 18 to 24 in. | B&B | 1.50 | 1.25 | 1.00 |
| microphylla koreana. | | | | |
| 6 to 8 in. | B&B | .65 | .55 | .50 |
| 12 to 15 in. | B&B | 1.00 | .75 | .60 |
| 15 to 18 in. | B&B | 1.25 | 1.00 | .75 |
| sempervirens handsworthi. | | | | |
| 8 to 10 in. | B&B | 1.00 | .75 | .60 |
| 10 to 12 in. | B&B | 1.25 | 1.00 | .75 |
| sempervirens suffruticosa. | <i>Dwarf Boxwood.</i> | 4' | | |
| 12 to 15 in. | B&B | 1.25 | 1.00 | .75 |
| 15 to 18 in. | B&B | 1.50 | 1.25 | 1.00 |
| Callicarpa americana. | <i>American Beautyberry.</i> | 6' | | |
| 2 to 3 ft. | | .75 | .65 | |
| giraldiana. | 6' | | | |
| 2 to 3 ft. | | .75 | .65 | .60 |
| giraldiana subincanescens. | 6' | | | |
| 3 to 3½ ft. | | 1.50 | | |
| japonica. | <i>Japanese Beautyberry.</i> | 4' | | |
| 18 to 24 in. | | .40 | .30 | .20 |
| 2 to 3 ft. | | .45 | .35 | .25 |
| purpurea. | <i>Chinese Beautyberry.</i> | 4' | | |
| 18 to 24 in. | | .40 | .30 | .20 |
| 2 to 3 ft. | | .45 | .35 | .25 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Calluna vulgaris. <i>Heather.</i> 2' | | | |
| 6 to 8 in., 4 inch pots | .75 | .60 | .50 |
| 12 to 15 in., F. G. | 1.25 | 1.00 | |
| vulgaris alba. <i>White Heather.</i> 2' | | | |
| 6 to 8 in., 4 inch pots | .75 | .60 | .50 |
| 12 to 15 in., F. G. | 1.25 | 1.00 | |
| vulgaris alporti. <i>Alport Heather.</i> 2' | | | |
| 4 inch pots | .75 | .60 | |
| vulgaris aurea. 2' | | | |
| 6 to 8 in., 4 inch pots | .75 | .60 | .50 |
| 12 to 15 in., F. G. | 1.25 | 1.00 | |
| vulgaris carnea. <i>Flesh Heather.</i> 2' | | | |
| 6 to 8 in., 4 inch pots | .75 | .60 | |
| vulgaris searlei. 2' | | | |
| 12 to 15 in., 4 inch pots | .75 | .60 | .50 |
| 12 to 15 in., F. G. | 1.25 | 1.00 | |
| Calycanthus floridus. <i>Sweet Shrub.</i> 5' | | | |
| 18 to 24 in. | .35 | .30 | .25 |
| 2 to 3 ft. | .40 | .35 | .30 |
| 3 to 4 ft. | .50 | .45 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .85 | .75 |
| occidentalis. <i>California Sweetshrub.</i> 12' | | | |
| 2 to 3 ft. | 1.25 | 1.00 | |
| 3 to 4 ft. | 1.50 | 1.25 | |
| Caragana arborescens. <i>Siberian Peatree.</i> 15' | | | |
| 2 to 3 ft. | .35 | .30 | .25 |
| 3 to 4 ft. | .40 | .35 | .30 |
| 4 to 5 ft. | .50 | .45 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .85 | .75 |
| boisi. 6' | | | |
| 2 to 3 ft. | 1.00 | .75 | |
| 3 to 4 ft. | 1.50 | 1.25 | |
| 4 to 5 ft. | 1.75 | 1.50 | |
| corbergi. 4' | | | |
| 2 to 3 ft. | 1.50 | 1.25 | |
| frutex. <i>Russian Pea-shrub.</i> 10' | | | |
| 2 to 3 ft. | 1.25 | 1.00 | .75 |
| 3 to 4 ft. | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft. | 1.75 | 1.50 | |
| 5 to 6 ft. | 2.50 | 2.00 | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------------------------|-------------|--------------|-----------------|
| Carpinus betulus. | <i>European Hornbeam.</i> 60' | | | |
| 3 to 4 ft. | B&B | 5.00 | 4.50 | 4.00 |
| 4 to 5 ft. | B&B | 6.00 | 5.50 | 5.00 |
| 5 to 6 ft. | B&B | 9.00 | 8.00 | 7.50 |
| 6 to 8 ft. | B&B | 12.00 | 11.00 | 10.00 |
| 8 to 10 ft. | B&B | 15.00 | 13.00 | 12.00 |
| 10 to 12 ft. | B&B | 20.00 | 18.00 | 15.00 |
| Sheared plants, 4 to 10 ft. quoted on request. | | | | |
| caroliniana. | <i>American Hornbeam.</i> 40' | | | |
| 2 to 3 ft. | B&B | 2.00 | 1.75 | 1.50 |
| 3 to 4 ft. | B&B | 2.50 | 2.25 | 2.00 |
| 4 to 5 ft. | B&B | 3.50 | 3.25 | 3.00 |
| 5 to 6 ft. | B&B | 5.00 | 4.50 | 4.00 |
| 6 to 8 ft. | B&B | 7.50 | 6.00 | 5.50 |
| 8 to 10 ft. | B&B | 10.00 | 8.00 | 7.50 |
| 10 to 12 ft. | B&B | 18.00 | 15.00 | 12.50 |
| Sheared plants, 4 to 10 ft., quoted on request. | | | | |
| cordata. | 40' | | | |
| 4 to 5 ft. | B&B | 5.00 | | |
| 5 to 6 ft. | B&B | 6.50 | | |
| japonica. | 40' | | | |
| 3 to 4 ft., bushy | B&B | 4.00 | 3.50 | |
| 4 to 5 ft., bushy | B&B | 5.00 | 4.50 | |
| 5 to 6 ft. | B&B | 6.50 | 5.50 | |
| 6 to 8 ft. | B&B | 10.00 | 7.50 | |
| yedoensis. | 25' | | | |
| 2 to 3 ft. | B&B | 3.00 | 2.50 | 2.00 |
| 3 to 4 ft. | B&B | 4.00 | 3.50 | 3.00 |
| 4 to 5 ft. | B&B | 6.00 | 5.00 | |
| 5 to 6 ft. | B&B | 7.50 | 6.50 | |
| 6 to 8 ft. | B&B | 10.00 | 8.00 | |
| Caryopteris incana. | <i>Bluebeard.</i> 4' | | | |
| 15 to 18 in. | | .45 | .35 | .30 |
| 18 to 24 in. | | .55 | .45 | .40 |
| tangutica. | 5' | | | |
| 10 to 12 in., 4 inch pots | | 1.00 | .80 | .75 |
| Catalpa bignonioides nana syn. bungei. | | | | |
| <i>Umbrella Catalpa.</i> 12' | | | | |
| 2 yr. heads, | | | | |
| 5 to 6 ft. | | 1.75 | 1.50 | |
| 6 to 8 ft. | | 2.25 | 2.00 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Catalpa | | | |
| kaempferi. <i>Japanese Catalpa.</i> 20' | | | |
| 6 to 8 ft. | 1.75 | 1.50 | |
| 8 to 10 ft. | 2.25 | 2.00 | |
| 1½ to 1¾ in. | 3.00 | 2.50 | |
| 1¾ to 2 in. | 4.00 | 3.50 | |
| speciosa. <i>Western Catalpa.</i> 30' | | | |
| 8 to 10 ft. | 1.50 | 1.25 | 1.00 |
| 1½ to 1¾ in. | 1.75 | 1.50 | 1.25 |
| 1¾ to 2 in. | 2.00 | 1.75 | 1.50 |
| Ceanothus americanus. <i>Jersey Tea.</i> 3' | | | |
| 18 to 24 in. | .50 | .35 | .25 |
| 2 to 3 ft. | .60 | .45 | .35 |
| Cedrela sinensis. <i>Chinese Cedrela.</i> 50' | | | |
| 5 to 6 ft. | 3.00 | 2.50 | |
| 6 to 8 ft. | 4.00 | 3.50 | |
| 8 to 10 ft. | 5.00 | 4.50 | |
| 10 to 12 ft. | 7.50 | 6.00 | |
| Cedrus deodara <i>Deodar.</i> 50' | | | |
| 2 ft. B&B | 3.50 | 3.00 | |
| 3 ft. B&B | 5.00 | 4.50 | |
| libani. <i>Cedar of Lebanon.</i> 50' | | | |
| 2 ft. B&B | 3.50 | 3.00 | |
| 3 ft. B&B | 5.00 | 4.50 | |
| Celastrus gemmata. <i>Chinese Bittersweet.</i> 20' | | | |
| 2 year | 1.00 | .75 | |
| orbiculatus. <i>Oriental Bittersweet.</i> 20' | | | |
| 2 year | .40 | .30 | .20 |
| 3 year | .45 | .35 | .25 |
| 4 year | .60 | .45 | .35 |
| scandens. <i>Native Bittersweet.</i> 25' | | | |
| 2 year | .40 | .30 | .25 |
| 3 year | .45 | .35 | .30 |
| 4 year | .60 | .45 | .40 |
| Celtis occidentalis. <i>Hackberry.</i> 50' | | | |
| 5 to 6 ft. | 1.75 | 1.50 | |
| 6 to 8 ft. | 2.25 | 2.00 | |
| 8 to 10 ft. | 2.75 | 2.50 | |
| 1¼ to 1½ in. | 3.00 | 2.75 | |
| 1½ to 1¾ in. | 3.50 | 3.25 | |
| 1¾ to 2 in. | 4.00 | 3.75 | |
| 2 to 2½ in. | 5.00 | 4.00 | |
| 2½ to 3 in. | 7.50 | 5.00 | |
| 3 to 3½ in. | 10.00 | 7.50 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Celtis | | | |
| sinensis. <i>Chinese Hackberry.</i> 30' | | | |
| 4 to 5 ft. | 2.50 | 2.00 | |
| 5 to 6 ft. | 3.00 | 2.50 | |
| Cephalanthus occidentalis. <i>Button Bush.</i> 6' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .35 |
| 4 to 5 ft. | .65 | .55 | .50 |
| Cercidiphyllum japonicum. <i>Katsura Tree.</i> 30' | | | |
| 4 to 5 ft. B&B | 3.00 | 2.75 | 2.50 |
| 5 to 6 ft. B&B | 4.50 | 4.00 | 3.75 |
| 6 to 8 ft. B&B | 6.00 | 5.00 | 4.50 |
| 8 to 10 ft. B&B | 8.50 | 7.50 | 6.50 |
| 10 to 12 ft. B&B | 12.50 | 10.00 | 9.00 |
| 8 to 10 ft. spec. B&B | 15.00 | | |
| 10 to 12 ft. spec. B&B | 20.00 | | |
| 12 to 14 ft. spec. B&B | 25.00 | | |
| 14 to 16 ft. spec. B&B | 35.00 | | |
| japonicum sinense. <i>Chinese Katsura Tree.</i> 50' | | | |
| 3 to 4 ft. B&B | 5.00 | | |
| 4 to 5 ft. B&B | 7.50 | | |
| *Cercis canadensis. <i>American Redbud.</i> 15' | | | |
| 3 to 4 ft. | 1.00 | .75 | .60 |
| 4 to 5 ft. | 1.25 | 1.00 | .90 |
| 5 to 6 ft. | 1.75 | 1.50 | 1.25 |
| 6 to 8 ft. | 2.25 | 2.00 | 1.75 |
| 8 to 10 ft. | 3.00 | 2.75 | 2.50 |
| 6 to 8 ft. spec. B&B | 7.50 | | |
| 8 to 10 ft. spec. B&B | 10.00 | | |
| 10 to 12 ft. spec. B&B | 15.00 | | |
| canadensis alba. <i>Whitebud.</i> 15' | | | |
| 3 to 4 ft. B&B | 5.00 | 4.50 | |
| *chinensis. <i>Chinese Redbud.</i> 10' | | | |
| 2 to 3 ft. | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft. | 2.00 | 1.50 | 1.25 |
| 4 to 5 ft. | 3.00 | 2.50 | 2.00 |
| 5 to 6 ft. | 5.00 | 4.00 | 3.50 |
| 6 to 8 ft. | 7.50 | 6.00 | |
| 8 to 10 ft. | 10.00 | 7.50 | |

| Chamaecyparis lawsoniana. | <i>Lawson Cypress.</i> | 1-4 Each | 5-24 Each | 25 & up Each |
|----------------------------------|------------------------|-------------|--------------|-----------------|
| | 100' | | | |
| 2 ft. | B&B | 3.00 | 2.50 | |
| 3 ft. | B&B | 4.00 | 3.50 | |
| 4 ft. | B&B | 6.00 | 5.00 | |
| 5 ft. | B&B | 9.00 | 7.50 | |
| 6 ft. | B&B | 12.50 | 10.00 | |

For larger sizes to 12 ft., add \$5.00 per foot.

lawsoniana alumi. *Scarab Cypress.* 40'

| | | | | |
|------------|-----|------|--|--|
| 2 ft. | B&B | 5.00 | | |
| 3 ft. | B&B | 6.00 | | |

lawsoniana glauca. *Blue Lawson Cypress.* 40'

| | | | | |
|------------|-----|-------|--|--|
| 6 ft. | B&B | 15.00 | | |
| 7 ft. | B&B | 18.00 | | |

lawsoniana Triomphe de Boskoop . 40'

| | | | | |
|------------|-----|-------|------|------|
| 4 ft. | B&B | 6.00 | 5.00 | 4.00 |
| 5 ft. | B&B | 9.00 | 7.50 | |
| 6 ft. | B&B | 12.00 | | |

nootkatensis. *Nootka Cypress.* 75'

| | | | | |
|------------|-----|------|------|------|
| 2 ft. | B&B | 3.00 | 2.50 | 2.25 |
| 3 ft. | B&B | 4.00 | 3.00 | 2.75 |
| 4 ft. | B&B | 5.00 | 4.50 | |
| 5 ft. | B&B | 7.50 | 6.00 | |
| 6 ft. | B&B | 9.00 | 7.50 | |

nootkatensis pendula. *Weeping Nootka Cypress.* 15'

| | | | | |
|------------|-----|-------|------|--|
| 3 ft. | B&B | 7.50 | 6.00 | |
| 4 ft. | B&B | 10.00 | 8.00 | |
| 5 ft. | B&B | 12.50 | | |
| 6 ft. | B&B | 15.00 | | |

obtusa compacta. *Compact Hinoki Cypress.* 10'

| | | | | |
|------------|-----|-------|-------|------|
| 2 ft. | B&B | 3.00 | 2.50 | 2.25 |
| 3 ft. | B&B | 4.00 | 3.50 | 3.25 |
| 4 ft. | B&B | 5.50 | 5.00 | 4.50 |
| 5 ft. | B&B | 7.50 | 6.00 | |
| 6 ft. | B&B | 10.00 | 7.50 | |
| 7 ft. | B&B | 12.50 | 10.00 | |

obtusa crippsi. *Yellow Hinoki Cypress.* 10'

| | | | | |
|------------|-----|------|--|--|
| 3 ft. | B&B | 5.00 | | |
| 4 ft. | B&B | 6.00 | | |

Chamaecyparis

| | | |
|------|------|---------|
| 1-4 | 5-24 | 25 & up |
| Each | Each | Each |

obtusa gracilis. *Slender Hinoki Cypress.* 15'

| | | | |
|-------|----------|-------|-------|
| 2 ft. |B&B | 4.00 | 3.50 |
| 3 ft. |B&B | 6.00 | 5.00 |
| 4 ft. |B&B | 7.50 | 6.00 |
| 5 ft. |B&B | 10.00 | 7.50 |
| 6 ft. |B&B | 12.50 | 10.00 |
| 7 ft. |B&B | 15.00 | 12.50 |
| 8 ft. |B&B | 20.00 | |

obtusa nana. *Dwarf Hinoki Cypress.* 10'

| | | | |
|--------|----------|-------|------|
| 15 in. |B&B | 4.00 | 3.50 |
| 18 in. |B&B | 6.00 | 5.00 |
| 24 in. |B&B | 7.50 | |
| 30 in. |B&B | 10.00 | |

obtusa nana compacta. 3'

| | | | |
|--------|----------|------|------|
| 15 in. |B&B | 5.00 | 4.50 |
| 18 in. |B&B | 7.50 | 6.50 |

pisifera. *Sawara Cypress.* 30'

| | | | | |
|--------------|----------|-------|-------|------|
| 2 ft. |B&B | 2.50 | 2.00 | 1.75 |
| 3 ft. |B&B | 3.75 | 3.00 | 2.75 |
| 4 ft. |B&B | 5.00 | 4.00 | 3.75 |
| 5 ft. |B&B | 6.50 | 5.00 | 4.50 |
| 6 ft. spec. |B&B | 9.00 | 7.50 | |
| 7 ft. spec. |B&B | 12.50 | 10.00 | |
| 8 ft. spec. |B&B | 15.00 | 12.50 | |
| 9 ft. spec. |B&B | 18.00 | 15.00 | |
| 10 ft. spec. |B&B | 20.00 | 18.00 | |

For larger sizes to 18 ft., add \$5.00 per foot.

p. aurea. *Golden Sawara Cypress.* 30'

| | | | | |
|--------------|----------|-------|------|------|
| 2 ft. |B&B | 3.00 | 2.50 | 2.00 |
| 3 ft. |B&B | 3.50 | 3.00 | 2.50 |
| 4 ft. |B&B | 5.00 | 4.00 | 3.50 |
| 5 ft. |B&B | 6.00 | 5.00 | |
| 6 ft. spec. |B&B | 10.00 | | |
| 7 ft. spec. |B&B | 12.50 | | |
| 8 ft. spec. |B&B | 15.00 | | |
| 9 ft. spec. |B&B | 17.50 | | |
| 10 ft. spec. |B&B | 20.00 | | |

Chamaecyparis

| | | |
|-------------|--------------|-----------------|
| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|

p. filifera. *Thread-branched Japanese Cypress. 15'*

| | | | | |
|------------------|-----|-------|-------|------|
| 2 ft. | B&B | 3.50 | 3.00 | 2.50 |
| 3 ft. | B&B | 4.00 | 3.50 | 3.00 |
| 4 ft. | B&B | 6.00 | 5.00 | 4.00 |
| 4 ft. spec. | B&B | 12.00 | 10.00 | |
| 5 ft. spec. | B&B | 15.00 | 12.50 | |
| 6 ft. spec. | B&B | 18.00 | 15.00 | |
| 7 ft. spec. | B&B | 20.00 | 18.00 | |
| 8 ft. spec. | B&B | 25.00 | 22.50 | |
| 9 ft. spec. | B&B | 35.00 | | |

p. filifera aurea.*Golden Thread-branched Japanese Cypress. 10'*

| | | | | |
|----------------------|-----|-------|------|--|
| 18 in. spd. | B&B | 3.50 | 2.75 | |
| 24 in. spd. | B&B | 4.50 | 3.75 | |
| 30 in. spd. | B&B | 6.00 | 5.00 | |
| 36x36 in. spec. | B&B | 10.00 | | |
| 48x48 in. spec. | B&B | 15.00 | | |
| 54x54 in. spec. | B&B | 20.00 | | |
| 60x60 in. spec. | B&B | 25.00 | | |

p. filifera aurea nova.*Variegated Thread-branched Japanese Cypress. 10'*

| | | | | |
|------------------------|-----|-------|--|--|
| 18 to 24 in. spd. | B&B | 3.00 | | |
| 24 to 30 in. spd. | B&B | 4.00 | | |
| 30 to 36 in. spd. | B&B | 5.00 | | |
| 36 to 42 in. spd. | B&B | 7.50 | | |
| 42 to 48 in. spd. | B&B | 10.00 | | |
| 48 to 54 in. spd. | B&B | 15.00 | | |

p. plumosa. *Plume Cypress. 30'*

| | | | | |
|----------------------|-----|-------|-------|------|
| 2 ft. sheared. | B&B | 2.50 | 2.00 | 1.75 |
| 3 ft. sheared. | B&B | 3.75 | 3.00 | 2.50 |
| 4 ft. sheared. | B&B | 5.00 | 4.00 | 3.75 |
| 5 ft. sheared. | B&B | 6.00 | 5.00 | 4.50 |
| 6 ft. sheared. | B&B | 8.00 | 7.00 | 6.50 |
| 7 ft. sheared. | B&B | 10.00 | 9.00 | 8.00 |
| 8 ft. sheared. | B&B | 15.00 | 12.50 | |
| 9 ft. sheared. | B&B | 18.00 | 15.00 | |
| 10 ft. sheared. | B&B | 20.00 | 18.00 | |

For larger sizes to 18 ft., add \$5.00 per foot.

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

| | | |
|------|------|---------|
| 1-4 | 5-24 | 25 & up |
| Each | Each | Each |

Chamaecyparis p. plumosa

| | | | |
|-------------------------------|-----|-------|--|
| 3 ft. high x 4 ft. spread ex. | | | |
| spec. | B&B | 7.50 | |
| 4 ft. high x 5 ft. spread ex. | | | |
| spec. | B&B | 12.50 | |
| 5 ft. high x 6 ft. spread ex. | | | |
| spec. | B&B | 15.00 | |

p. plumosa aurea. *Goldenplume Cypress. 25'*

| | | | | |
|---------------------|-----|-------|-------|-------|
| 2 ft. sheared..... | B&B | 2.50 | 2.00 | 1.75 |
| 3 ft. sheared..... | B&B | 3.75 | 3.00 | 2.50 |
| 4 ft. sheared..... | B&B | 5.00 | 4.00 | 3.75 |
| 5 ft. sheared | B&B | 6.00 | 5.00 | 4.50 |
| 6 ft. sheared..... | B&B | 8.00 | 7.00 | 6.00 |
| 7 ft. sheared..... | B&B | 10.00 | 8.50 | 7.50 |
| 8 ft. sheared..... | B&B | 15.00 | 12.50 | 10.00 |
| 9 ft. sheared..... | B&B | 18.00 | 15.00 | |
| 10 ft. sheared..... | B&B | 20.00 | 18.00 | |

For larger sizes to 20 ft, add \$5.00 per foot.

| | | | |
|-------------------------------|-----|-------|--|
| 2 ft. high x 3 ft. spread ex. | | | |
| spec. | B&B | 5.00 | |
| 3 ft. high x 4 ft. spread ex. | | | |
| spec. | B&B | 7.50 | |
| 4 ft. high x 5 ft. spread ex. | | | |
| spec. | B&B | 12.50 | |
| 5 ft. high x 6 ft. spread ex. | | | |
| spec. | B&B | 15.00 | |

p. plumosa lutescens. *(Globe form). 5'*

| | | | | |
|-------------|-----|------|------|------|
| 18 in. | B&B | 2.50 | 2.00 | 1.75 |
| 24 in. | B&B | 3.00 | 2.50 | 2.00 |

p. plumosa sulphurea. *Sulphurplume Cypress. 25'*

| | | | | |
|------------|-----|-------|-------|--|
| 4 ft. | B&B | 5.00 | 4.50 | |
| 5 ft. | B&B | 6.50 | 5.50 | |
| 6 ft. | B&B | 8.00 | 7.00 | |
| 7 ft. | B&B | 10.00 | 8.50 | |
| 8 ft. | B&B | 15.00 | 12.50 | |
| 9 ft. | B&B | 18.00 | 15.00 | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-----|-------------|--------------|-----------------|
| Chamaecyparis | | | | |
| p. squarrosa. <i>Moss Retinospora.</i> 30' | | | | |
| 2 ft. sheared..... | B&B | 3.00 | 2.50 | 2.00 |
| 3 ft. sheared..... | B&B | 4.00 | 3.50 | 3.00 |
| 4 ft. sheared..... | B&B | 5.50 | 4.50 | 4.00 |
| 5 ft. sheared..... | B&B | 6.50 | 5.50 | 5.00 |
| 6 ft. sheared..... | B&B | 8.50 | 7.00 | 6.00 |
| 7 ft. sheared..... | B&B | 10.00 | 9.00 | |
| 8 ft. sheared..... | B&B | 15.00 | 12.50 | |
| For larger sizes to 15 ft., add \$5.00 per foot. | | | | |
| Chamaedaphne calyculata. <i>Leatherleaf.</i> 3' | | | | |
| 15 to 18 in..... | B&B | 3.00 | 2.50 | |
| 18 to 24 in..... | B&B | 3.50 | 3.00 | |
| 24 to 30 in..... | B&B | 5.00 | 4.00 | |
| Chionanthus retusa. 20' | | | | |
| 18 to 24 in..... | B&B | 3.50 | | |
| virginica. <i>White Fringe.</i> 25' | | | | |
| 2 to 3 ft. | | .75 | .60 | .50 |
| 3 to 4 ft. | | 1.00 | .75 | .65 |
| 4 to 5 ft. | | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft. | | 2.25 | 1.75 | 1.50 |
| 6 to 8 ft. | | 3.00 | 2.25 | 2.00 |
| 8 to 10 ft. | | 4.00 | 3.00 | |
| 5 to 6 ft. spec..... | B&B | 7.50 | 6.00 | |
| 6 to 8 ft. spec..... | B&B | 10.00 | 7.50 | |
| 8 to 10 ft. spec..... | B&B | 12.50 | | |
| Cladrastis lutea. <i>Yellow Wood.</i> 30' | | | | |
| 5 to 6 ft. | B&B | 6.00 | 5.50 | 5.00 |
| 6 to 8 ft. | B&B | 7.50 | 6.50 | 6.00 |
| 8 to 10 ft. | B&B | 10.00 | 9.00 | 8.00 |
| 10 to 12 ft. | B&B | 17.50 | 15.00 | 12.50 |
| 12 to 14 ft. | B&B | 20.00 | 17.50 | |
| Clematis aplifolia. <i>October Clematis.</i> 25' | | | | |
| 2 year | | .50 | .40 | .30 |
| chrysocoma sericea. | | | | |
| 2 year | | 1.00 | .75 | .60 |
| coccinea. (<i>See texensis</i>). | | | | |
| crispa. <i>Curly Clematis.</i> | | | | |
| 2 year | | 1.00 | .75 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Clematis | | | |
| fargesii. | | | |
| 2 year, 3 in. pots | 1.00 | .75 | |
| flammula. <i>Plume Clematis.</i> 15' | | | |
| 2 year | 1.00 | .75 | |
| hybrids. <i>Large Flowering Clematis.</i> | | | |
| 2 year | .75 | .60 | |
| Jackmanni, Mad. Ed. Andre, Henryi, Duchess of Edinburg. | | | |
| ligusticifolia. <i>Western Virgins-bower.</i> 15' | | | |
| 2 year | .75 | .60 | .50 |
| montana rubens. | | | |
| 3 inch pots | 1.00 | .75 | .65 |
| montana undulata. | | | |
| 3½ inch pots | 1.00 | | |
| montana wilsoni. | | | |
| 3 inch pots | 1.00 | .75 | |
| paniculata. <i>Sweet Autumn Clematis.</i> 25' | | | |
| 2 year | .35 | .30 | .25 |
| 3 year | .45 | .35 | .30 |
| serratifolia. <i>Korean Clematis.</i> | | | |
| 2 year | 1.00 | .75 | .60 |
| tangutica. <i>Golden Clematis.</i> 12' | | | |
| 2 year | .60 | .50 | .40 |
| texensis syn. coccinea. <i>Scarlet Clematis.</i> 10' | | | |
| 2 year | .60 | .50 | .40 |
| veitchi. 10' | | | |
| 3 inch pots | 1.00 | .75 | |
| viorna. <i>Leatherflower</i> | | | |
| 2 year | 1.00 | .75 | |
| virginiana. <i>Virgins-bower.</i> 25' | | | |
| 2 year | .35 | .25 | .20 |
| 3 year | .45 | .35 | .25 |
| vitalba. <i>Travelers-joy.</i> 25' | | | |
| 2 year | .60 | .50 | .40 |
| viticella. <i>Italian Clematis.</i> 10' | | | |
| 2 year | .75 | .60 | |
| Clerodendron trichotomum. <i>Harlequin Glorybower.</i> 6' | | | |
| 3 to 4 ft. | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | 2.00 | 1.75 | 1.50 |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|--------------------------------|---------------------------------|-------------|--------------|-----------------|
| Clethra alnifolia. | <i>Sweet Pepper Bush. 5'</i> | | | |
| 18 | to 24 in. | .45 | .35 | .30 |
| 24 | to 30 in. | .50 | .45 | .40 |
| 2½ | to 3 ft. | .60 | .55 | .50 |
| 3 | to 4 ft. | .75 | .65 | .60 |
| 4 | to 5 ft. | 1.00 | .85 | .75 |
| barbinervis. | <i>Tree Clethra. 5'</i> | | | |
| 3 | to 4 ft. | .75 | .65 | .60 |
| 4 | to 5 ft. | 1.00 | .85 | |
| paniculata. | <i>5'</i> | | | |
| 18 | to 24 in. | 1.00 | .75 | .60 |
| 2 | to 3 ft. | 1.25 | 1.00 | .75 |
| Colutea arborescens. | <i>Bladder Senna. 10'</i> | | | |
| 3 | to 4 ft. | .45 | .35 | .30 |
| 4 | to 5 ft. | .60 | .50 | .45 |
| 5 | to 6 ft. | .75 | .65 | .60 |
| 6 | to 8 ft. | 1.00 | .85 | .75 |
| media. | <i>10'</i> | | | |
| 2 | to 3 ft. | 1.00 | .75 | .60 |
| 3 | to 4 ft. | 1.25 | 1.00 | .75 |
| 4 | to 5 ft. | 1.50 | 1.25 | |
| Comptonia asplenifolia. | <i>Sweetfern. 3'</i> | | | |
| 18 | to 24 in. | .55 | .45 | .40 |
| 2 | to 3 ft. | .65 | .50 | |
| Cornus alba. | <i>Tatarian Dogwood. 10'</i> | | | |
| 2 | to 3 ft. | .40 | .30 | .25 |
| 3 | to 4 ft. | .45 | .35 | .30 |
| 4 | to 5 ft. | .60 | .50 | .40 |
| 5 | to 6 ft. | .75 | .60 | .50 |
| 6 | to 8 ft. | 1.00 | .75 | |
| alba elegantissima. | <i>Silverblotch Dogwood. 8'</i> | | | |
| 2 | to 3 ft. | .65 | .55 | .50 |
| 3 | to 4 ft. | .75 | .65 | .60 |
| 4 | to 5 ft. | .90 | .80 | .70 |
| 5 | to 6 ft. | 1.00 | .90 | |
| alba sibirica. | <i>Coral Dogwood. 10'</i> | | | |
| 2 | to 3 ft. | .40 | .30 | .25 |
| 3 | to 4 ft. | .45 | .35 | .30 |
| 4 | to 5 ft. | .60 | .50 | .40 |
| 5 | to 6 ft. | .75 | .60 | .50 |
| 6 | to 8 ft. | 1.00 | .90 | |

| | | |
|-------------|--------------|-----------------|
| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|

Cornus**alba spaethi.** *Golden variegated Dogwood.* 8'

| | | | |
|-----------------|------|-----|-----|
| 2 to 3 ft. | .65 | .55 | .50 |
| 3 to 4 ft. | .75 | .65 | .60 |
| 4 to 5 ft. | 1.00 | .75 | |

alternifolia . *Pagoda Dogwood.* 20'

| | | | |
|-----------------|------|------|------|
| 2 to 3 ft. | .60 | .45 | .40 |
| 3 to 4 ft. | .75 | .55 | .50 |
| 4 to 5 ft. | 1.00 | .80 | .75 |
| 5 to 6 ft. | 1.25 | 1.10 | 1.00 |
| 6 to 8 ft. | 1.75 | 1.50 | |

amomum syn. sericea. *Silky Dogwood.* 10'

| | | | |
|------------------|------|------|-----|
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .85 | .75 |
| 8 to 10 ft. | 1.25 | 1.00 | .90 |

baileyi. *Bailey Dogwood.* 10'

| | | | |
|-----------------|------|------|-----|
| 2 to 3 ft. | .45 | .35 | .30 |
| 3 to 4 ft. | .55 | .45 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .60 |
| 6 to 8 ft. | 1.25 | 1.00 | |

florida. *White Flowering Dogwood.* 25'

| | | | |
|------------------|----------|------|------|
| 3 to 4 ft. | B&B 2.00 | 1.75 | 1.50 |
| 4 to 5 ft. | B&B 3.00 | 2.50 | 2.25 |
| 5 to 6 ft. | B&B 4.50 | 3.75 | 3.50 |
| 6 to 8 ft. | B&B 6.50 | 5.50 | 5.00 |
| 8 to 10 ft. | B&B 9.00 | 8.00 | 7.50 |

5 to 14 ft., heavy spec.,

B&B at \$1.50 per foot.

florida plena. *Dbl. White Flg. Dogwood.* 25'

| | | | |
|------------------------|-----------|-------|------|
| 3 to 4 ft. | B&B 4.50 | 4.00 | 3.50 |
| 4 to 5 ft. | B&B 6.00 | 5.00 | 4.50 |
| 5 to 6 ft. spec. | B&B 12.50 | 10.00 | |
| 6 to 8 ft. spec. | B&B 15.00 | | |
| 8 to 10 ft. spec. | B&B 20.00 | | |

Cornus

| | | |
|-------------|--------------|-----------------|
| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|

florida rubra. *Red Flowering Dogwood.* 20'

| | | | | |
|-------------------------|-----|-------|-------|------|
| 3 to 4 ft. | B&B | 3.75 | 3.00 | 2.50 |
| 4 to 5 ft. | B&B | 5.50 | 4.50 | 3.75 |
| 5 to 6 ft. | B&B | 7.50 | 6.50 | 5.00 |
| 6 to 8 ft. | B&B | 10.00 | 8.50 | 7.50 |
| 8 to 10 ft. | B&B | 12.50 | 10.00 | 9.00 |
| 5 ft., heavy spec. | B&B | 12.50 | | |
| 6 ft., heavy spec. | B&B | 15.00 | | |

For larger sizes to 12 ft., add \$5.00 per foot.

florida welchi. *Variegated-leaved Dogwood.* 25'

| | | | | |
|-----------------|-----|------|--|--|
| 2 to 3 ft. | B&B | 3.50 | | |
| 3 to 4 ft. | B&B | 4.50 | | |
| 4 to 5 ft. | B&B | 6.00 | | |

kousa. *Kousa Dogwood.* 20'

| | | | | |
|------------------------|-----|-------|-------|------|
| 3 to 4 ft. | B&B | 2.50 | 2.25 | 2.00 |
| 4 to 5 ft. heavy | B&B | 5.00 | 4.50 | |
| 5 to 6 ft. heavy | B&B | 7.50 | 6.50 | |
| 6 to 8 ft. heavy | B&B | 10.00 | 8.50 | |
| 8 to 10 ft. heavy | B&B | 12.50 | 10.00 | |

kousa chinensis. *Chinese Dogwood.* 25'

| | | | | |
|------------|-----|------|--|--|
| 2 ft. | B&B | 5.00 | | |
|------------|-----|------|--|--|

mas. *Cornelian Cherry.* 20'

| | | | | |
|-------------------|--|------|------|------|
| 2 to 3 ft. | | 1.00 | .85 | .75 |
| 3 to 4 ft. | | 1.25 | 1.15 | 1.00 |
| 4 to 5 ft. | | 1.75 | 1.60 | 1.50 |
| 5 to 6 ft. | | 2.50 | 2.25 | 2.00 |
| 6 to 8 ft. | | 3.50 | 3.25 | 3.00 |
| 8 to 10 ft. | | 4.50 | 4.25 | 4.00 |
| 10 to 12 ft. | | 7.50 | 6.50 | 6.00 |

officinalis. *Japanese Cornelian Cherry.* 15'

| | | | | |
|-----------------|--|------|--|--|
| 3 to 4 ft. | | 2.00 | | |
| 4 to 5 ft. | | 3.00 | | |

paniculata. *Gray Dogwood.* 15'

| | | | | |
|-----------------|--|------|------|-----|
| 2 to 3 ft. | | .40 | .30 | .25 |
| 3 to 4 ft. | | .50 | .40 | .35 |
| 4 to 5 ft. | | .75 | .60 | .50 |
| 5 to 6 ft. | | 1.00 | .85 | .75 |
| 6 to 8 ft. | | 1.25 | 1.00 | .90 |

paucinervis. *Littleleaf Dogwood.* 6'

| | | | | |
|-----------------|--|------|--|--|
| 3 to 4 ft. | | 1.50 | | |
| 4 to 5 ft. | | 2.00 | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Cornus | | | |
| pubescens. 15' | | | |
| 3 to 4 ft. | .75 | .60 | .50 |
| 4 to 5 ft. | 1.00 | .75 | |
| 5 to 6 ft. | 1.25 | 1.00 | |
| rugosa. Roundleaf Dogwood. 10' | | | |
| 4 to 5 ft. | 1.25 | | |
| sanguinea. Bloodtwig Dogwood. 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| sanguinea viridissima. Greentwig Dogwood. 10' | | | |
| 2 to 3 ft. | .50 | .40 | .30 |
| 3 to 4 ft. | .60 | .50 | .40 |
| 4 to 5 ft. | .75 | .60 | .55 |
| stolonifera. Red Osier Dogwood. 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .75 | .60 |
| stolonifera flaviramea. Goldentwig Dogwood. 8' | | | |
| 2 to 3 ft. | .50 | .35 | .30 |
| 3 to 4 ft. | .60 | .45 | .40 |
| 4 to 5 ft. | .75 | .60 | |
| 5 to 6 ft. | 1.00 | .75 | |
| Corylopsis sinensis. Chinese Winterhazel. 8' | | | |
| 2 to 3 ft.B&B | 5.00 | 4.50 | |
| 3 to 4 ft.B&B | 7.50 | | |
| Corylus americana. American Hazelnut. 10' | | | |
| 2 to 3 ft. | .50 | .45 | .40 |
| 3 to 4 ft. | .60 | .55 | .50 |
| 4 to 5 ft. | .75 | .65 | .60 |
| 5 to 6 ft. | 1.00 | .80 | .75 |
| 6 to 8 ft. | 1.50 | 1.25 | 1.00 |
| avellana. Filbert. 15' | | | |
| 2 to 3 ft. | .60 | .50 | .45 |
| 3 to 4 ft. | .70 | .60 | .55 |
| 4 to 5 ft. | 1.00 | .85 | .75 |
| 5 to 6 ft. | 1.25 | 1.00 | .90 |
| 6 to 8 ft. | 1.75 | 1.50 | 1.25 |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|------------------------------------|---------------------------------|-------------|--------------|-----------------|
| Corylus | | | | |
| avellana atropurpurea. | <i>Purple Filbert. 15'</i> | | | |
| 2 to 3 ft. | | 4.00 | 3.50 | |
| 3 to 4 ft. | | 4.50 | 4.00 | |
| 4 to 5 ft. | | 6.00 | 5.00 | |
| 5 to 6 ft. | | 7.50 | 6.00 | |
| 6 to 8 ft. | | 10.00 | 7.50 | |
| 8 to 10 ft. | | 12.50 | 10.00 | |
| avellana aurea. | <i>Golden Filbert. 15'</i> | | | |
| 2 to 3 ft. | | 3.00 | | |
| 5 to 6 ft. | | 5.00 | | |
| heterophylla setchuenensis. | <i>Chinese Hazelnut. 12'</i> | | | |
| 3 to 4 ft. | | 3.00 | | |
| rostrata. | <i>Beaked Hazelnut. 6'</i> | | | |
| 2 to 3 ft. | | 1.00 | .75 | .60 |
| 3 to 4 ft. | | 1.25 | 1.00 | .75 |
| 4 to 5 ft. | | 1.50 | 1.25 | 1.00 |
| *Cotoneaster acutifolia. | <i>Peking Cotoneaster. 12'</i> | | | |
| 2 to 3 ft. | | .50 | .40 | .35 |
| 3 to 4 ft. | | .60 | .50 | .45 |
| 4 to 5 ft. | | .75 | .65 | .60 |
| 5 to 6 ft. | | 1.00 | .80 | .75 |
| *acutifolia villosula. | <i>12'</i> | | | |
| 2 to 3 ft. | | .55 | .45 | .40 |
| 3 to 4 ft. | | .65 | .55 | .50 |
| 4 to 5 ft. | | .75 | .65 | .60 |
| 5 to 6 ft. | | 1.00 | .80 | .75 |
| 6 to 8 ft. | | 1.25 | 1.00 | .90 |
| adpressa. | <i>Creeping Cotoneaster. 2'</i> | | | |
| 6 to 8 in. from pots | | 1.25 | 1.00 | .75 |
| ambigua. | <i>6'</i> | | | |
| 2 to 3 ft. | B&B | 1.75 | 1.50 | 1.25 |
| 3 to 4 ft. | B&B | 2.00 | 1.75 | 1.50 |
| 18 to 24 in., 4 in. pots..... | | 1.25 | 1.00 | .75 |
| apiculata. | <i>6'</i> | | | |
| 9 to 12 in. from pots | | 1.50 | 1.25 | 1.00 |
| dammeri. | <i>2'</i> | | | |
| 6 to 8 in. from pots | | 1.75 | 1.50 | |
| dielsiana. | <i>Diels Cotoneaster. 6'</i> | | | |
| 2 to 3 ft. | B&B | 1.75 | 1.50 | 1.25 |
| 3 to 4 ft. | B&B | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft. | B&B | 2.50 | 2.25 | 2.00 |
| 18 to 24 in., 4 in. pots..... | | 1.25 | 1.00 | .75 |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-----|-------------|--------------|-----------------|
| Cotoneaster | | | | |
| divaricata. <i>Spreading Cotoneaster.</i> 6' | | | | |
| 2 to 3 ft. | B&B | 1.75 | 1.50 | 1.25 |
| 3 to 4 ft. | B&B | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft. | B&B | 2.50 | 2.25 | 2.00 |
| 12 to 18 in., 4 in. pots..... | | 1.25 | 1.00 | .75 |
| foveolata. 10' | | | | |
| 2 to 3 ft. | B&B | 1.75 | 1.50 | 1.25 |
| 3 to 4 ft. | B&B | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft. | B&B | 2.50 | 2.25 | 2.00 |
| 5 to 6 ft. | B&B | 3.50 | 3.00 | |
| francheti. <i>Franchet Cotoneaster.</i> 10' | | | | |
| 18 to 24 in. | B&B | 1.75 | 1.50 | |
| 2 to 3 ft. | B&B | 2.00 | 1.75 | |
| 12 to 18 in., 4 in. pots | | 1.25 | 1.00 | .75 |
| himalaicus. 6' | | | | |
| 8 to 10 in., 4 in. pots..... | | 1.25 | 1.00 | .75 |
| horizontalis. <i>Rock Cotoneaster.</i> 3' | | | | |
| 12 to 15 in. spd. from pots..... | | 1.50 | 1.25 | 1.00 |
| 15 to 18 in. spd. from pots..... | | 1.75 | 1.50 | 1.25 |
| 18 to 24 in. spd. | B&B | 2.50 | 2.00 | 1.75 |
| 24 to 30 in. spd. | B&B | 3.00 | 2.75 | 2.50 |
| horizontalis perpusilla. 3' | | | | |
| 10 to 12 in., from pots | | 1.50 | 1.25 | 1.00 |
| 12 to 15 in., from pots | | 2.00 | 1.50 | 1.25 |
| hupehensis. <i>Hupen Cotoneaster.</i> 5' | | | | |
| 2 to 3 ft. | B&B | 2.00 | 1.75 | |
| 3 to 4 ft. | B&B | 2.50 | 2.25 | |
| 15 to 18 in., 3 in pots..... | | 1.25 | 1.00 | |
| integerrima. <i>European Cotoneaster.</i> 6' | | | | |
| 2 to 3 ft. | B&B | 2.00 | 1.75 | |
| 3 to 4 ft. | B&B | 2.50 | 2.25 | |
| *lucida. 12' | | | | |
| 2 to 3 ft. | | .75 | .60 | .50 |
| 3 to 4 ft. | | .85 | .70 | .60 |
| 4 to 5 ft. | | 1.00 | .85 | .75 |
| melanocarpa. 6' | | | | |
| 2 to 3 ft. | B&B | 2.00 | 1.75 | |
| 3 to 4 ft. | B&B | 2.25 | 2.00 | |
| microphylla. <i>Rockspray.</i> 6' | | | | |
| 10 to 12 in., 4 in. pots | | 1.50 | 1.25 | 1.00 |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|----------|-------------|--------------|-----------------|
| Cotoneaster | | | | |
| moupinensis. <i>Mupin Cotoneaster.</i> 10' | | | | |
| 15 to 18 in., 4 in. pots | | 1.50 | 1.25 | 1.00 |
| multiflora. 6' | | | | |
| 2 to 3 ft. |B&B | 2.00 | 1.75 | 1.50 |
| 3 to 4 ft. |B&B | 2.25 | 2.00 | 1.75 |
| 4 to 5 ft. |B&B | 3.00 | 2.50 | 2.25 |
| 2 to 3 ft., 4 in. pots | | 1.50 | 1.25 | 1.00 |
| nitens. 6' | | | | |
| 2 to 3 ft. |B&B | 1.75 | 1.50 | 1.25 |
| 3 to 4 ft. |B&B | 2.00 | 1.75 | 1.50 |
| 18 to 24 in., 4 in. pots | | 1.25 | 1.00 | .75 |
| obscura. 10' | | | | |
| 2 to 3 ft. |B&B | 1.75 | 1.50 | 1.25 |
| 3 to 4 ft. |B&B | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft. |B&B | 2.50 | 2.25 | 2.00 |
| 18 to 24 in., 4 in. pots | | 1.25 | 1.00 | .75 |
| racemiflora soongarica. 6' | | | | |
| 2 to 3 ft. |B&B | 2.50 | 2.00 | 1.75 |
| 3 to 4 ft. |B&B | 3.00 | 2.50 | 2.25 |
| rotundifolia. <i>Roundleaf Cotoneaster.</i> 2' | | | | |
| 10 to 12 in. from pots | | 1.50 | 1.25 | 1.00 |
| 12 to 15 in. from pots | | 1.75 | 1.50 | 1.25 |
| rosea. 6' | | | | |
| 2 to 3 ft. |B&B | 1.75 | 1.50 | 1.25 |
| 3 to 4 ft. |B&B | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft. |B&B | 2.50 | 2.25 | 2.00 |
| 5 to 6 ft. |B&B | 3.50 | 3.00 | |
| salicifolia floccosa. 6' | | | | |
| 15 to 18 in. from pots | | 1.75 | 1.50 | 1.25 |
| 18 to 24 in. from pots | | 2.00 | 1.75 | |
| simonsi. <i>Simons Cotoneaster.</i> 8' | | | | |
| 2 to 3 ft. |B&B | 2.25 | 2.00 | |
| 3 to 4 ft. |B&B | 2.50 | 2.25 | |
| 12 to 18 in., 4 in. pots | | 1.25 | 1.00 | .75 |
| tenuipes. 6' | | | | |
| 8 to 12 in. from pots | | 1.25 | 1.00 | .75 |
| 12 to 15 in. from pots | | 1.50 | 1.25 | 1.00 |
| tomentosa. 6' | | | | |
| 18 to 24 in. from pots | | 2.50 | | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------------------------|-------------|--------------|-----------------|
| Cotoneaster | | | | |
| wilsoni. | <i>Wilson Cotoneaster. 5'</i> | | | |
| 2 to 3 ft. | B&B | 1.75 | 1.50 | 1.25 |
| 3 to 4 ft. | B&B | 2.00 | 1.75 | 1.50 |
| 15 to 18 in., 4 in. pots | | 1.25 | 1.00 | .75 |
| zabeli. | <i>6'</i> | | | |
| 15 to 18 in., from pots | | 1.50 | 1.25 | 1.00 |
| *Crataegus aprica. 20' | | | | |
| 3 to 4 ft. | | 2.50 | 2.00 | |
| 4 to 5 ft. | | 3.00 | 2.50 | |
| 5 to 6 ft. | | 3.50 | 3.00 | |
| *arkansana. Arkansas Hawthorn. 30' | | | | |
| 4 to 5 ft. | | 2.00 | 1.75 | |
| 5 to 6 ft. | | 2.75 | 2.25 | |
| 6 to 8 ft. | | 3.50 | 3.00 | |
| 8 to 10 ft. | | 5.00 | 4.00 | |
| *arnoldiana. Arnold Hawthorn. 20' | | | | |
| 3 to 4 ft. | | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | | 2.75 | 2.25 | 2.00 |
| 6 to 8 ft. | | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft. | | 5.00 | 4.00 | 3.50 |
| *carrierei. Carriere Hawthorn. 20' | | | | |
| 4 to 5 ft. | | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | | 2.75 | 2.25 | 2.00 |
| 6 to 8 ft. | | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft. | | 5.00 | 4.00 | 3.50 |
| 6 to 8 ft. standards, quoted on request. | | | | |
| *coccinea. Thicket Hawthorn. 20' | | | | |
| 3 to 4 ft. | | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | | 2.75 | 2.25 | 2.00 |
| 6 to 8 ft. | | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft. | | 5.00 | 4.00 | 3.50 |
| *coccinioides. 20' | | | | |
| 4 to 5 ft. | | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | | 2.75 | 2.25 | 2.00 |
| 6 to 8 ft. | | 3.50 | 3.00 | |

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

Crataegus

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| *cordata. <i>Washington Hawthorn.</i> 20' | | | |
| 3 to 4 ft. | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft. | 2.50 | 2.25 | 2.00 |
| 5 to 6 ft. | 3.00 | 2.50 | 2.25 |
| 6 to 8 ft. | 3.50 | 3.00 | 2.75 |
| 8 to 10 ft. | 5.00 | 4.50 | 4.00 |
| 10 to 12 ft. | 7.50 | 6.00 | 5.00 |
| *crusgalli. <i>Cockspur Thorn.</i> 30' | | | |
| 3 to 4 ft. | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft. | 2.50 | 2.25 | 2.00 |
| 5 to 6 ft. | 3.00 | 2.75 | 2.50 |
| 6 to 8 ft. | 4.00 | 3.75 | 3.50 |
| 8 to 10 ft. | 6.00 | 5.00 | 4.50 |
| 10 ft. spec. B&B | 18.00 | 15.00 | |
| *cuneata. <i>Nippon Hawthorn.</i> 20' | | | |
| 6 to 8 ft. | 4.00 | 3.50 | |
| 8 to 10 ft. | 5.00 | | |
| *hupehensis. 20' | | | |
| 3 to 4 ft. | 2.50 | 2.00 | |
| 4 to 5 ft. | 3.25 | 2.75 | |
| 5 to 6 ft. | 3.75 | 3.25 | |
| 6 to 8 ft. | 4.50 | 4.00 | |
| 8 to 10 ft. | 6.00 | 5.00 | |
| *macracantha. <i>Spike Hawthorn.</i> 20' | | | |
| 3 to 4 ft. | 2.50 | | |
| *mollis <i>Downy Hawthorn.</i> 20' | | | |
| 3 to 4 ft. | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | 2.75 | 2.25 | 2.00 |
| 6 to 8 ft. | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft. | 5.00 | 4.00 | 3.50 |
| *monogyna. <i>English Hawthorn.</i> 20' | | | |
| 5 to 6 ft. | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft. | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft. | 5.00 | 4.00 | |
| monogyna stricta. <i>Pyramidal English Hawthorn.</i> 20' | | | |
| 3 to 4 ft. | 3.50 | | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|---------------------------------|----------------------------------|-------------|--------------|-----------------|
| *Crataegus. | | | | |
| *nitida. | <i>Glossy Hawthorn. 15'</i> | | | |
| 3 to 4 ft. | | 2.00 | 1.75 | |
| 4 to 5 ft. | | 2.50 | 2.25 | |
| 5 to 6 ft. | | 3.00 | 2.50 | |
| 6 to 8 ft. | | 4.00 | 3.00 | |
| 8 to 10 ft. | | 6.00 | 5.00 | |
| *oxyacantha. | <i>English Hawthorn. 20'</i> | | | |
| 5 to 6 ft. | | 2.50 | 2.00 | |
| 6 to 8 ft. | | 3.50 | 3.00 | |
| 8 to 10 ft. | | 4.50 | 4.00 | |
| 10 to 12 ft. | | 7.50 | 6.00 | |
| 8 to 10 ft. spec. | B&B | 12.50 | | |
| *oxyacantha plena. | <i>Dbl. White Thorn. 15'</i> | | | |
| 5 to 6 ft. | | 3.00 | 2.75 | 2.50 |
| 6 to 8 ft. | | 3.50 | 3.25 | 3.00 |
| 8 to 10 ft. | | 5.00 | 4.50 | |
| 10 to 12 ft. | | 7.50 | | |
| *oxyacantha pauli. | <i>Paul's Scarlet Thorn. 15'</i> | | | |
| 5 to 6 ft. | | 3.00 | 2.75 | 2.50 |
| 6 to 8 ft. | | 3.50 | 3.25 | 3.00 |
| 8 to 10 ft. | | 5.00 | 4.50 | |
| 10 to 12 ft. | | 7.50 | | |
| *oxyacantha punicea. | <i>Sgl. Red Thorn. 15'</i> | | | |
| 5 to 6 ft. | | 3.00 | 2.75 | 2.50 |
| 6 to 8 ft. | | 3.50 | 3.25 | 3.00 |
| 8 to 10 ft. | | 5.00 | 4.50 | 4.00 |
| 10 to 12 ft. | | 7.50 | | |
| *oxyacantha rosea plena. | <i>Dbl. Pink Thorn. 15'</i> | | | |
| 4 to 5 ft. | | 4.00 | 3.50 | |
| *peregrina. | <i>Persian Hawthorn. 15'</i> | | | |
| 3 to 4 ft. | | 2.50 | 2.00 | |
| 4 to 5 ft. | | 3.00 | 2.50 | |
| 5 to 6 ft. | | 3.50 | 3.00 | |
| 6 to 8 ft. | | 5.00 | 4.00 | |
| 8 to 10 ft. | | 7.50 | 6.00 | |
| *persistens. | <i>15'</i> | | | |
| 3 to 4 ft. | | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft. | | 2.50 | 2.25 | 2.00 |
| 5 to 6 ft. | | 3.00 | 2.75 | 2.50 |

Crataegus.

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| *pinnatifida major. Peking Hawthorn. 20' | | | |
| 3 to 4 ft. | 2.50 | 2.00 | |
| 4 to 5 ft. | 2.75 | 2.50 | |
| 5 to 6 ft. | 3.00 | 2.75 | |
| 6 to 8 ft. | 4.00 | 3.75 | |
| *pruinosa. Frosted Hawthorn. 18' | | | |
| 4 to 5 ft. | 2.50 | 2.25 | |
| 5 to 6 ft. | 3.50 | 2.75 | |
| 6 to 8 ft. | 4.50 | 3.50 | |
| *prunifolia. Plumleaf Hawthorn. 25' | | | |
| 3 to 4 ft. | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft. | 2.50 | 2.25 | 2.00 |
| 5 to 6 ft. | 3.00 | 2.75 | 2.50 |
| 6 to 8 ft. | 4.00 | 3.50 | 3.00 |
| *punctata. Dotted Hawthorn. 25' | | | |
| 3 to 4 ft. | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | 2.75 | 2.25 | 2.00 |
| 6 to 8 ft. | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft. | 5.00 | 4.00 | 3.50 |
| pyracantha coccinea. Scarlet Firethorn. 10' | | | |
| 15 to 18 in., 4 in. pots | 1.50 | 1.25 | |
| pyracantha lalandi. Laland Firethorn. 10' | | | |
| 18 to 24 in. bushyB&B | 3.50 | 3.00 | 2.75 |
| 2 to 3 ft. bushyB&B | 4.00 | 3.50 | 3.25 |
| 3 to 3½ ft.B&B | 5.50 | 4.50 | |
| 3½ to 4 ft.B&B | 6.50 | 5.50 | |
| 4 to 5 ft.B&B | 10.00 | | |
| 5 to 6 ft.B&B | 15.00 | | |
| 12 to 15 in. 4 in. pots | 1.25 | 1.00 | .75 |
| pyracantha yunnanensis. 10' | | | |
| 12 to 18 in., 4 in. pots | 1.25 | 1.00 | .75 |
| *succulenta. Fleshy Hawthorn. 20' | | | |
| 4 to 5 ft. | 2.50 | 2.25 | 2.00 |
| 5 to 6 ft. | 3.50 | 2.75 | |
| 6 to 8 ft. | 4.50 | 3.50 | |
| 8 to 10 ft. | 6.00 | 5.00 | |
| *tomentosa. Pear Hawthorn. 15' | | | |
| 3 to 4 ft. | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | 2.75 | 2.25 | 2.00 |
| 6 to 8 ft. | 3.50 | 3.00 | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-----|-------------|--------------|-----------------|
| Crataegus | | | | |
| * <i>viridis</i> . 35' | | | | |
| 5 to 6 ft. | | 3.00 | 2.50 | |
| 6 to 8 ft. | | 4.00 | 3.00 | |
| 8 to 10 ft. | | 5.00 | 4.00 | |
| Cryptomeria japonica lobbi. <i>Lobb Cryptomeria.</i> 20' | | | | |
| 2 ft. | B&B | 2.50 | 2.25 | 2.00 |
| 3 ft. | B&B | 3.50 | 3.00 | 2.50 |
| 4 ft. | B&B | 5.00 | 4.50 | 4.00 |
| 5 ft. | B&B | 7.50 | 6.00 | 5.00 |
| 6 ft. | B&B | 10.00 | 7.50 | 6.50 |
| 7 ft. | B&B | 12.50 | 10.00 | 7.50 |
| 8 ft. | B&B | 15.00 | 12.50 | 10.00 |
| For larger sizes to 18 ft., add \$5.00 per foot. | | | | |
| Cydonia cathayensis. 8' | | | | |
| 3 to 4 ft. | | 1.50 | | |
| 4 to 5 ft. | | 2.50 | | |
| japonica. <i>Flowering Quince.</i> 5' | | | | |
| 18 to 24 in. | | .40 | .30 | .25 |
| 2 to 3 ft. | | .50 | .35 | .30 |
| 3 to 4 ft. | | .60 | .50 | .45 |
| japonica alba. <i>White Flg. Quince.</i> 5' | | | | |
| 15 to 18 in. | | 1.50 | 1.25 | |
| 18 to 24 in. | | 1.75 | | |
| japonica alpina. <i>Salmon Flg. Quince.</i> 4' | | | | |
| 18 to 24 in. | | 1.75 | 1.50 | |
| 2 to 3 ft. | | 2.00 | 1.75 | |
| japonica Columbia. <i>Deep Rose Flg. Quince.</i> 5' | | | | |
| 18 to 24 in. | | 1.75 | | |
| japonica Falconet Charlet. <i>White Flg. Quince.</i> 6' | | | | |
| 2 to 3 ft. | | 2.00 | | |
| 3 to 4 ft. | | 2.50 | | |
| 4 to 5 ft. | | 3.50 | | |
| japonica pygmaea. <i>Dwarf Jap. Quince.</i> 3' | | | | |
| 18 to 24 in. | | .45 | .35 | .30 |
| 2 to 3 ft. | | .50 | .45 | .40 |
| japonica rosea grandiflora. <i>Pink Flg. Quince.</i> 6' | | | | |
| 15 to 18 in. | | 1.50 | 1.25 | |
| 18 to 24 in. | | 1.75 | | |
| japonica rosea plena. <i>Dbl. Pink Flowering Quince.</i> 5' | | | | |
| 2 to 3 ft. | | 2.00 | 1.75 | |
| 3 to 4 ft. | | 2.50 | 2.00 | |

Cydonia

| | | |
|-------------|--------------|-----------------|
| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|

japonica rubra. *Red Flowering Quince.* 6'

18 to 24 in. 2.00

2 to 3 ft. 2.50

japonica umbilicata. *Navel Flowering Quince.* 8'

2 to 3 ft.50 .40 .35

3 to 4 ft.60 .50 .45

4 to 5 ft. 1.00 .75 .60

4 to 5 ft. heavyB&B 10.00

5 to 6 ft. heavyB&B 12.50

japonica Vermilion. *Red Flg. Quince.* 6'

18 to 24 in. 1.75 1.50

kermesiana semi-plena. *Rose Pink Flg. Quince.* 4'

2 to 3 ft. 2.00 1.75

maulei. *Lesser Flowering Quince.* 5'

18 to 24 in.45 .35 .30

2 to 3 ft.60 .45 .40

3 to 4 ft.75 .60 .50

Cytisus hirsutus. 2'

10 to 12 in., 4 in. pots60 .50

nigricans. *Spike Broom.* 4'

12 to 15 in.60 .50

scoparius. *Scotch Broom.* 10'

18 to 24 in.60 .50 .45

scoparius andreanus. *Paradise Broom.* 10'

18 to 24 in.60 .50 .45

supinus. 3'

10 to 12 in., 4 in. pots60 .50

Daphne cneorum. *Garland Flower.* 1'

8 to 10 in. spd.B&B .65 .55 .50

10 to 12 in. spd.B&B .75 .65 .60

12 to 15 in. spd.B&B 1.00 .85 .75

mezereum. *February Daphne.* 4'

15 to 18 in.B&B 2.00 1.75 1.50

18 to 24 in.B&B 2.25 2.00 1.75

2 to 2½ ft.B&B 2.50 2.25 2.00

2½ to 3 ft.B&B 3.00 2.75 2.50

mezereum alba. *White February Daphne.* 4'

18 to 24 in.B&B 2.50 2.25 2.00

24 to 30 in.B&B 3.00 2.75 2.50

2½ to 3 ft.B&B 3.50 3.25

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Davidia involucrata. <i>Dovetree.</i> 40' | | | |
| 6 to 10 in. from pots | 7.50 | | |
| Decumaria barbara. | | | |
| 3 yr. from pots | .50 | .45 | .40 |
| Desmodium. (<i>See Lespedeza</i>). | | | |
| Deutzia gracilis. <i>Slender Deutzia.</i> 3' | | | |
| 15 to 18 in. | .40 | .30 | .25 |
| 18 to 24 in. | .50 | .35 | .30 |
| 24 to 30 in. | .60 | .45 | .40 |
| 30 to 36 in. | .75 | .60 | .50 |
| lemoinei. <i>Lemoine Deutzia.</i> 5' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 24 to 30 in. | .50 | .35 | .30 |
| 2½ to 3 ft. | .60 | .45 | .40 |
| 3 to 4 ft. | .75 | .60 | .50 |
| lemoine avalanche. <i>Avalanche Deutzia.</i> 4' | | | |
| 2 to 2½ ft. | .50 | .40 | .35 |
| 2½ to 3 ft. | .60 | .50 | .40 |
| lemoine compacta. 5' | | | |
| 18 to 24 in. | .45 | .35 | .30 |
| 2 to 3 ft. | .55 | .45 | .40 |
| 3 to 4 ft. | .75 | .60 | .50 |
| myriantha Boule Rose. <i>Dbl. Pink Deutzia.</i> 4' | | | |
| 18 to 24 in. | .50 | .40 | |
| 2 to 3 ft. | .60 | .50 | |
| ningpoense. 5' | | | |
| 18 to 24 in. | 1.50 | | |
| parviflora. <i>Mongolian Deutzia.</i> 5' | | | |
| 18 to 24 in. | .45 | .35 | .30 |
| 2 to 3 ft. | .50 | .40 | .35 |
| rosea. <i>Rose-panicle Deutzia.</i> 5' | | | |
| 18 to 24 in. | .50 | .35 | .30 |
| 24 to 30 in. | .60 | .45 | .40 |
| 2½ to 3 ft. | .75 | .60 | .50 |
| rosea campanulata. <i>Bellflower Deutzia.</i> 5' | | | |
| 18 to 24 in. | .50 | .35 | .30 |
| 2 to 3 ft. | .60 | .45 | .40 |
| rosea carminea. <i>Carmine Deutzia.</i> 4' | | | |
| 18 to 24 in. | .50 | .35 | .30 |
| 2 to 3 ft. | .60 | .45 | .40 |
| 3 to 4 ft. | .75 | .60 | .50 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Deutzia | | | |
| rosea eximea. <i>Pink Choice Deutzia.</i> 5' | | | |
| 18 to 24 in. | .50 | .35 | .30 |
| 2 to 3 ft. | .60 | .45 | .40 |
| rosea venusta. <i>White-panicle Deutzia.</i> 5' | | | |
| 18 to 24 in. | .50 | .35 | .30 |
| 2 to 3 ft. | .60 | .45 | .40 |
| scabra. <i>Fuzzy Deutzia.</i> 12' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .45 | |
| scabra candidissima. <i>Snowflake Deutzia.</i> 12' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| scabra Pride of Rochester. 12' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .45 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .75 | .60 |
| scabra rosea plena. 12' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .45 | .40 |
| scabra watereri. <i>Waterer's Deutzia.</i> 12' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .35 | .30 |
| scabra wellsi. <i>Wells Deutzia.</i> 12' | | | |
| 3 to 4 ft. | .60 | .50 | |
| 4 to 5 ft. | .75 | .60 | |
| schneideriana laxiflora. 6' | | | |
| 2 to 3 ft. | 2.00 | | |
| vilmorinae. <i>Vilmorin Deutzia.</i> 10' | | | |
| 2 to 3 ft. | .50 | .40 | .30 |
| 3 to 4 ft. | .60 | .50 | .40 |
| Diervilla sessilifolia. <i>Southern Bush Honeysuckle.</i> 5' | | | |
| 2½ to 3 ft. | .45 | .35 | .30 |
| 3 to 4 ft. | .55 | .45 | .40 |
| 4 to 5 ft. | .65 | .55 | .50 |
| trifida. <i>Dwarf Bush Honeysuckle.</i> 4' | | | |
| 2 to 3 ft. | .55 | .45 | .35 |
| 3 to 4 ft. | .65 | .50 | .40 |

(See also Weigela)

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Diospyros virginiana. <i>Common Persimmon.</i> 15' | | | |
| 6 to 8 ft. | 3.00 | 2.50 | |
| 8 to 10 ft. | 4.00 | 3.50 | |
| 10 to 12 ft. | 6.00 | 5.00 | |
| Dirca palustris. <i>Leatherwood.</i> 6' | | | |
| 6 to 8 in. | B&B 1.50 | | |
| Elaeagnus angustifolia. <i>Russian Olive.</i> 20' | | | |
| 3 to 4 ft. | .50 | .40 | .35 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft. | 2.00 | 1.75 | 1.50 |
| 10 to 12 ft. | 3.50 | 3.00 | |
| argentea. <i>Silverberry.</i> 12' | | | |
| 3 to 4 ft. | .80 | .70 | .60 |
| 4 to 5 ft. | 1.00 | .85 | .75 |
| 5 to 6 ft. | 1.50 | 1.25 | 1.00 |
| longipes. <i>Cherry Elaeagnus.</i> 6' | | | |
| 2 to 3 ft. | .75 | .60 | |
| 3 to 4 ft. | 1.00 | .75 | |
| parvifolia. <i>Chinese Elaeagnus.</i> 15' | | | |
| 2 to 3 ft. | 1.00 | .75 | .60 |
| 3 to 4 ft. | 1.25 | 1.00 | .75 |
| 4 to 5 ft. | 1.50 | 1.25 | |
| umbellata. <i>Autumn Elaeagnus.</i> 12' | | | |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .65 | .50 | .45 |
| 4 to 5 ft. | .75 | .65 | |
| 5 to 6 ft. | 1.00 | .85 | |
| 6 to 8 ft. | 1.50 | 1.25 | |
| Elsholtzia stauntoni. 4' | | | |
| 18 to 24 in. | .60 | .50 | |
| 2 to 3 ft. | .75 | .60 | |
| Enkianthus campanulatus. <i>Redvein Enkianthus.</i> 15' | | | |
| 12 to 18 in. | 1.50 | 1.25 | |
| perulatus. <i>White Enkianthus.</i> 6' | | | |
| 12 to 18 in. | 1.50 | 1.25 | |

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Erica carnea. <i>Spring Heath.</i> 1' | | | |
| 6 to 8 in., 4 in pots | 1.00 | .75 | .60 |
| darleyensis. | | | .. |
| 6 to 8 in., 4 in. pots | 1.00 | .75 | .60 |
| vagans. <i>Cornish Heath.</i> 1' | | | |
| 6 to 8 in., 4 in. pots | 1.00 | .75 | .60 |
| Eucommia ulmoides. 60' | | | |
| 4 to 5 ft. | 3.00 | 2.50 | |
| 5 to 6 ft. | 3.50 | 3.00 | |
| 6 to 8 ft. | 5.00 | 4.00 | |
| 8 to 10 ft. | 6.00 | 5.00 | |
| Euonymus alatus. <i>Winged Euonymus.</i> 10' | | | |
| 2 to 3 ft. | 1.00 | .75 | .65 |
| 3 to 4 ft. | 1.25 | 1.10 | 1.00 |
| 4 to 5 ft. | 1.75 | 1.60 | 1.50 |
| 5 to 6 ft. | 3.00 | 2.75 | 2.50 |
| 6 to 8 ft. | 4.00 | 3.75 | 3.50 |
| 6 to 8 ft. heavyB&B | 7.50 | | |
| 8 to 10 ft. heavyB&B | 10.00 | | |
| alatus compacta. <i>Dwarf Winged Euonymus.</i> 6' | | | |
| 2 to 3 ft. | 1.50 | 1.25 | |
| 3 to 4 ft. | 1.75 | 1.50 | |
| americanus. <i>Brook Euonymus.</i> 8' | | | |
| 3 to 4 ft. | 1.25 | 1.00 | |
| 4 to 5 ft. | 1.50 | 1.25 | |
| atropurpureus. <i>Native Wahoo.</i> 15' | | | |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .45 |
| 4 to 5 ft. | .75 | .65 | .60 |
| 5 to 6 ft. | 1.00 | .85 | .75 |
| 6 to 8 ft. | 1.25 | 1.10 | 1.00 |
| bungeanus. <i>Winterberry Euonymus.</i> 15' | | | |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .45 |
| 4 to 5 ft. | .75 | .65 | .60 |
| 5 to 6 ft. | 1.00 | .85 | .75 |
| 6 to 8 ft. | 1.25 | 1.10 | 1.00 |
| europaeus. <i>European Burning Bush.</i> 15' | | | |
| 2 to 3 ft. | .45 | .35 | .30 |
| 3 to 4 ft. | .55 | .45 | .40 |
| 4 to 5 ft. | .65 | .55 | .50 |
| 5 to 6 ft. | 1.00 | .85 | .75 |
| 6 to 8 ft. | 1.25 | 1.10 | 1.00 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Euonymus | | | |
| europaeus fructu-coccineus. 15' | | | |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .45 |
| 4 to 5 ft. | .75 | .65 | .60 |
| latifolius. Broadleaf Burning Bush. 10' | | | |
| 3 to 4 ft. | .75 | .60 | .50 |
| 4 to 5 ft. | 1.00 | .85 | .75 |
| 5 to 6 ft. | 1.25 | 1.00 | |
| maacki. 10' | | | |
| 2 to 3 ft. | .55 | .45 | .40 |
| 3 to 4 ft. | .65 | .55 | .50 |
| 4 to 5 ft. | 1.00 | .85 | .75 |
| 5 to 6 ft. | 1.25 | 1.10 | 1.00 |
| 6 to 8 ft. | 1.50 | 1.35 | 1.25 |
| nanus. Dwarf Burning Bush. 3' | | | |
| 12 to 15 in. | 1.00 | .75 | .60 |
| 15 to 18 in. | 1.25 | 1.00 | |
| obovatus. Running Euonymus. 1' | | | |
| 8 to 10 in. | .40 | .30 | .25 |
| oxyphyllus 15' | | | |
| 4 to 5 ft. | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft. | 2.00 | 1.75 | 1.50 |
| patens syn. sieboldianus. 8' | | | |
| 18 to 24 in. B&B | 1.25 | 1.10 | 1.00 |
| 2 to 3 ft. B&B | 1.65 | 1.50 | 1.40 |
| 3 to 4 ft. B&B | 2.50 | 2.00 | 1.75 |
| radicans. Wintercreeper. 15' | | | |
| 8 to 12 in. | .40 | .30 | .25 |
| 12 to 15 in. | .50 | .35 | .30 |
| 15 to 18 in. | .60 | .45 | .40 |
| 18 to 24 in. | .75 | .60 | .50 |
| radicans acutus. Sharpleaf Wintercreeper. 1' | | | |
| 12 to 15 in. | .50 | .40 | .35 |
| 15 to 18 in. | .65 | .50 | .45 |
| radicans argenteo-marginatus. | | | |
| <i>Silveredge Wintercreeper. 1'</i> | | | |
| 8 to 12 in. | .40 | .30 | .25 |
| 12 to 15 in. | .50 | .35 | .30 |
| 15 to 18 in. | .60 | .45 | .40 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Euonymus | | | |
| radicans carrieri. <i>Glossy Wintercreeper.</i> 3' | | | |
| 12 to 15 in. | .50 | .40 | .35 |
| 15 to 18 in. | .60 | .50 | .45 |
| 18 to 24 in. | .75 | .65 | .55 |
| radicans colorata. 10' | | | |
| 12 to 15 in. | .40 | .30 | .25 |
| 15 to 18 in. | .55 | .45 | .35 |
| 18 to 24 in. | .65 | .55 | .45 |
| radicans kewensis. <i>Prostrate Baby Wintercreeper.</i> | | | |
| 8 to 12 in. from pots | .45 | .35 | .30 |
| radicans minima. <i>Baby Wintercreeper.</i> 1' | | | |
| 8 to 12 in. from pots | .45 | .35 | .30 |
| 12 to 15 in. from pots | .55 | .45 | .40 |
| radicans vegetus. <i>Bigleaf Wintercreeper.</i> 4' | | | |
| 12 to 15 in. | .60 | .55 | .50 |
| 15 to 18 in. | .75 | .65 | .60 |
| 18 to 24 in. | 1.00 | .80 | .75 |
| 24 to 30 in. | 1.50 | 1.25 | |
| sieboldianus (<i>see patens</i>) | | | |
| yedoensis. <i>Yeddo Euonymus.</i> 10' | | | |
| 2 to 3 ft. | .55 | .45 | .40 |
| 3 to 4 ft. | .65 | .55 | .50 |
| 4 to 5 ft. | 1.00 | .80 | .75 |
| 5 to 6 ft. | 1.25 | 1.10 | 1.00 |
| 6 to 8 ft. | 1.50 | 1.35 | 1.25 |
| Evodia hupehensis. 25' | | | |
| 4 to 5 ft. | 2.50 | 2.00 | |
| 5 to 6 ft. | 3.00 | 2.50 | |
| Exochorda grandiflora. <i>Pearl Bush.</i> 10' | | | |
| 2 to 3 ft. | .45 | .35 | .30 |
| 3 to 4 ft. | .55 | .45 | .40 |
| 4 to 5 ft. | .65 | .55 | .50 |
| 5 to 6 ft. | .75 | .65 | .60 |
| 6 to 8 ft. | 1.00 | .85 | .75 |
| 8 to 10 ft. | 1.25 | 1.00 | |
| 6 to 8 ft. spec. B&B | 10.00 | | |
| 8 to 10 ft. spec. B&B | 12.50 | | |
| giraldi wilsoni. <i>Wilson Pearlbush.</i> 15' | | | |
| 2 to 3 ft. | 2.00 | 1.75 | 1.50 |
| 3 to 4 ft. | 2.50 | 2.00 | 1.75 |
| 4 to 5 ft. | 3.00 | 2.50 | |
| 5 to 6 ft. | 3.50 | 3.00 | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-----|-------------|--------------|-----------------|
| Fagus americana. <i>American Beech.</i> 60' | | | | |
| 3 to 4 ft. | B&B | 4.50 | 4.00 | 3.75 |
| 4 to 5 ft. | B&B | 6.00 | 5.00 | 4.75 |
| 5 to 6 ft. | B&B | 8.50 | 7.50 | 6.50 |
| 6 to 8 ft. | B&B | 12.50 | 10.00 | 8.50 |
| 8 to 10 ft. | B&B | 15.00 | 12.50 | |
| 10 to 12 ft. | B&B | 25.00 | | |

| | | | | |
|--|-----|-------|-------|-------|
| sylvatica. <i>European Beech.</i> 75' | | | | |
| 3 to 4 ft. | B&B | 3.50 | 3.00 | 2.50 |
| 4 to 5 ft. | B&B | 4.50 | 4.00 | 3.50 |
| 5 to 6 ft. | B&B | 6.50 | 5.50 | 5.00 |
| 6 to 8 ft. | B&B | 9.00 | 8.00 | 7.50 |
| 8 to 10 ft. | B&B | 12.50 | 10.00 | 9.00 |
| 10 to 12 ft. | B&B | 20.00 | 15.00 | 12.50 |
| 12 to 14 ft. | B&B | 25.00 | 20.00 | |
| 14 to 16 ft. | B&B | 35.00 | 30.00 | |

| | | | | |
|--|-----|-------|--|--|
| sylvatica fastigiata. <i>Pyramidal Beech.</i> 25' | | | | |
| 12 to 15 ft. | B&B | 45.00 | | |

| | | | | |
|---|-----|-------|--|--|
| sylvatica heterophylla. <i>Fernleaf Beech.</i> 25' | | | | |
| 4 to 5 ft. | B&B | 10.00 | | |
| 5 to 6 ft. | B&B | 12.50 | | |
| 6 to 8 ft. | B&B | 15.00 | | |
| 8 to 10 ft. | B&B | 20.00 | | |

| | | | | |
|---|-----|-------|--|--|
| sylvatica pendula. <i>Weeping Beech.</i> 50' | | | | |
| 10 to 12 ft. | B&B | 25.00 | | |
| 12 to 14 ft. | B&B | 35.00 | | |

Larger sizes quoted on request.

| | | | | |
|---|-----|-------|-------|--|
| sylvatica purpurea. <i>Purple Beech.</i> 75' | | | | |
| 3 to 4 ft. | B&B | 6.00 | 5.00 | |
| 4 to 5 ft. | B&B | 7.50 | 6.50 | |
| 5 to 6 ft. | B&B | 10.00 | 7.50 | |
| 6 to 8 ft. | B&B | 12.50 | 10.00 | |
| 8 to 10 ft. | B&B | 15.00 | | |
| 10 to 12 ft. | B&B | 20.00 | | |

| | | | | |
|---|-----|-------|--|--|
| sylvatica riversi. <i>River's Beech.</i> 75' | | | | |
| 5 to 6 ft. | B&B | 12.50 | | |
| 6 to 8 ft. | B&B | 15.00 | | |
| 8 to 10 ft. | B&B | 20.00 | | |
| 10 to 12 ft., 1½ in. | B&B | 25.00 | | |

Larger sizes quoted on request.

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Fontanesia fortunei. <i>Fortune Fontanesia.</i> 15' | | | |
| 3 to 4 ft. | .60 | .50 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .60 |
| 6 to 8 ft. | 1.25 | 1.00 | .75 |
| 8 to 10 ft. | 1.50 | 1.25 | 1.00 |

Forsythia europea. *Albanian Forsythia.* 6'

| | | | |
|-----------------|------|------|-----|
| 2 to 3 ft. | .75 | .60 | .50 |
| 3 to 4 ft. | 1.00 | .75 | .60 |
| 4 to 5 ft. | 1.25 | 1.00 | |

intermedia. *Border Forsythia.* 8'

| | | | |
|-----------------|-----|-----|-----|
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .55 | .45 | .40 |
| 5 to 6 ft. | .65 | .55 | .50 |
| 6 to 8 ft. | .90 | .75 | .60 |

intermedia primulina *Primrose Forsythia.* 10'

| | | | |
|-----------------|------|------|------|
| 3 to 4 ft. | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft. | 1.75 | 1.50 | 1.25 |

intermedia spectabilis. *Showy Border Forsythia.* 8'

| | | | |
|-----------------|-----|-----|-----|
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .55 | .45 | .40 |
| 5 to 6 ft. | .65 | .55 | .50 |
| 6 to 8 ft. | .90 | .75 | .60 |

ovata. 8'

| | | | |
|-----------------|------|------|-----|
| 2 to 3 ft. | .75 | .50 | .40 |
| 3 to 4 ft. | 1.00 | .75 | .60 |
| 4 to 5 ft. | 1.25 | 1.00 | .75 |

suspensa. *Weeping Forsythia.* 6'

| | | | |
|-----------------|-----|-----|-----|
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |

suspensa atrocaulis. *Purple Stem Forsythia.* 6'

| | | | |
|-----------------|-----|-----|-----|
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

| | | |
|-------------|--------------|-----------------|
| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|

Forsythia**suspensa fortunei.** *Golden Bell.* 8'

| | | | |
|-----------------|-----|-----|-----|
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .55 | .45 | .40 |
| 5 to 6 ft. | .65 | .55 | .50 |
| 6 to 8 ft. | .90 | .75 | .60 |

suspensa sieboldi. *Siebold Forsythia.* 8'

| | | | |
|-----------------|-----|-----|-----|
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .55 | .45 | .40 |
| 5 to 6 ft. | .65 | .55 | .50 |
| 6 to 8 ft. | .90 | .75 | .60 |

viridissima. *Greenstem Forsythia.* 8'

| | | | |
|-----------------|-----|-----|-----|
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |

Fothergilla gardeni. *Dwarf Fothergilla.* 3'

| | | | |
|-------------------|----------|------|--|
| 15 to 18 in. | B&B 2.50 | 2.00 | |
| 18 to 24 in. | B&B 3.50 | 3.00 | |
| 24 to 30 in. | B&B 5.00 | 4.00 | |

Franklinia (see *Gordonia*)**Fraxinus americana.** *White Ash.* 80'

| | | | |
|-------------------|------|------|------|
| 8 to 10 ft. | 1.75 | 1.50 | 1.25 |
| 1¼ to 1½ in. | 2.25 | 2.00 | 1.75 |
| 1½ to 1¾ in. | 2.75 | 2.50 | 2.25 |
| 1¾ to 2 in. | 4.00 | 3.75 | 3.50 |
| 2 to 2½ in. | 5.00 | 4.50 | |
| 2½ to 3 in. | 6.50 | 5.50 | |

excelsior. *European Ash.* 100'

| | | | |
|-------------------|------|------|------|
| 8 to 10 ft. | 1.75 | 1.50 | 1.25 |
| 1¼ to 1½ in. | 2.25 | 2.00 | 1.75 |
| 1½ to 1¾ in. | 2.75 | 2.50 | 2.25 |
| 1¾ to 2 in. | 4.00 | 3.75 | 3.50 |
| 2 to 2½ in. | 5.00 | 4.50 | 4.00 |
| 2½ to 3 in. | 7.50 | 6.00 | |

lanceolata. *Green Ash.* 60'

| | | | |
|-------------------|------|------|------|
| 8 to 10 ft. | 1.75 | 1.50 | 1.25 |
| 1¼ to 1½ in. | 2.25 | 2.00 | 1.75 |
| 1½ to 1¾ in. | 2.75 | 2.50 | 2.25 |
| 1¾ to 2 in. | 4.00 | 3.75 | 3.50 |
| 2 to 2½ in. | 5.00 | 4.50 | 4.00 |
| 2½ to 3 in. | 6.50 | 5.50 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Fraxinus | | | |
| mandshurica. <i>Manchurian Ash.</i> 80' | | | |
| 6 to 8 ft. | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft. | 2.00 | 1.75 | 1.50 |
| 1¼ to 1½ in. | 2.50 | 2.25 | 2.00 |
| 1½ to 1¾ in. | 3.00 | 2.75 | 2.50 |
| nigra. <i>Black Ash.</i> 80' | | | |
| 8 to 10 ft. | 2.50 | 2.00 | |
| pennsylvanica. <i>Red Ash.</i> 60' | | | |
| 8 to 10 ft. | 2.50 | 2.00 | |
| 1¼ to 1½ in. | 3.50 | 3.00 | |
| 1½ to 1¾ in. | 4.50 | 4.00 | |
| 1¾ to 2 in. | 6.00 | 5.00 | |
| 2 to 2½ in. | 7.50 | 6.00 | |
| quadrangulata. <i>Blue Ash.</i> 80' | | | |
| 6 to 8 ft. | 2.50 | | |
| Gaylussacia baccata. <i>Black Huckleberry.</i> 3' | | | |
| 15 to 18 in.B&B | 2.50 | 2.00 | |
| 18 to 24 in.B&B | 3.00 | 2.50 | |
| Genista juncea. 2' | | | |
| 15 to 18 in. from pots | .60 | .50 | .40 |
| pilosa. <i>Silky Leaf Broom.</i> 1' | | | |
| 4 to 6 in. | .60 | .50 | .40 |
| sagittalis. <i>Arrowhead Broom.</i> 9" | | | |
| 4 to 6 in. | .75 | .60 | .50 |
| scoparia. (<i>See Cytisus</i>). | | | |
| tinctoria. <i>Woadwaxen.</i> 3' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 2 to 3 ft. | .50 | .40 | .30 |
| 3 to 4 ft. | .60 | .50 | .40 |
| Ginkgo biloba. <i>Maidenhair-tree.</i> 60' | | | |
| 6 to 8 ft. | 3.25 | 2.75 | 2.50 |
| 8 to 10 ft. | 3.75 | 3.25 | 3.00 |
| 1¼ to 1½ in. | 4.50 | 4.25 | 4.00 |
| 1½ to 1¾ in. | 6.00 | 5.50 | 5.00 |
| 1¾ to 2 in. | 7.50 | 7.00 | 6.50 |
| 2 to 2½ in. | 10.00 | 9.50 | 9.00 |
| 2½ to 3 in. | 15.00 | 13.50 | 12.50 |
| 3 to 3½ in. | 25.00 | 20.00 | |
| 3½ to 4 in. | 30.00 | 25.00 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Gleditsia elegantissima. 20' | | | |
| 4 to 5 ft. | 3.00 | 2.50 | |
| 5 to 6 ft. | 3.50 | 3.00 | |
| japonica. Japanese Honeylocust. 40' | | | |
| 3 to 4 ft. | 2.50 | 2.00 | 1.75 |
| 4 to 5 ft. | 3.00 | 2.50 | 2.25 |
| 5 to 6 ft. | 3.50 | 3.00 | |
| 6 to 8 ft. | 5.00 | 4.00 | |
| 8 to 10 ft. | 6.50 | 5.00 | |
| sinensis. Chinese Honeylocust. 40' | | | |
| 4 to 5 ft. | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | 2.75 | 2.25 | 2.00 |
| triacanthos. Honey Locust. 60' | | | |
| 5 to 6 ft. | 1.25 | 1.10 | 1.00 |
| 6 to 8 ft. | 1.75 | 1.65 | 1.50 |
| 8 to 10 ft. | 2.50 | 2.25 | 2.00 |
| 1¼ to 1½ in. | 3.50 | 3.00 | |
| 1½ to 1¾ in. | 4.50 | 3.50 | |
| 1¾ to 2 in. | 6.50 | 5.00 | |
| 2 to 2½ in. | 9.00 | 7.50 | |
| 2½ to 3 in. | 12.50 | 10.00 | |
| triacanthos inermis. Thornless Honeylocust. 50' | | | |
| 6 to 8 ft. | 3.00 | 2.75 | 2.50 |
| 8 to 10 ft. | 3.50 | 3.25 | 3.00 |
| 1¾ to 2 in. | 6.50 | | |
| 2 to 2½ in. | 9.00 | | |
| Glyptostrobus pensilis. Chinese Baldcypress. 15' | | | |
| 6 to 8 ft. | B&B 12.50 | | |
| 8 to 10 ft. | B&B 15.00 | | |
| 10 to 12 ft. | B&B 20.00 | | |
| Gordonia alata. 20' | | | |
| 3 to 4 ft. | B&B 7.50 | | |
| 4 to 5 ft. | B&B 10.00 | | |
| 5 to 6 ft. | B&B 12.50 | | |
| Gymnocladus dioica. Kentucky Coffeetree. 40' | | | |
| 5 to 6 ft. | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft. | 4.00 | 3.50 | 3.00 |
| 8 to 10 ft. | 5.00 | 4.00 | 3.50 |
| 10 to 12 ft. | 6.50 | 5.00 | |
| 2 to 3 in. | 15.00 | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Halesia monticola. <i>Mountain Silverbell.</i> 50' | | | |
| 2 to 3 ft. | 3.50 | | |
| tetraptera. <i>Great Silverbell.</i> 15' | | | |
| 4 to 5 ft. | .75 | .65 | .60 |
| 5 to 6 ft. | 1.00 | .85 | .75 |
| 6 to 8 ft. | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft. | 2.50 | 2.00 | |
| 10 to 12 ft. | 3.50 | 3.00 | |
| 8 to 10 ft. spec.....B&B | 10.00 | | |
| 10 to 12 ft. spec.....B&B | 15.00 | | |
| Hamamelis japonica. <i>Japanese Witch Hazel.</i> 20' | | | |
| 2 to 3 ft. | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft. | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | 2.25 | 2.00 | 1.75 |
| japonica rubra. 20' | | | |
| 2 to 3 ft. | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft. | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft. | 2.25 | 2.00 | 1.75 |
| mollis. <i>Chinese Witch Hazel.</i> 20' | | | |
| 2 to 3 ft. | 4.00 | | |
| 3 to 4 ft. | 5.00 | | |
| vernalis. <i>Vernal Witch Hazel.</i> 6' | | | |
| 3 to 4 ft. | 1.25 | 1.00 | .75 |
| 4 to 5 ft. | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft. | 2.00 | 1.75 | 1.50 |
| 6 to 8 ft. | 2.50 | 2.00 | 1.75 |
| vernalis tomentella. 6' | | | |
| 3 to 4 ft. | 1.25 | 1.00 | .75 |
| 4 to 5 ft. | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft. | 2.00 | 1.75 | 1.50 |
| 6 to 8 ft. | 2.50 | 2.00 | 1.75 |
| virginiana. <i>Witch Hazel.</i> 15' | | | |
| 2 to 3 ft. | .55 | .45 | .40 |
| 3 to 4 ft. | .75 | .60 | .50 |
| 4 to 5 ft. | 1.25 | 1.00 | .75 |
| 5 to 6 ft. | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft. | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft. | 2.00 | 1.75 | 1.50 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Hedera helix. <i>English Ivy.</i> 20' | | | |
| 2 year, 4 in. pots | .40 | .30 | .25 |
| 3 year, 4 in. pots | .50 | .40 | .35 |
| helix Albany. <i>Albany Ivy</i> | | | |
| 2 year, 3 in. pots | .50 | .40 | .35 |
| helix baltica. 15' | | | |
| 2 year, 3 in. pots | .55 | .45 | .40 |
| helix conglomerata. 10' | | | |
| 2 year, 3 in. pots | .75 | .60 | |
| helix gracilis. <i>Small-leaved English Ivy.</i> 10' | | | |
| 2 year, 3 in. pots | .40 | .30 | .25 |
| 3 year, 4 in. pots | .50 | .40 | .35 |
| helix Hahn's | | | |
| 2 year, 3 in. pots | .50 | .40 | .35 |
| 3 year, 4 in. pots | .60 | .50 | .45 |
| Helwingia japonica. 5' | | | |
| 12 to 15 in., 3 in. pots | 1.00 | .75 | |
| Hibiscus syriacus. <i>Shrub Althea.</i> 12' | | | |
| double varieties. | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .85 | .75 |
| 8 to 10 ft. hvy. B&B | 10.00 | | |
| Ardens—Purple. | | | |
| Banner—Blush. | | | |
| Jeanne d'Arc—White. | | | |
| Lady Stanley—White, shaded rose. | | | |
| Rubra Plena—Red. | | | |
| Speciosa Plena—Pink. | | | |
| single varieties. | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| Coelestis—Blue. | | | |
| Rosea—White, crimson eye. | | | |
| Rubis—Red. | | | |
| Totus albus—White. | | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Hibiscus | | | |
| variegatus. <i>Variegated leaved Althea.</i> 8' | | | |
| 2 to 3 ft. | .50 | .45 | .40 |
| 3 to 4 ft. | .60 | .55 | .50 |
| 4 to 5 ft. | .75 | .65 | .60 |
| 5 to 6 ft. | 1.00 | .85 | .75 |
| variegatus meehani <i>Meehan's Variegated Althea.</i> 6' | | | |
| 2 to 3 ft. | .55 | .45 | .40 |
| 3 to 4 ft. | .75 | .60 | .50 |
| Hicoria ovata. <i>Shagbark Hickory.</i> 75' | | | |
| 3 to 4 ft. | 1.50 | | |
| 4 to 5 ft. | 2.00 | | |
| Hippophae rhamnoides. <i>Sea-buckthorn.</i> 12' | | | |
| 3 to 4 ft. | 1.25 | 1.00 | |
| 4 to 5 ft. | 1.75 | 1.50 | |
| 5 to 6 ft. | 2.50 | 2.00 | |
| 6 to 8 ft. | 3.00 | 2.50 | |
| 8 to 10 ft. | 3.50 | 3.00 | |
| 10 to 12 ft. | 5.00 | | |
| Holodiscus discolor ariaefolius. 4' | | | |
| 2 to 3 ft. | 1.50 | | |
| *Hovenia dulcis. <i>Raisintree.</i> 6' | | | |
| 3 to 4 ft. | 2.00 | 1.50 | 1.25 |
| 4 to 5 ft. | 2.50 | 2.00 | 1.50 |
| 5 to 6 ft. | 3.50 | 2.50 | 2.00 |
| Hydrangea arborescens. <i>Smooth Hydrangea.</i> 6' | | | |
| 2 to 3 ft. | .50 | .40 | .30 |
| 3 to 4 ft. | .60 | .50 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| arborescens grandiflora. <i>Snowhill Hydrangea.</i> 6' | | | |
| 2 to 3 ft. | .45 | .35 | .25 |
| 3 to 4 ft. | .55 | .45 | .35 |
| 4 to 5 ft. | .75 | .60 | .50 |
| cineria sterilis <i>Ashy Hydrangea.</i> 6' | | | |
| 2 to 3 ft. | .50 | .40 | |
| 3 to 4 ft. | .75 | .50 | |
| opuloides Otaksa. 3' | | | |
| 4 year | .75 | .60 | .50 |
| opuloides Thos. Hogg. 3' | | | |
| 4 year | .75 | .60 | .50 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Hydrangea | | | |
| paniculata. <i>Panicle Hydrangea.</i> 10' | | | |
| 2 to 3 ft. | .45 | .35 | .30 |
| 3 to 4 ft. | .55 | .45 | .40 |
| 4 to 5 ft. | .65 | .55 | .50 |
| 5 to 6 ft. | .75 | .65 | .60 |
| paniculata grandiflora. <i>Peegee Hydrangea.</i> 10' | | | |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .45 |
| 4 to 5 ft. | .75 | .65 | .55 |
| 3 to 4 ft., tree form | 1.25 | 1.00 | |
| 4 to 5 ft., tree form | 1.50 | 1.25 | |
| paniculata praecox. 10' | | | |
| 2 to 3 ft. | .75 | .60 | |
| 3 to 4 ft. | 1.00 | .75 | |
| 4 to 5 ft. | 1.25 | 1.00 | |
| petiolaris. <i>Climbing Hydrangea.</i> | | | |
| 4 inch pots | 1.00 | .85 | .75 |
| quercifolia. <i>Oakleaf Hydrangea.</i> 4' | | | |
| 2 to 3 ft. | 1.00 | .85 | |
| 3 to 4 ft. | 1.25 | | |
| radiata <i>Silverleaf Hydrangea.</i> 6' | | | |
| 2 to 3 ft. | .60 | .50 | .40 |
| 3 to 4 ft. | .75 | .60 | .50 |
| Hypericum arnoldianum. 5' | | | |
| 18 to 24 in. | .75 | .60 | |
| 2 to 3 ft. | .90 | .75 | |
| aureum. <i>Golden St. Johnswort.</i> 4' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .40 |
| bucklei. <i>Mountain St. Johnswort.</i> 1' | | | |
| 6 inches | .75 | .60 | .50 |
| densiflorum. 5' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .40 |
| kalmianum. 4' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .40 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Hypericum | | | |
| lobocarpum. 6' | | | |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .40 |
| moserianum. Goldflower. 2' | | | |
| 15 to 18 in. | .50 | .40 | .35 |
| 18 to 24 in. | .60 | .50 | .40 |
| patulum. Japanese Hypericum. 3' | | | |
| 18 to 24 in. | .60 | .50 | .40 |
| patulum henryi. Henry Hypericum. 4' | | | |
| 18 to 24 in. | .50 | .40 | .35 |
| 2 to 3 ft. | .60 | .50 | .40 |
| prolificum. Shrubby St. Johnswort. 5' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .40 |
| Idesia polycarpa. 40' | | | |
| 3 to 4 ft. | 1.50 | 1.25 | |
| 4 to 5 ft. | 2.00 | 1.75 | |
| Ilex cornuta. Chinese Holly. 10' | | | |
| 18 to 24 in. | B&B | 2.00 | |
| crenata. Japanese Holly. 10' | | | |
| 15 in. | B&B | 2.50 | 2.00 1.50 |
| 18 in. | B&B | 3.00 | 2.50 2.00 |
| 24 in. | B&B | 3.50 | 3.00 2.50 |
| 30 in. | B&B | 5.00 | 4.00 |
| 36 in. | B&B | 6.50 | 6.00 |
| crenata bullata. 10' | | | |
| 12 to 15 in. | B&B | 2.50 | 2.00 1.50 |
| 15 to 18 in. | B&B | 3.00 | 2.50 |
| crenata latifolia. 10' | | | |
| 18 to 24 in. | B&B | 3.00 | 2.50 |
| 24 to 30 in. | B&B | 4.00 | 3.50 |
| crenata microphylla. Little Leaf Japanese Holly. 10' | | | |
| 15 in. | B&B | 2.50 | 2.25 2.00 |
| 18 in. | B&B | 3.50 | 3.00 2.50 |
| 24 in. | B&B | 5.00 | 4.00 |
| geniculata. 5' | | | |
| 3 to 4 ft. | 1.50 | 1.25 | |
| 4 to 5 ft. | 2.00 | 1.50 | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-----|-------------|--------------|-----------------|
| Ilex | | | | |
| glabra. <i>Inkberry.</i> 8' | | | | |
| 12 to 15 in. | B&B | 1.75 | 1.65 | 1.50 |
| 15 to 18 in. | B&B | 2.25 | 2.00 | 1.85 |
| 18 to 24 in. | B&B | 2.75 | 2.65 | 2.50 |
| 24 to 30 in. | B&B | 3.50 | 3.25 | 3.00 |
| 30 to 36 in. | B&B | 5.00 | 4.00 | |
| 36 to 42 in. | B&B | 6.00 | 5.00 | |
| laevigata. <i>Smooth Winterberry.</i> 6' | | | | |
| 2 to 3 ft. | | .75 | .60 | .50 |
| monticola. <i>Mountain Winterberry.</i> 10' | | | | |
| 3 to 4 ft. | | 1.25 | 1.00 | |
| opaca. <i>American Holly.</i> 40' | | | | |
| 2 ft. | B&B | 3.00 | 2.50 | 2.25 |
| 3 ft. | B&B | 4.50 | 3.75 | 3.25 |
| 4 ft. | B&B | 6.50 | 5.00 | 4.50 |
| 5 ft. | B&B | 10.00 | 7.50 | 6.00 |
| 6 ft. | B&B | 12.50 | 10.00 | 7.50 |
| 7 ft. | B&B | 15.00 | 12.50 | |
| For larger sizes to 12 ft., add \$5.00 per foot. | | | | |
| serrata. <i>syn. sieboldi.</i> <i>Fine-tooth Holly.</i> 12' | | | | |
| 2 to 3 ft. | | 1.25 | 1.00 | .75 |
| 3 to 4 ft. | | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft. | | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | | 2.50 | 2.00 | 1.75 |
| verticillata. <i>Common Winterberry.</i> 6' | | | | |
| 2 to 3 ft. | | .60 | .50 | .40 |
| 3 to 4 ft. | | .75 | .60 | .50 |
| 4 to 5 ft. | | .85 | .70 | .60 |
| 5 to 6 ft. | | 1.00 | .85 | .75 |
| 6 to 8 ft. | | 1.50 | 1.25 | 1.00 |
| verticillata chrysocarpa <i>Yellow-fruited Winterberry.</i> 6' | | | | |
| 2 to 3 ft. | | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft. | | 1.75 | 1.50 | |
| Indigofera amblyantha. <i>Pink Indigo.</i> 6' | | | | |
| 2 to 3 ft. | | 1.25 | 1.00 | .75 |
| 3 to 4 ft. | | 1.50 | 1.25 | |
| kirilowi. <i>Kirilow's Indigo.</i> 4' | | | | |
| 2 ft. | | 2.00 | | |
| potanini. <i>Potanin Indigo.</i> 5' | | | | |
| 2 to 3 ft. | | 1.25 | 1.00 | .75 |
| 3 to 4 ft. | | 1.50 | 1.25 | 1.00 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Itea virginica. <i>Sweetspire.</i> 3' | | | |
| 2 to 3 ft. | .75 | .60 | .50 |
| 3 to 4 ft. | 1.00 | .85 | .75 |
| Jasminum nudiflorum. <i>Winter Jasmine.</i> 3' | | | |
| 15 to 18 in. | .50 | .40 | .30 |
| 18 to 24 in. | .60 | .50 | .40 |
| 12 to 15 in., 2½ in. pots | .60 | .50 | .40 |
| stephanense 3' | | | |
| 2 ft., 4 in. pots | 1.25 | 1.00 | .75 |
| Juglans cinerea. <i>Butternut.</i> 75' | | | |
| 5 to 6 ft. | 2.00 | 1.50 | |
| 6 to 8 ft. | 2.50 | 2.00 | |
| 8 to 10 ft. | 3.00 | 2.50 | |
| nigra <i>Black Walnut.</i> 80' | | | |
| 6 to 8 ft. | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft. | 2.50 | 2.25 | |
| 1½ to 1¾ in. | 3.50 | 3.00 | |
| 1¾ to 2 in. | 4.50 | 4.00 | |
| regia. <i>English or Persian Walnut.</i> 50' | | | |
| 3 to 4 ft. | 1.75 | 1.50 | |
| 4 to 5 ft. | 2.50 | 2.00 | |
| 5 to 6 ft. | 3.00 | 2.50 | |
| sieboldiana. <i>Japanese Walnut.</i> 50' | | | |
| 5 to 6 ft. | 2.00 | 1.50 | |
| 6 to 8 ft. | 2.50 | 2.00 | |
| 8 to 10 ft. | 3.00 | 2.50 | |
| 1½ to 1¾ in. | 4.00 | 3.75 | |
| Juniperus chinensis <i>Chinese Juniper.</i> 20' | | | |
| 2 ft.B&B | 3.00 | 2.50 | 2.00 |
| 3 ft.B&B | 4.00 | 3.50 | 3.25 |
| 4 ft.B&B | 5.50 | 5.00 | 4.50 |
| 5 ft.B&B | 7.50 | 7.00 | 6.50 |
| 6 ft.B&B | 10.00 | 8.50 | 7.50 |
| 7 ft.B&B | 12.50 | 10.00 | 9.00 |
| 8 ft.B&B | 15.00 | 12.50 | |
| For larger sizes to 16 ft., add \$5.00 per foot. | | | |
| chinensis albovariegata. <i>Whiteleaf Chinese Juniper.</i> 20' | | | |
| 3 ft.B&B | 7.50 | 6.00 | 5.00 |
| 4 ft.B&B | 8.50 | 7.50 | |
| 5 ft.B&B | 10.00 | | |
| 6 ft.B&B | 12.50 | | |
| 7 ft.B&B | 15.00 | | |

| | | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|---------------|-----|-------------|--------------|-----------------|
| Juniperus | | | | | |
| chinensis columnaris. <i>Columnar Chinese Juniper.</i> 20' | | | | | |
| 4 ft. | | B&B | 6.00 | 5.50 | 5.00 |
| 5 ft. | | B&B | 7.50 | 6.50 | 6.00 |
| 6 ft. | | B&B | 10.00 | 8.00 | 7.50 |
| 7 ft. | | B&B | 12.50 | 10.00 | |
| 8 ft. | | B&B | 15.00 | 12.50 | |
| chinensis globosa. <i>Globe Chinese Juniper.</i> 5' | | | | | |
| 18 in. | | B&B | 4.00 | 3.50 | 3.00 |
| 24 in. | | B&B | 4.50 | 4.00 | 3.50 |
| 36 in. | | B&B | 6.00 | 5.00 | |
| chinensis mas. 10' | | | | | |
| 2 ft. | | B&B | 3.50 | 3.00 | 2.50 |
| 2½ ft. | | B&B | 4.00 | 3.50 | 3.00 |
| 3 ft. | | B&B | 6.00 | 5.00 | 4.00 |
| 3½ ft. | | B&B | 7.50 | 6.00 | |
| 4 ft. | | B&B | 10.00 | 7.50 | |
| chinensis neaboriensis. <i>Conical Chinese Juniper.</i> 10' | | | | | |
| 3 ft. | | B&B | 4.50 | 4.00 | |
| 4 ft. | | B&B | 5.50 | | |
| 5 ft. | | B&B | 6.50 | | |
| 6 ft. | | B&B | 8.50 | | |
| 7 ft. | | B&B | 12.50 | | |
| 8 ft. | | B&B | 15.00 | | |
| 9 ft. | | B&B | 18.00 | | |
| chinensis oblonga. 8' | | | | | |
| 6 ft. | | B&B | 10.00 | | |
| 7 ft. | | B&B | 12.50 | | |
| 8 ft. | | B&B | 15.00 | | |
| chinensis pfitzeriana. <i>Pfitzer's Juniper.</i> 6' | | | | | |
| 18 to 24 | in. spd. | B&B | 2.50 | 2.25 | 2.00 |
| 2 to 2½ | ft. spd. | B&B | 3.00 | 2.75 | 2.50 |
| 2½ to 3 | ft. spd. | B&B | 4.00 | 3.50 | 3.25 |
| 3 to 3½ | ft. spd. | B&B | 5.50 | 4.50 | 4.00 |
| 3½ to 4 | ft. spd. | B&B | 6.50 | 5.50 | 5.00 |
| 4 to 4½ | ft. spd. | B&B | 7.50 | 6.50 | 6.00 |
| 4½ to 5 | ft. spd. | B&B | 10.00 | 8.50 | 7.50 |
| 5 to 6 | ft. spd. | B&B | 15.00 | 12.50 | 10.00 |
| 6 to 7 | ft. spd. | B&B | 18.00 | 15.00 | 12.50 |
| 7 to 8 | ft. spd. | B&B | 20.00 | 18.00 | |
| 8 to 9 | ft. spd. | B&B | 25.00 | 20.00 | |

(Upright form can be furnished in sizes 18" to 6')

Juniperus

| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|
|-------------|--------------|-----------------|

chinensis sargentii. *Sargent Juniper.* 2'

| | | | |
|-------------|----------|------|--|
| 18 in. | B&B 3.00 | 2.75 | |
| 24 in. | B&B 4.00 | 3.75 | |
| 30 in. | B&B 6.00 | 5.00 | |
| 36 in. | B&B 7.50 | | |

chinensis smithi. *Smith Chinese Juniper.* 8'

| | | | |
|------------|----------|------|--|
| 2 ft. | B&B 3.50 | 3.00 | |
| 3 ft. | B&B 4.50 | 4.00 | |

communis. *Common Juniper.* 25'

| | | | |
|------------|----------|------|------|
| 3 ft. | B&B 3.75 | 3.00 | 2.50 |
| 4 ft. | B&B 4.00 | 3.50 | 3.00 |
| 5 ft. | B&B 5.00 | 4.50 | 4.00 |
| 6 ft. | B&B 6.00 | 5.50 | 5.00 |
| 7 ft. | B&B 7.50 | 6.50 | 6.00 |
| 8 ft. | B&B 9.00 | 8.00 | 7.50 |

communis dayi. 25'

| | | | |
|------------|----------|------|--|
| 4 ft. | B&B 5.00 | 4.00 | |
| 5 ft. | B&B 6.00 | 5.00 | |
| 6 ft. | B&B 7.50 | 6.50 | |

communis depressa. *Prostrate Juniper.* 3'

| | | | |
|------------------------|----------|------|------|
| 18 to 24 in. spd. | B&B 2.50 | 2.25 | 2.00 |
| 24 to 30 in. spd. | B&B 3.00 | 2.75 | 2.50 |
| 2½ to 3 ft. spd. | B&B 4.00 | 3.50 | 3.00 |
| 3 to 4 ft. spd. | B&B 5.00 | 4.50 | 4.00 |
| 4 to 5 ft. spd. | B&B 7.50 | 6.00 | 5.00 |

communis depressa aurea. *Golden Prostrate Juniper.* 3'

| | | | |
|------------------------|-----------|------|--|
| 18 to 24 in. spd. | B&B 3.00 | 2.50 | |
| 24 to 30 in. spd. | B&B 3.50 | 3.00 | |
| 2½ to 3 ft. spd. | B&B 4.50 | 4.00 | |
| 3 to 3½ ft. spd. | B&B 6.00 | 5.00 | |
| 3½ to 4 ft. spd. | B&B 7.50 | 6.00 | |
| 4 to 5 ft. spd. | B&B 10.00 | 7.50 | |

communis depressa plumosa *Purple Spreading Juniper.* 3'

| | | | |
|-------------------|-----------|------|------|
| 18 to 24 in. | B&B 2.75 | 2.25 | 1.75 |
| 24 to 30 in. | B&B 3.50 | 3.00 | 2.50 |
| 2½ to 3 ft. | B&B 4.50 | 3.50 | 3.00 |
| 3 to 3½ ft. | B&B 6.00 | 5.00 | |
| 3½ to 4 ft. | B&B 7.50 | 6.50 | |
| 4 to 4½ ft. | B&B 10.00 | | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|----------|-------------|--------------|-----------------|
| Juniperus | | | | |
| communis hibernica. <i>Irish Juniper.</i> 15' | | | | |
| 2 ft. |B&B | 2.50 | 2.00 | 1.75 |
| 3 ft. |B&B | 3.00 | 2.50 | 2.25 |
| 4 ft. |B&B | 4.00 | 3.50 | 3.00 |
| 5 ft. |B&B | 5.00 | 4.50 | 4.00 |
| 6 ft. |B&B | 7.50 | 6.00 | 5.50 |
| 7 ft. |B&B | 10.00 | 7.50 | |
| 8 ft. |B&B | 12.50 | 10.00 | |
| 9 ft. |B&B | 15.00 | | |
| communis kraccovica. <i>Polish Juniper.</i> 10' | | | | |
| 2 ft. |B&B | 2.50 | | |
| 3 ft. |B&B | 3.00 | | |
| communis suecica. <i>Swedish Juniper.</i> 25' | | | | |
| 2 ft. |B&B | 2.50 | 2.25 | 2.00 |
| 3 ft. |B&B | 3.50 | 3.25 | 3.00 |
| 4 ft. |B&B | 5.00 | 4.50 | 4.00 |
| 5 ft. |B&B | 7.50 | 6.00 | |
| communis suecica nana. <i>Dwarf Swedish Juniper.</i> 6' | | | | |
| 2 ft. |B&B | 3.50 | 3.00 | |
| 3 ft. |B&B | 4.50 | 4.00 | |
| 4 ft. |B&B | 6.00 | 5.00 | |
| conferta. <i>Shore Juniper.</i> 5' | | | | |
| 18 in. |B&B | 4.00 | 3.50 | |
| 2 ft. |B&B | 5.00 | 4.50 | |
| 2½ ft. |B&B | 6.50 | 5.50 | |
| excelsa. <i>Greek Juniper.</i> 50' | | | | |
| 3 ft. |B&B | 3.50 | 3.00 | |
| 4 ft. |B&B | 4.50 | 4.00 | |
| 5 ft. |B&B | 6.00 | 5.50 | |
| 6 ft. |B&B | 7.50 | 6.50 | |
| 7 ft. |B&B | 8.50 | 7.50 | |
| 8 ft. |B&B | 12.50 | 10.00 | |
| 9 ft. |B&B | 15.00 | 12.50 | |
| 10 ft. |B&B | 18.00 | 15.00 | |
| excelsa stricta. <i>Spiny Greek Juniper.</i> 8' | | | | |
| 18 in. |B&B | 2.50 | 2.00 | 1.75 |
| 2 ft. |B&B | 3.00 | 2.50 | 2.25 |
| 2½ ft. |B&B | 3.50 | 3.00 | 2.75 |
| 3 ft. |B&B | 4.50 | 4.00 | 3.50 |

| | | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-----------|-----|-------------|--------------|-----------------|
| Juniperus excelsa stricta | | | | | |
| 3½ ft. | | B&B | 7.00 | 6.00 | 5.00 |
| 4 ft. | | B&B | 8.50 | 7.50 | 6.50 |
| 4½ ft. | | B&B | 10.00 | 9.00 | 8.00 |
| 5 ft. | | B&B | 12.50 | 10.00 | 9.00 |
| 5½ ft. | | B&B | 15.00 | 12.50 | |
| 6 ft. | | B&B | 17.50 | 15.00 | |
| 7 ft. | | B&B | 20.00 | | |
| For larger sizes to 10 ft., add \$5.00 per foot. | | | | | |
| horizontalis. Creeping Juniper. 1' | | | | | |
| 18 to 24 in. | spd. | B&B | 2.50 | 2.25 | 2.00 |
| 24 to 30 in. | spd. | B&B | 3.00 | 2.75 | 2.50 |
| 2½ to 3 ft. | spd. | B&B | 3.50 | 3.25 | 3.00 |
| 3 to 3½ ft. | spd. | B&B | 4.50 | 4.00 | 3.50 |
| horizontalis glauca. Blue Creeping Juniper. 1' | | | | | |
| 18 to 24 in. | spd. | B&B | 2.50 | 2.25 | 2.00 |
| 24 to 30 in. | spd. | B&B | 3.00 | 2.75 | 2.50 |
| 2½ to 3 ft. | spd. | B&B | 4.00 | 3.75 | 3.50 |
| 3 to 3½ ft. | spd. | B&B | 5.00 | 4.50 | |
| japonica. Japanese Juniper. 8' | | | | | |
| 18 in. | | B&B | 2.50 | 2.25 | 2.00 |
| 2 ft. | | B&B | 3.50 | 2.75 | 2.50 |
| 3 ft. | | B&B | 5.00 | 4.00 | 3.50 |
| 4 ft. | | B&B | 7.50 | 6.00 | |
| 5 ft. | | B&B | 10.00 | | |
| japonica aurea. Golden Japanese Juniper. 8' | | | | | |
| 18 in. | | B&B | 3.50 | 3.00 | |
| 2 ft. | | B&B | 4.50 | 4.00 | |
| 3 ft. | | B&B | 6.00 | | |
| recurva. Himalayan Juniper. 30' | | | | | |
| 2 ft. | | B&B | 3.50 | | |
| 3 ft. | | B&B | 5.00 | | |
| rigida. Needle Juniper. 30' | | | | | |
| 2 ft. | | B&B | 4.00 | 3.00 | |
| 3 ft. | | B&B | 5.00 | 4.00 | |
| 4 ft. | | B&B | 6.00 | 5.00 | |
| sabina. Savin Juniper. 6' | | | | | |
| 18 to 24 in. | spd. | B&B | 2.50 | 2.25 | 2.00 |
| 2 to 2½ ft. | spd. | B&B | 3.00 | 2.50 | 2.25 |
| 2½ to 3 ft. | spd. | B&B | 3.75 | 3.00 | 2.75 |
| 3 to 3½ ft. | spd. | B&B | 5.00 | 4.00 | 3.50 |
| 3½ to 4 ft. | spd. | B&B | 6.50 | 5.50 | 4.50 |
| 4 to 4½ ft. | spd. | B&B | 9.00 | 7.50 | 6.00 |
| 4½ to 5 ft. | spd. | B&B | 12.50 | 10.00 | |

| | | | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------|----------|----------|-------------|--------------|-----------------|
| Juniperus | | | | | | |
| sabina tamariscifolia. <i>Tamarix Savin.</i> 2' | | | | | | |
| 18 | to 24 | in. spd. |B&B | 3.00 | 2.75 | 2.50 |
| 24 | to 30 | in. spd. |B&B | 4.00 | 3.50 | 3.00 |
| 2½ | to 3 | ft. spd. |B&B | 5.00 | 4.50 | 4.00 |
| 3 | to 3½ | ft. spd. |B&B | 7.50 | 6.00 | 5.50 |
| sabina Von Ehron. 10' | | | | | | |
| 24 | to 30 | in. spd. |B&B | 3.50 | 3.00 | |
| 30 | to 36 | in. spd. |B&B | 4.50 | 4.00 | |
| 36 | to 42 | in. spd. |B&B | 7.50 | 6.00 | |
| scopulorum. <i>Colorado Juniper.</i> 40' | | | | | | |
| 3 | ft. | |B&B | 4.50 | 4.25 | |
| 4 | ft. | |B&B | 6.00 | 5.50 | |
| 5 | ft. | |B&B | 7.50 | 6.50 | |
| 6 | ft. | |B&B | 10.00 | 8.50 | |
| 7 | ft. | |B&B | 12.50 | 10.00 | |
| 8 | ft. | |B&B | 15.00 | 12.50 | |
| For larger sizes to 16 ft., add \$5.00 per foot. | | | | | | |
| sphaerica. | | | | | | |
| 3 | ft. | |B&B | 4.50 | 4.00 | |
| 4 | ft. | |B&B | 6.50 | 5.00 | |
| 5 | ft. | |B&B | 8.50 | | |
| squamata. <i>Japanese Trailing Juniper.</i> 3' | | | | | | |
| 2 | to 2½ | ft. spd. |B&B | 5.00 | | |
| squamata meyeri. <i>Meyer Juniper.</i> 4' | | | | | | |
| 18 | to 24 | in. |B&B | 3.50 | 3.00 | 2.50 |
| 24 | to 30 | in. |B&B | 4.00 | 3.50 | 3.00 |
| 2½ | to 3 | ft. |B&B | 5.00 | 4.50 | 4.00 |
| 3 | to 3½ | ft. |B&B | 7.50 | 6.00 | |
| virginiana. <i>Red Cedar.</i> 40' | | | | | | |
| 3 | ft. | |B&B | 3.50 | 3.00 | 2.50 |
| 4 | ft. | |B&B | 4.50 | 4.00 | 3.50 |
| 5 | ft. | |B&B | 6.00 | 5.50 | 5.00 |
| 6 | ft. | |B&B | 7.50 | 7.00 | 6.50 |
| 7 | ft. | |B&B | 10.00 | 9.00 | 8.00 |
| 8 | ft. | |B&B | 15.00 | 12.50 | 10.00 |
| 9 | ft. | |B&B | 18.00 | 15.00 | 12.50 |
| 10 | ft. | |B&B | 22.50 | 18.00 | 15.00 |

For larger sizes to 20 ft., add \$5.00 per foot.

virginiana burki. Syn. **virginiana venusta.**

Juniperus

| | | |
|-------------|--------------|-----------------|
| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|

virginiana cannarti. *Cannart Red Cedar.* 15'

| | | | | |
|-------------|-----|-------|-------|-------|
| 3 ft. | B&B | 5.00 | 4.50 | 4.00 |
| 4 ft. | B&B | 6.00 | 5.50 | 5.00 |
| 5 ft. | B&B | 8.00 | 7.00 | 6.50 |
| 6 ft. | B&B | 11.00 | 9.00 | 8.00 |
| 7 ft. | B&B | 15.00 | 12.50 | 10.00 |
| 8 ft. | B&B | 18.00 | 15.00 | 12.50 |
| 9 ft. | B&B | 22.50 | 18.00 | 15.00 |
| 10 ft. | B&B | 27.50 | 22.50 | 18.00 |

For larger sizes to 18 ft., add \$5.00 per foot.

virginiana elegantissima. *Goldtip Red Cedar.* 15'

| | | | | |
|------------|-----|-------|------|------|
| 2 ft. | B&B | 4.50 | 4.00 | 3.50 |
| 3 ft. | B&B | 5.00 | 4.50 | 4.00 |
| 4 ft. | B&B | 6.50 | 5.50 | |
| 5 ft. | B&B | 7.50 | | |
| 6 ft. | B&B | 10.00 | | |

For larger sizes to 12 ft., add \$5.00 per foot.

virginiana glauca. *Silver Red Cedar.* 25'

| | | | | |
|------------|-----|-------|-------|------|
| 3 ft. | B&B | 5.00 | 4.50 | 4.00 |
| 4 ft. | B&B | 6.50 | 5.50 | 5.00 |
| 5 ft. | B&B | 8.50 | 7.50 | 6.50 |
| 6 ft. | B&B | 12.00 | 10.00 | |
| 7 ft. | B&B | 15.00 | 12.50 | |
| 8 ft. | B&B | 18.00 | 15.00 | |

For larger sizes to 18 ft., add \$5.00 per foot.

virginiana globosa. *Globe Red Cedar.* 4'

| | | | | |
|-------------------|-----|------|------|------|
| 18 to 24 in. | B&B | 4.00 | 3.50 | 3.00 |
| 24 to 30 in. | B&B | 5.00 | 4.50 | 4.00 |
| 3 to 3½ ft. | B&B | 6.00 | 5.50 | 5.00 |
| 3½ to 4 ft. | B&B | 7.50 | 6.50 | |

virginiana keteleeri. 15'

| | | | | |
|------------|-----|-------|-------|------|
| 2 ft. | B&B | 3.50 | 3.25 | 3.00 |
| 3 ft. | B&B | 4.50 | 4.00 | 3.75 |
| 4 ft. | B&B | 7.50 | 6.00 | |
| 5 ft. | B&B | 10.00 | 7.50 | |
| 6 ft. | B&B | 12.50 | 10.00 | |
| 7 ft. | B&B | 15.00 | 12.50 | |

For larger sizes to 10 ft., add \$5.00 per foot.

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|---------------------|-------------|--------------|-----------------|
| Juniperus | | | | |
| virginiana kosteri. <i>Koster Red Cedar.</i> 4' | | | | |
| 2 | to 2½ ft. spd. | B&B 3.50 | 3.00 | 2.75 |
| 2½ | to 3 ft. spd. | B&B 4.50 | 4.00 | 3.50 |
| 3 | to 3½ ft. spd. | B&B 6.00 | 5.00 | 4.50 |
| 3½ | to 4 ft. spd. | B&B 7.50 | 6.50 | |
| 4 | to 4½ ft. spd. | B&B 10.00 | 7.50 | |
| 4½ | to 5 ft. spd. | B&B 12.50 | 10.00 | |
| 5 | to 6 ft. spd. | B&B 15.00 | | |
| virginiana pendula. <i>Weeping Red Cedar.</i> 15' | | | | |
| 4 | ft. | B&B 10.00 | | |
| 8 | ft. | B&B 20.00 | | |
| virginiana plumosa. <i>Plume Red Cedar.</i> 15' | | | | |
| 6 | ft. | B&B 10.00 | | |
| 7 | ft. | B&B 12.50 | | |
| virginiana schotti. <i>Schott Red Cedar.</i> 15' | | | | |
| 3 | ft. | B&B 5.00 | 4.50 | 4.00 |
| 4 | ft. | B&B 6.00 | 5.50 | 5.00 |
| 5 | ft. | B&B 8.50 | 7.50 | 6.50 |
| 6 | ft. | B&B 12.50 | 10.00 | 8.00 |
| 7 | ft. | B&B 15.00 | 12.50 | 10.00 |
| For larger sizes to 18 ft., add \$5.00 per foot | | | | |
| virginiana tripartita. <i>Fountain Red Cedar.</i> 5' | | | | |
| 2 | ft. | B&B 4.50 | 4.00 | |
| 2½ | ft. | B&B 5.50 | 5.00 | |
| 3 | ft. | B&B 8.50 | 7.50 | |
| 3½ | ft. | B&B 10.00 | 9.00 | |
| 4 | ft. | B&B 12.50 | 10.00 | |
| virginiana venusta. 15' | | | | |
| 3 | ft. | B&B 5.00 | 4.50 | 4.00 |
| 4 | ft. | B&B 6.00 | 5.50 | 5.00 |
| 5 | ft. | B&B 8.50 | 7.50 | |
| 6 | ft. | B&B 12.50 | 10.00 | |
| 7 | ft. | B&B 15.00 | 12.50 | |
| 8 | ft. | B&B 18.00 | 15.00 | |
| For larger sizes to 12 ft., add \$5.00 per foot. | | | | |
| Kalmia latifolia. <i>Mountain Laurel.</i> 6' | | | | |
| 18 | to 24 in. | B&B 3.00 | 2.50 | 2.25 |
| 2 | to 3 ft. | B&B 3.50 | 3.00 | 2.75 |
| 3 | to 4 ft. | B&B 5.00 | 4.00 | 3.75 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Kerria japonica. <i>Kerria.</i> 4' | | | |
| 18 to 24 in. | .50 | .40 | .35 |
| 2 to 3 ft. | .60 | .50 | .45 |
| japonica florepleno. <i>Double Kerria.</i> 4' | | | |
| 18 to 24 in. | 1.00 | .75 | |
| 2 to 3 ft. | 1.25 | 1.00 | |
| Koelreuteria paniculata. <i>Goldenrain Tree.</i> 25' | | | |
| 4 to 5 ft. | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft. | 2.00 | 1.75 | 1.50 |
| 6 to 8 ft. | 3.00 | 2.75 | 2.50 |
| 8 to 10 ft. | 4.00 | 3.50 | 3.25 |
| Kolkwitzia amabilis. <i>Beauty Bush.</i> 8' | | | |
| 2 to 3 ft. | .60 | .55 | .50 |
| 3 to 4 ft. | .75 | .65 | .60 |
| 4 to 5 ft. | 1.00 | .85 | .75 |
| 5 to 6 ft. | 1.25 | 1.00 | .90 |
| 6 to 8 ft. | 1.50 | 1.25 | |
| *Laburnum alpinum. <i>Scotch Laburnum.</i> 30' | | | |
| 4 to 5 ft. | B&B 5.00 | | |
| 5 to 6 ft. | B&B 6.00 | | |
| 6 to 8 ft. heavy | B&B 15.00 | | |
| 8 to 10 ft. heavy | B&B 20.00 | | |
| vossi. 20' | | | |
| 8 to 10 ft. | B&B 20.00 | | |
| 10 to 12 ft. | B&B 25.00 | | |
| *vulgare. <i>Goldenchain.</i> 20' | | | |
| 4 to 5 ft. | B&B 3.50 | | |
| 5 to 6 ft. | B&B 4.50 | | |
| 6 to 8 ft. heavy | B&B 12.50 | | |
| 8 to 10 ft. heavy | B&B 15.00 | | |
| 10 to 12 ft. heavy | B&B 20.00 | | |
| Lagerstroemia indica rubra. <i>Red Crape-myrtle.</i> 12' | | | |
| 18 to 24 in. from pots | 1.25 | 1.00 | |
| Larix europea. <i>European Larch.</i> 60' | | | |
| 5 to 6 ft. | B&B 6.00 | 5.00 | |
| 6 to 8 ft. | B&B 7.50 | 6.00 | |
| 8 to 10 ft. | B&B 10.00 | 7.50 | |
| laricina. <i>American Larch.</i> 50' | | | |
| 6 to 8 ft. | B&B 10.00 | | |
| 8 to 10 ft. | B&B 12.50 | | |
| 10 to 12 ft. | B&B 15.00 | | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-----|-------------|--------------|-----------------|
| Larix | | | | |
| leptolepis. <i>Japanese Larch.</i> 50' | | | | |
| 4 to 5 ft. | B&B | 5.00 | 4.00 | |
| 5 to 6 ft. | B&B | 6.00 | 5.00 | |
| 6 to 8 ft. | B&B | 7.50 | 6.00 | |
| 8 to 10 ft. | B&B | 10.00 | 7.50 | |
| 10 to 12 ft. | B&B | 15.00 | 12.50 | |
| 12 to 14 ft. | B&B | 20.00 | | |
| Laurocerasus officinalis schipkaensis. 10' | | | | |
| 12 to 15 in., 4 in pots..... | | 1.00 | .75 | |
| 18 to 24 in. | B&B | 1.50 | 1.25 | 1.00 |
| 24 to 30 in. | B&B | 2.00 | 1.50 | |
| Lespedeza bicolor. <i>Shrub Bushclover.</i> 6' | | | | |
| 2 to 3 ft. | | .60 | .50 | |
| 3 to 4 ft. | | .75 | .60 | |
| 4 to 5 ft. | | 1.00 | .75 | |
| 5 to 6 ft. | | 1.25 | 1.00 | |
| formosa syn. penduliflorum. <i>Purple Bushclover.</i> 4' | | | | |
| 2 year | | .50 | .40 | .30 |
| 3 year | | .60 | .50 | .40 |
| formosa albiflora. <i>Japanese Bushclover.</i> 5' | | | | |
| 2 year | | .60 | .50 | .40 |
| Leucothoe catesbaei. <i>Drooping Leucothoe.</i> 4' | | | | |
| 15 to 18 in. | B&B | 2.25 | 2.00 | 1.75 |
| 18 to 24 in. | B&B | 2.50 | 2.25 | 2.00 |
| 24 to 30 in. | B&B | 3.50 | | |
| Libocedrus decurrens. <i>Incense Cedar.</i> 100' | | | | |
| 18 to 24 in. | B&B | 2.25 | 2.00 | |
| 24 to 30 in. | B&B | 3.00 | 2.50 | |
| 3 to 3½ ft. | B&B | 4.50 | 3.50 | |
| 4 to 5 ft. | B&B | 6.00 | | |
| Ligustrum acuminatum. 10' | | | | |
| 2 to 3 ft. | | .40 | .30 | .25 |
| 3 to 4 ft. | | .50 | .40 | .35 |
| acuminatum macrocarpum. <i>Bighberry Privet.</i> 10' | | | | |
| 2 to 3 ft. | | .40 | .30 | .25 |
| 3 to 4 ft. | | .50 | .40 | .35 |

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

Ligustrum

| | | |
|-------------|--------------|-----------------|
| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|

amurense. *Amur Privet.* 15'

| | | | |
|-------------------|------|-----|-----|
| 18 to 24 in. | .25 | .18 | .15 |
| 2 to 3 ft. | .35 | .25 | .18 |
| 3 to 4 ft. | .40 | .30 | .25 |
| 4 to 5 ft. | .55 | .45 | .35 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .80 | .75 |

ibolium. *Ibolium Privet.* 8'

| | | | |
|-------------------|-----|-----|-----|
| 18 to 24 in. | .25 | .18 | .12 |
| 2 to 3 ft. | .30 | .20 | .15 |
| 3 to 4 ft. | .40 | .30 | .25 |
| 4 to 5 ft. | .50 | .45 | .40 |

ibota. *Ibota Privet.* 10'

| | | | |
|-----------------|-----|-----|-----|
| 2 to 3 ft. | .30 | .20 | .15 |
| 3 to 4 ft. | .35 | .25 | .20 |
| 4 to 5 ft. | .50 | .40 | .35 |

ibota nanum. *Pygmy Privet.* 6'

| | | | |
|-------------------|-----|-----|-----|
| 18 to 24 in. | .35 | .25 | .20 |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .35 | .30 |
| 4 to 5 ft. | .60 | .45 | .40 |

ibota regelianum. *Regel Privet.* 6'

| | | | |
|------------------------|------|------|-----|
| 18 to 24 in. spd. | .40 | .30 | .25 |
| 24 to 30 in. spd. | .50 | .40 | .35 |
| 2½ to 3 ft. spd. | .75 | .60 | .50 |
| 3 to 4 ft. spd. | 1.25 | 1.00 | .75 |
| 4 to 5 ft. spd. | 1.75 | 1.50 | |

lodense. *Dwarf Privet.* 3'

| | | | |
|-------------------|-----|-----|-----|
| 12 to 15 in. | .35 | .30 | .25 |
| 15 to 18 in. | .45 | .35 | .30 |
| 18 to 24 in. | .55 | .45 | .40 |
| 24 to 30 in. | .65 | .55 | .50 |

ovalifolium. *California Privet.* 10'

| | | | |
|-------------------|-----|-----|-----|
| 18 to 24 in. | .20 | .10 | .08 |
| 24 to 30 in. | .25 | .12 | .10 |

ovalifolium variegatum. *Golden Privet.* 10'

| | | | |
|-------------------|-----|-----|-----|
| 15 to 18 in. | .40 | .30 | .25 |
| 18 to 24 in. | .45 | .35 | .30 |
| 24 to 30 in. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .40 |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|--|-------------|--------------|-----------------|
| Ligustrum | | | | |
| vulgare. European Privet. 12' | | | | |
| 2 to 3 ft. | | .35 | .25 | .18 |
| 3 to 4 ft. | | .40 | .30 | .25 |
| 4 to 5 ft. | | .50 | .40 | .35 |
| 5 to 6 ft. | | .65 | .55 | .50 |
| 6 to 8 ft. | | 1.00 | .80 | .75 |
| vulgare foliosum. 10' | | | | |
| 2 to 3 ft. | | .45 | .35 | .30 |
| vulgare leucocarpum. Yellowberry Privet. 12' | | | | |
| 2 to 3 ft. | | .45 | .35 | .30 |
| 3 to 4 ft. | | .55 | .40 | .35 |
| 4 to 5 ft. | | .65 | .50 | |
| 5 to 6 ft. | | .75 | .60 | |
| Lindera benzoin. (See Benzoin aestivale). | | | | |
| *Liquidambar formosana. Formosa Sweetgum. 60' | | | | |
| 8 to 10 ft. | | 10.00 | | |
| 10 to 12 ft. | | 15.00 | | |
| *styraciflua. Sweetgum. 60' | | | | |
| 6 to 8 ft. | | 3.00 | 2.75 | 2.50 |
| 8 to 10 ft. | | 3.75 | 3.25 | 3.00 |
| 1 1/4 to 1 1/2 in. | | 4.50 | 4.00 | 3.50 |
| 1 1/2 to 1 3/4 in. | | 5.00 | 4.50 | 4.00 |
| 1 3/4 to 2 in. | | 6.00 | 5.50 | 5.00 |
| 2 to 2 1/2 in. | | 7.50 | 6.50 | 6.00 |
| 2 1/2 to 3 in. | | 12.50 | 10.00 | 7.50 |
| 3 to 3 1/2 in. | | 20.00 | 15.00 | |
| 4 to 5 in. | | 35.00 | 30.00 | |
| 5 to 6 in. | | 50.00 | | |
| *styraciflua aurea. Golden Sweetgum. 60' | | | | |
| 5 to 6 ft. | | 5.00 | | |
| 6 to 8 ft. | | 7.50 | | |

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| *Liriodendron chinense. <i>Chinese Tulip Tree.</i> 70' | | | |
| 5 to 6 ft. | 6.00 | | |
| 6 to 8 ft. | 7.50 | | |
| *tulipifera. <i>Tuliptree.</i> 80' | | | |
| 6 to 8 ft. | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft. | 2.50 | 2.25 | 2.00 |
| 1¼ to 1½ in. | 3.50 | 3.00 | 2.75 |
| 1½ to 1¾ in. | 4.50 | 3.75 | 3.50 |
| 1¾ to 2 in. | 5.00 | 4.50 | 4.00 |
| 2 to 2½ in. | 7.50 | 6.00 | 5.00 |
| 2½ to 3 in. | 12.50 | 10.00 | 7.50 |
| 3 to 3½ in. | 20.00 | 15.00 | |
| 3½ to 4 in. | 25.00 | 18.00 | |
| 4 to 5 in. | 35.00 | | |
| *tulipifera pyramidale. <i>Pyramid Tuliptree.</i> 70' | | | |
| 6 to 8 ft. | 7.50 | | |
| 8 to 10 ft. | 10.00 | | |
| 1½ to 1¾ in. | 12.50 | | |
| 2 to 2½ in. | 15.00 | | |
| 2½ to 3 in. | 20.00 | | |
| 3 to 3½ in. | 30.00 | | |
| Lonicera alseuosmoides. | | | |
| 2 year | .75 | .60 | .50 |
| bella albida. <i>White Belle Honeysuckle.</i> 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .85 | .75 |
| bella rosea. <i>Belle Honeysuckle.</i> 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| billardi. 8' | | | |
| 3 to 4 ft. | .50 | .40 | .35 |
| 4 to 5 ft. | .60 | .45 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| browni plantierensis. <i>Orange Honeysuckle.</i> 4' | | | |
| 2 year | .50 | .40 | .35 |
| 3 year | .60 | .50 | |
| caprifolium. <i>Sweet Honeysuckle.</i> 10' | | | |
| 2 year | .50 | .40 | .30 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Lonicera | | | |
| chrysantha. <i>Coralline Honeysuckle.</i> 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .85 | .75 |
| conjugalis. 8' | | | |
| 3 to 4 ft. | .50 | .40 | .35 |
| 4 to 5 ft. | .75 | .60 | .50 |
| dioica. <i>Limber Honeysuckle.</i> 10' | | | |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .40 |
| fragrantissima. <i>Winter Honeysuckle.</i> 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .35 | .30 |
| 4 to 5 ft. | .65 | .50 | .40 |
| 5 to 6 ft. | .75 | .65 | .60 |
| 6 to 8 ft. | 1.00 | .85 | .75 |
| fuchsioides. | | | |
| 2 year | .75 | .65 | .60 |
| gracilipes. <i>Spangled Honeysuckle.</i> 6' | | | |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .45 |
| 4 to 5 ft. | .75 | .65 | .60 |
| heckrotti. <i>Everblooming Honeysuckle.</i> 15' | | | |
| 2 year | .50 | .40 | .30 |
| henryi. <i>Henry Honeysuckle.</i> 15' | | | |
| 2 year | .75 | .60 | .50 |
| hirsuta. <i>Hairy Honeysuckle.</i> 15' | | | |
| 2 year | .50 | .40 | |
| 3 year | .60 | .50 | |
| japonica. <i>Japanese Honeysuckle.</i> 15' | | | |
| 2 year | .25 | .20 | .15 |
| 3 year | .35 | .25 | .18 |
| japonica halleana. <i>Hall Japanese Honeysuckle.</i> 20' | | | |
| 2 year | .25 | .20 | .15 |
| 3 year | .35 | .25 | .18 |
| japonica reticulata aurea. | | | |
| <i>Yellow Japanese Honeysuckle.</i> 15' | | | |
| 2 year | .45 | .35 | .25 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Lonicera | | | |
| kesselringi. <i>Black fruited Honeysuckle.</i> 10' | | | |
| 2 to 3 ft. | .50 | .40 | |
| 3 to 4 ft. | .75 | .50 | |
| koehneana. 12' | | | |
| 18 to 24 in. | .60 | .50 | .40 |
| 2 to 3 ft. | .75 | .60 | .50 |
| korolkowi floribunda. <i>Broad Blueleaf Honeysuckle.</i> 10' | | | |
| 2 to 3 ft. | .55 | .45 | .40 |
| 3 to 4 ft. | .65 | .55 | .50 |
| 4 to 5 ft. | .75 | .65 | |
| ledebouri. 10' | | | |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .75 | .50 | |
| maacki. <i>Amur Honeysuckle.</i> 10' | | | |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .45 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .60 |
| 6 to 8 ft. | 1.25 | 1.00 | .75 |
| maacki podocarpa. <i>Late Honeysuckle.</i> 8' | | | |
| 3 to 4 ft. | .60 | .50 | |
| 4 to 5 ft. | .75 | .60 | |
| 5 to 6 ft. | 1.00 | .75 | |
| 6 to 8 ft. | 1.25 | 1.00 | |
| morrowi. <i>Morrow Honeysuckle.</i> 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| morrowi. <i>(Yellow Fruited).</i> 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | |
| muendeniensis. <i>Muenden Honeysuckle.</i> 8' | | | |
| 5 to 6 ft. | .65 | .55 | .50 |
| 6 to 8 ft. | .75 | .65 | .60 |
| nitida. 3' | | | |
| 6 to 12 in. | .50 | .40 | .30 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Lonicera | | | |
| periclymenum belgica. <i>Dutch Woodbine.</i> 15' | | | |
| 2 year | .40 | .30 | .25 |
| 3 year | .50 | .40 | .35 |
| pileata. <i>Privet Honeysuckle.</i> 2' | | | |
| 6 to 12 in. | .60 | .50 | .40 |
| prolifera syn. sullivanti. <i>Grape Honeysuckle.</i> 5' | | | |
| 3 year | .60 | .45 | .35 |
| quinquelocularis. <i>Mistletoe Honeysuckle.</i> 10' | | | |
| 4 to 5 ft. | .75 | .60 | |
| 5 to 6 ft. | 1.00 | .75 | |
| 6 to 8 ft. | 1.25 | 1.00 | |
| ruprechtiana. <i>Manchurian Honeysuckle.</i> 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| saccata. 6' | | | |
| 2 to 3 ft. | .50 | .40 | .30 |
| 3 to 4 ft. | .60 | .50 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| sempervirens. <i>Trumpet Honeysuckle.</i> 15' | | | |
| 2 year | .40 | .30 | .25 |
| 3 year | .50 | .40 | .30 |
| spinosa alberti. <i>Thorn Honeysuckle.</i> 2' | | | |
| 12 to 15 in. | .45 | .35 | .30 |
| 15 to 18 in. | .55 | .45 | .40 |
| 18 to 24 in. | .75 | .60 | .55 |
| standishi. 5' | | | |
| 2 to 3 ft. | .50 | .40 | .30 |
| 3 to 4 ft. | .60 | .50 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | |
| syringantha. <i>Lilac Honeysuckle.</i> 4' | | | |
| 15 to 18 in., 4 in. pots..... | 1.00 | .75 | |
| 2 to 3 ft., field grown..... | 1.50 | 1.25 | 1.00 |
| syringantha wolffi. <i>Wolf Honeysuckle.</i> 6' | | | |
| 15 to 18 in., 4 in. pots..... | 1.00 | .75 | |
| 2 to 3 ft., field grown..... | 1.50 | 1.25 | |

Lonicera

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| tatarica. <i>Red Tatarian Honeysuckle.</i> 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .75 | |
| tatarica alba. <i>White Tatarian Honeysuckle.</i> 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .75 | .65 |
| tatarica grandiflora. <i>Pink Tatarian Honeysuckle.</i> 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .75 | .65 |
| tatarica lutea. <i>Yellow Tatarian Honeysuckle.</i> 10' | | | |
| 3 to 4 ft. | .75 | | |
| tatarica siberica. <i>Siberian Honeysuckle.</i> 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .75 | .65 |
| tellmanniana. | | | |
| 2 year | 1.00 | .90 | |
| thibetica. <i>Tibetan Honeysuckle.</i> 4' | | | |
| 2 year | 1.25 | 1.00 | |
| verna. 5' | | | |
| 2 year | .50 | .35 | .30 |
| virginalis alba. <i>Maiden Honeysuckle.</i> 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .75 | .65 |
| xylostium. <i>Fly Honeysuckle.</i> 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Lycium chinense. <i>Chinese Matrimony Vine.</i> 5' | | | |
| 2 to 3 ft. | .30 | .25 | .18 |
| 3 to 4 ft. | .35 | .30 | .22 |
| halimifolium. <i>Common Matrimony Vine.</i> 6' | | | |
| 2 to 3 ft. | .30 | .25 | .18 |
| 3 to 4 ft. | .35 | .30 | .22 |
| Lyonia ligustrina <i>He-Huckleberry.</i> 12' | | | |
| 15 to 18 in. | 1.25 | 1.00 | |
| 18 to 24 in. | 1.50 | 1.25 | |
| Maackia amurensis. <i>Amur Maackia.</i> 40' | | | |
| 2 to 3 ft. | 1.50 | | |
| 3 to 4 ft. | 2.00 | | |
| Maclura pomifera. <i>Osage-orange.</i> 30' | | | |
| 4 to 5 ft. | .75 | .50 | |
| 5 to 6 ft. | 1.00 | .75 | |
| 6 to 8 ft. | 1.25 | 1.00 | |
| Magnolia acuminata. <i>Cucumber Tree.</i> 70' | | | |
| 4 to 5 ft. B&B | 3.00 | 2.50 | |
| 5 to 6 ft. B&B | 5.00 | 4.00 | |
| 6 to 8 ft. B&B | 7.50 | 6.00 | |
| 8 to 10 ft. B&B | 10.00 | 7.50 | |
| 10 to 12 ft. B&B | 12.50 | 10.00 | |
| conspicua. <i>Yulan.</i> 50' | | | |
| 4 to 5 ft. B&B | 10.00 | | |
| 5 to 6 ft. B&B | 12.50 | | |
| 6 to 8 ft. B&B | 15.00 | | |
| 8 to 10 ft. B&B | 20.00 | | |
| fraseri. <i>Fraser Magnolia.</i> 50' | | | |
| 5 to 6 ft. B&B | 10.00 | | |
| 6 to 8 ft. B&B | 12.50 | | |
| glauca syn. virginiana. <i>Sweetbay.</i> 25' | | | |
| 2 to 3 ft. B&B | 3.00 | 2.50 | 2.00 |
| 3 to 4 ft. B&B | 4.00 | 3.50 | 3.00 |
| 4 to 5 ft. B&B | 5.00 | 4.50 | 4.00 |
| 5 to 6 ft. B&B | 7.50 | 6.00 | 5.50 |
| 6 to 8 ft. B&B | 10.00 | 8.00 | 7.00 |
| 8 to 10 ft. B&B | 12.50 | 10.00 | 9.00 |
| 10 to 12 ft. B&B | 17.50 | 15.00 | 12.50 |

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|---------------------------------|------------------------------------|-------------|--------------|-----------------|
| Magnolia | | | | |
| hypoleuca. | <i>Silver Magnolia.</i> | 50' | | |
| 4 to 5 ft. |B&B | 10.00 | 7.50 | |
| 5 to 6 ft. |B&B | 12.50 | 10.00 | |
| 6 to 8 ft. |B&B | 15.00 | 12.50 | |
| 8 to 10 ft. |B&B | 20.00 | 17.50 | |
| 10 to 12 ft. |B&B | 25.00 | 20.00 | |
| kobus. | <i>30'</i> | | | |
| 4 to 5 ft. |B&B | 5.00 | 4.50 | 4.00 |
| 5 to 6 ft. |B&B | 7.50 | 6.50 | 6.00 |
| 6 to 8 ft. |B&B | 10.00 | 9.00 | 8.50 |
| 8 to 10 ft. |B&B | 12.50 | 11.00 | 10.00 |
| 8 to 10 ft. spec. |B&B | 20.00 | | |
| Larger sizes quoted on request. | | | | |
| lennei. | <i>Lenne Magnolia.</i> | 20' | | |
| 2 to 3 ft. |B&B | 4.00 | | |
| 3 to 4 ft. |B&B | 6.00 | | |
| 4 to 5 ft. |B&B | 7.50 | | |
| 5 to 6 ft. |B&B | 10.00 | | |
| 6 to 8 ft. |B&B | 15.00 | | |
| macrophylla. | <i>Large-leaved Cucumber-tree.</i> | 50' | | |
| 8 to 10 ft. |B&B | 20.00 | | |
| 10 to 12 ft. |B&B | 25.00 | | |
| parviflora. | <i>Oyama Magnolia.</i> | 30' | | |
| 3 to 4 ft. |B&B | 10.00 | 7.50 | |
| 4 to 5 ft. |B&B | 12.50 | 10.00 | |
| 5 to 6 ft. |B&B | 15.00 | | |
| soulangeana. | <i>Saucer Magnolia.</i> | 20' | | |
| 3 to 4 ft. |B&B | 5.00 | 4.00 | |
| 4 to 5 ft. |B&B | 6.50 | 5.00 | |
| 5 to 6 ft. |B&B | 10.00 | 7.50 | |
| 6 to 8 ft. |B&B | 12.50 | | |
| 8 to 10 ft. spec. |B&B | 25.00 | | |
| soulangeana nigra. | <i>20'</i> | | | |
| 6 to 8 ft. |B&B | 20.00 | | |
| stellata. | <i>Star Magnolia.</i> | 8' | | |
| 2 to 3 ft. |B&B | 6.00 | 5.00 | |
| 3 to 4 ft. |B&B | 7.50 | 6.50 | |
| 4 to 5 ft. |B&B | 10.00 | | |
| stellata rosea. | <i>Pinkstar Magnolia.</i> | 15' | | |
| 2 to 3 ft. |B&B | 7.50 | | |
| 3 to 4 ft. |B&B | 10.00 | | |
| 4 to 5 ft. |B&B | 12.50 | | |
| 5 to 6 ft. |B&B | 15.00 | | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|----------|-------------|--------------|-----------------|
| Magnolia | | | | |
| tripetala. <i>Umbrella Magnolia.</i> 30' | | | | |
| 5 to 6 ft. |B&B | 6.00 | 5.00 | |
| 6 to 8 ft. |B&B | 7.50 | 6.00 | |
| 8 to 10 ft. |B&B | 10.00 | 7.50 | |
| 10 to 12 ft. |B&B | 12.50 | 10.00 | |
| virginiana. (<i>See glauca</i>) | | | | |
| Mahonia aquifolium. <i>Oregon Hollygrape.</i> 5' | | | | |
| 18 to 24 in. |B&B | 2.00 | 1.75 | 1.50 |
| 24 to 30 in. |B&B | 2.50 | 2.25 | 2.00 |
| 30 to 36 in. |B&B | 3.00 | 2.75 | 2.50 |
| Malus angustifolia. <i>Southern Crab.</i> 25' | | | | |
| 3 to 4 ft. | | 1.50 | 1.25 | |
| 4 to 5 ft. | | 2.00 | 1.75 | |
| 5 to 6 ft. | | 2.50 | 2.25 | |
| 6 to 8 ft. | | 3.50 | 3.00 | |
| 8 to 10 ft. | | 5.00 | 4.00 | |
| arnoldiana. <i>Arnold Crab.</i> 12' | | | | |
| 3 to 4 ft. | | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft. | | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | | 2.50 | 2.25 | 2.00 |
| 6 to 8 ft. | | 3.50 | 3.00 | 2.50 |
| baccata. <i>Siberian Crab.</i> 30' | | | | |
| 3 to 4 ft. | | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft. | | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft. | | 2.00 | 1.75 | 1.50 |
| 6 to 8 ft. | | 3.00 | 2.50 | 2.00 |
| 8 to 10 ft. | | 5.00 | 4.00 | 3.50 |
| 10 to 12 ft. | | 10.00 | 7.50 | |
| baccata mandshurica. <i>Manchurian Crab.</i> 30' | | | | |
| 3 to 4 ft. | | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft. | | 4.00 | 3.50 | 3.00 |
| brevipes. 12' | | | | |
| 3 to 4 ft. | | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft. | | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft. | | 2.50 | 2.00 | |
| 6 to 8 ft. | | 3.50 | 3.00 | |

Malus**coronaria.** *Wild Sweet Crab.* 30'

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------|-------------|--------------|-----------------|
| 3 to 4 ft. | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft. | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft. | 2.00 | 1.75 | 1.50 |
| 6 to 8 ft. | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft. | 5.00 | 4.50 | |
| 10 to 12 ft. | 10.00 | 7.50 | |

coronaria Charlotte. 15'

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------|-------------|--------------|-----------------|
| 3 to 4 ft. | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | 2.50 | 2.00 | |
| 5 to 6 ft. | 3.00 | 2.50 | |
| 6 to 8 ft. | 3.50 | 3.00 | |
| 8 to 10 ft. | 5.00 | 4.00 | |
| 10 to 12 ft. | 10.00 | 7.50 | |

dolga. 15'

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-------------------|-------------|--------------|-----------------|
| 4 to 5 ft. | 1.75 | 1.50 | |
| 5 to 6 ft. | 2.25 | 1.75 | |
| 6 to 8 ft. | 3.00 | 2.50 | |
| 8 to 10 ft. | 5.00 | 4.00 | |
| 10 to 12 ft. | 10.00 | 7.50 | |

Elisa Rathke. *Weeping Flg. Apple.* 8'

| | 1-4 Each | 5-24 Each | 25 & up Each |
|------------------------|-------------|--------------|-----------------|
| 3 to 4 ft. spread | 3.00 | | |
| 4 to 5 ft. spread | 4.00 | | |
| 5 to 6 ft. spread | 5.00 | | |
| 6 to 8 ft. spread | 6.00 | | |

florentina. *Florentine Crab.* 20'

| | 1-4 Each | 5-24 Each | 25 & up Each |
|-----------------|-------------|--------------|-----------------|
| 3 to 4 ft. | 1.75 | 1.50 | |
| 4 to 5 ft. | 2.25 | 2.00 | |
| 5 to 6 ft. | 2.75 | 2.50 | |

floribunda. *Japanese Flowering Crab.* 20'

| | 1-4 Each | 5-24 Each | 25 & up Each |
|------------------|-------------|--------------|-----------------|
| 3 to 4 ft. | 1.50 | 1.25 | |
| 4 to 5 ft. | 1.75 | 1.50 | |
| 5 to 6 ft. | 2.50 | 1.75 | |
| 6 to 8 ft. | 3.50 | 3.00 | |
| 8 to 10 ft. | 5.00 | 4.50 | |

floribunda atrosanguinea. *Carmine Crab.* 20'

| | 1-4 Each | 5-24 Each | 25 & up Each |
|----------------------------|-------------|--------------|-----------------|
| 3 to 4 ft. | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft. | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft. | 2.50 | 1.75 | 1.50 |
| 6 to 8 ft. | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft. | 5.00 | 4.50 | |
| 10 to 12 ft. | 10.00 | 7.50 | |
| 8 to 10 ft. spec. B&B | 12.50 | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Malus | | | |
| floribunda lemoinei. 15' | | | |
| 3 to 4 ft. | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | 2.50 | 2.00 | 1.75 |
| 6 to 8 ft. | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft. | 5.00 | 4.50 | |
| fusca. Oregon Crab. 20' | | | |
| 4 to 5 ft. | 1.75 | 1.50 | |
| 5 to 6 ft. | 2.50 | 2.00 | |
| 6 to 8 ft. | 3.50 | 3.00 | |
| 8 to 10 ft. | 5.00 | 4.00 | |
| glaucescens. Dunbar Crab. 12' | | | |
| 3 to 4 ft. | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft. | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | 2.50 | 2.25 | 2.00 |
| 6 to 8 ft. | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft. | 5.00 | 4.50 | |
| halliana. Hall Crab. 15' | | | |
| 4 to 5 ft. | 6.00 | | |
| 8 to 10 ft. | 7.50 | | |
| halliana parkmani. Parkman Crab. 15' | | | |
| 3 to 4 ft. | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | 2.25 | 2.00 | 1.75 |
| 5 to 6 ft. | 3.50 | 3.00 | 2.50 |
| 6 to 8 ft. | 4.50 | 4.00 | 3.50 |
| 8 to 10 ft. | 6.00 | 5.00 | |
| 10 to 12 ft. | 10.00 | 7.50 | |
| hopa. Red Flowering Crab. 12' | | | |
| 4 to 5 ft. | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft. | 2.50 | 2.00 | 1.75 |
| 6 to 8 ft. | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft. | 6.00 | 5.00 | |
| ioensis. Prairie Crab. 25' | | | |
| 3 to 4 ft. | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | 3.00 | 2.50 | |
| 6 to 8 ft. | 4.00 | 3.50 | |
| 8 to 10 ft. | 6.00 | 5.00 | |

| Malus | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| ioensis bechteli. <i>Bechtel Crab.</i> 15' | | | |
| 3 to 4 ft. | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | 3.00 | 2.50 | |
| 6 to 8 ft. | 4.00 | 3.50 | |
| 8 to 10 ft. | 6.00 | 5.00 | |
| 10 to 12 ft. | 10.00 | 7.50 | |
| micromalus. <i>Midget Crab.</i> 10' | | | |
| 4 to 5 ft. | 2.00 | 1.50 | |
| 5 to 6 ft. | 2.50 | 2.00 | |
| 6 to 8 ft. | 3.50 | 3.00 | |
| 8 to 10 ft. | 5.00 | 4.00 | |
| niedzwetzkyana. <i>Redvein Crab.</i> 20' | | | |
| 3 to 4 ft. | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft. | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft. | 2.50 | 2.00 | 1.75 |
| 6 to 8 ft. | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft. | 5.00 | 4.00 | |
| Oekonemurat Echtermeyer. 15' | | | |
| 3 to 4 ft. | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | 2.50 | 2.00 | 1.75 |
| 5 to 6 ft. | 3.50 | 3.00 | 2.50 |
| 6 to 8 ft. | 5.00 | 4.00 | 3.50 |
| 8 to 10 ft. | 6.00 | 5.00 | |
| purpurea. <i>Purple Crab.</i> 15' | | | |
| 3 to 4 ft. | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft. | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | 2.50 | 2.25 | 2.00 |
| 6 to 8 ft. | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft. | 5.00 | 4.00 | |
| purpurea aldenhamensis. 15' | | | |
| 3 to 4 ft. | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft. | 4.00 | 3.50 | 3.00 |
| 8 to 10 ft. | 5.00 | 4.50 | 4.00 |
| purpurea eleyi. <i>Eley Flowering Crab.</i> 15' | | | |
| 3 to 4 ft. | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft. | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | 2.50 | 2.25 | 2.00 |
| 6 to 8 ft. | 3.50 | 3.00 | |
| 8 to 10 ft. | 5.00 | 4.00 | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------|-------------|--------------|-----------------|
| Malus | | | | |
| prunifolia rinki. <i>Chinese Apple.</i> 15' | | | | |
| 4 to 5 ft. | | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft. | | 2.50 | 2.00 | 1.75 |
| 6 to 8 ft. | | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft. | | 5.00 | 4.00 | 3.50 |
| 10 to 12 ft. | | 10.00 | 7.50 | |
| robusta. <i>Cherry Crab.</i> 15' | | | | |
| 3 to 4 ft. | | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | | 3.00 | 2.50 | |
| 6 to 8 ft. | | 4.00 | 3.50 | |
| robusta fastigiata. 15' | | | | |
| 3 to 4 ft. | | 1.75 | 1.50 | |
| 4 to 5 ft. | | 2.00 | 1.75 | |
| 5 to 6 ft. | | 3.00 | 2.50 | |
| 6 to 8 ft. | | 4.00 | 3.50 | |
| 8 to 10 ft. | | 5.00 | 4.50 | |
| robusta persicifolia. 12' | | | | |
| 4 to 5 ft. | | 2.00 | 1.75 | |
| 5 to 6 ft. | | 3.00 | 2.50 | |
| 6 to 8 ft. | | 4.00 | 3.50 | |
| 8 to 10 ft. | | 5.00 | 4.50 | |
| sargentii. <i>Sargent Crab.</i> 6' | | | | |
| 3 to 4 ft. | | 2.00 | 1.75 | 1.50 |
| 4 to 5 ft. | | 2.50 | 2.00 | 1.75 |
| 5 to 6 ft. | | 3.00 | 2.75 | 2.50 |
| 6 to 8 ft. | | 4.00 | 3.50 | |
| scheideckeri. <i>Scheidecker Crab.</i> 20' | | | | |
| 3 to 4 ft. | | 1.75 | 1.50 | |
| 4 to 5 ft. | | 2.00 | 1.75 | |
| 5 to 6 ft. | | 2.50 | 2.25 | |
| 6 to 8 ft. | | 4.00 | 3.50 | |
| sieboldi. <i>Toringo Crab.</i> 15' | | | | |
| 3 to 4 ft. | | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft. | | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft. | | 2.00 | 1.75 | 1.60 |
| 6 to 8 ft. | | 3.00 | 2.75 | 2.50 |
| 8 to 10 ft. | | 5.00 | 4.00 | |
| 10 to 12 ft. | | 10.00 | 7.50 | |

Malus

| | | |
|-------------|--------------|-----------------|
| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|

spectabilis. *Chinese Flowering Crab.* 15'

| | | |
|------------------|------|------|
| 3 to 4 ft. | 1.50 | 1.25 |
| 4 to 5 ft. | 1.75 | 1.50 |
| 5 to 6 ft. | 2.50 | 2.00 |
| 6 to 8 ft. | 3.50 | 3.00 |
| 8 to 10 ft. | 5.00 | 4.00 |

spectabilis alba plena. *Dbf. White Chinese Crab.* 15'

| | | |
|------------------|------|------|
| 3 to 4 ft. | 1.75 | 1.50 |
| 4 to 5 ft. | 2.25 | 2.00 |
| 5 to 6 ft. | 3.00 | 2.50 |
| 6 to 8 ft. | 4.00 | 3.50 |
| 8 to 10 ft. | 5.00 | |

sublobata. *Yellow Autumn Crab.* 12'

| | | |
|------------------|------|------|
| 4 to 5 ft. | 2.00 | 1.75 |
| 5 to 6 ft. | 2.50 | 2.25 |
| 6 to 8 ft. | 3.50 | 3.00 |
| 8 to 10 ft. | 5.00 | 4.50 |

theifera. *Tea Crab.* 20'

| | | |
|-----------------|------|------|
| 4 to 5 ft. | 2.00 | 1.50 |
| 5 to 6 ft. | 2.75 | 2.25 |
| 6 to 8 ft. | 4.00 | 3.50 |

theifera rosea. 20'

| | | | |
|-------------------|-------|------|------|
| 4 to 5 ft. | 2.25 | 2.00 | 1.75 |
| 5 to 6 ft. | 2.75 | 2.50 | 2.25 |
| 6 to 8 ft. | 4.00 | 3.50 | 3.00 |
| 8 to 10 ft. | 6.00 | 5.00 | |
| 10 to 12 ft. | 10.00 | 7.50 | |

toringoides. *Cutleaf Crab.* 15'

| | |
|------------------|------|
| 4 to 5 ft. | 2.00 |
| 5 to 6 ft. | 2.50 |
| 6 to 8 ft. | 3.50 |
| 8 to 10 ft. | 5.00 |

tschonoski. 20'

| | | | |
|------------------|------|------|------|
| 3 to 4 ft. | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | 3.00 | 2.50 | 2.25 |
| 6 to 8 ft. | 4.00 | 3.50 | 3.00 |
| 8 to 10 ft. | 5.00 | 4.50 | 4.00 |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|----------|-------------|--------------|-----------------|
| Malus | | | | |
| yunnanensis veitchi. 25' | | | | |
| 3 to 4 ft. | | 1.75 | 1.50 | 1.25 |
| 4 to 5 ft. | | 2.00 | 1.75 | |
| 5 to 6 ft. | | 2.50 | 2.25 | |
| 6 to 8 ft. | | 3.50 | 3.00 | |
| 8 to 10 ft. | | 5.00 | 4.50 | |
| zumi. <i>Zumi Crab.</i> 12' | | | | |
| 4 to 5 ft. | | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft. | | 2.50 | 2.00 | 1.50 |
| 6 to 8 ft. | | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft. | | 6.00 | 5.00 | |
| 10 to 12 ft. | | 10.00 | 7.50 | |
| zumi calocarpa. 15' | | | | |
| 4 to 5 ft. | | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft. | | 2.50 | 2.00 | 1.50 |
| 6 to 8 ft. | | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft. | | 5.00 | 4.50 | |
| Morus alba pendula. <i>Weeping Mulberry.</i> 10' | | | | |
| 3 yr. heads, 5 to 7 ft. stems | | 3.00 | | |
| alba tatarica. <i>Russian Mulberry.</i> 60' | | | | |
| 5 to 6 ft. | | .75 | .60 | .50 |
| 6 to 8 ft. | | 1.00 | .85 | .75 |
| 8 to 10 ft. | | 1.50 | 1.25 | 1.00 |
| 1½ to 1¾ in. | | 2.00 | 1.75 | 1.50 |
| 1¾ to 2 in. | | 2.50 | 2.25 | 2.00 |
| 2 to 2½ in. | | 3.50 | 3.00 | |
| Myrica carolinensis. <i>Northern Bayberry.</i> 5' | | | | |
| 18 to 24 in. | | .75 | .60 | .50 |
| 24 to 30 in. | | 1.00 | .75 | .60 |
| 3 to 4 ft. | | 1.25 | 1.00 | .75 |
| cerifera. <i>Southern Waxmyrtle.</i> 5' | | | | |
| 18 to 24 in. | | .75 | .60 | .50 |
| 2 to 3 ft. | | 1.00 | .75 | .60 |
| 3 to 4 ft. | | 1.25 | 1.00 | .75 |
| 4 to 5 ft. | | 1.50 | 1.25 | 1.00 |
| gale. <i>Sweetgale.</i> 4' | | | | |
| 18 to 24 in. |B&B | 2.00 | 1.50 | |
| 2 to 3 ft. |B&B | 2.50 | 2.00 | |
| Nandina domestica. <i>Nandina.</i> 8' | | | | |
| 18 to 24 in. |B&B | 2.50 | 2.00 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Neillia longeracemosa. 10' | | | |
| 2 to 3 ft. | .75 | .60 | .50 |
| 3 to 4 ft. | 1.00 | .75 | .60 |
| 4 to 5 ft. | 1.25 | 1.00 | .75 |
| sinensis. <i>Tube Neillia.</i> 6' | | | |
| 2 to 3 ft. | .75 | .60 | .50 |
| 3 to 4 ft. | 1.00 | .75 | .60 |
| 4 to 5 ft. | 1.25 | 1.00 | .75 |
| Nemopanthus mucronatus. <i>Mountain Holly.</i> 10' | | | |
| 3 to 4 ft. | 1.50 | | |
| 4 to 5 ft. | 2.00 | | |
| Neviusia alabamensis. <i>Snow-wreath.</i> 6' | | | |
| 2 to 3 ft. | 1.25 | | |
| 3 to 4 ft. | 1.50 | | |
| *Nyssa aquatica. <i>Big Tupelo.</i> 40' | | | |
| 2 to 3 ft. | 2.00 | | |
| *sylvatica. <i>Tupelo.</i> 40' | | | |
| 3 to 4 ft. | 3.00 | 2.50 | |
| 4 to 5 ft. | 4.00 | 3.00 | |
| 5 to 6 ft. | 5.00 | 4.00 | |
| 6 to 8 ft. | 7.50 | 5.00 | |
| 8 to 10 ft. | 10.00 | 7.50 | |
| 10 to 12 ft. | 15.00 | 12.50 | |
| Osmanthus aquifolium. <i>Holly Osmanthus.</i> 15' | | | |
| 12 to 18 in., 4" pots | 2.00 | | |
| Ostrya virginiana. <i>American Hophornbeam.</i> 40' | | | |
| 5 to 6 ft. | 1.75 | 1.50 | |
| 6 to 8 ft. | 2.50 | 2.00 | |
| 8 to 10 ft. | 3.50 | 3.00 | |
| 10 to 12 ft. | 5.00 | 4.50 | |
| *Oxydendrum arboreum. <i>Sourwood.</i> 40' | | | |
| 2 to 3 ft. | 1.25 | 1.00 | .75 |
| 3 to 4 ft. | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft. | 2.25 | 1.75 | 1.50 |
| 5 to 6 ft. | 3.50 | 2.50 | 2.00 |
| 6 to 8 ft. | 4.00 | 3.50 | 3.00 |
| 8 to 10 ft. | 6.50 | 5.50 | 4.50 |
| 10 to 12 ft. | 10.00 | 7.50 | |
| Pachistima canbyi. <i>Canby Pachistima.</i> 1' | | | |
| 3 inch pots | .75 | .60 | .50 |
| Paeonia suffruticosa. <i>Tree Peony.</i> 6' | | | |
| 8 to 10 in., 3 year | 3.00 | 2.50 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Paulownia tomentosa. <i>Royal Paulownia.</i> 30' | | | |
| 6 to 8 ft. | 4.00 | 3.50 | |
| 8 to 10 ft. | 5.00 | 4.50 | |
| 10 to 12 ft. | 7.50 | | |
| Periploca graeca. <i>Silk Vine.</i> 30' | | | |
| 2 year | .50 | .40 | .30 |
| 3 year | .60 | .50 | .40 |
| sepium. <i>Chinese Silkvine.</i> 25' | | | |
| 2 year | 1.25 | | |
| Perowskia atriplicifolia. 4' | | | |
| 2 to 3 ft. | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft. | 2.00 | 1.50 | 1.25 |
| Phellodendron amurense. <i>Amur Corktree.</i> 50' | | | |
| 6 to 8 ft. | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft. | 2.00 | 1.75 | 1.50 |
| 1¼ to 1½ in. | 2.50 | 2.25 | |
| 1½ to 1¾ in. | 3.00 | 2.75 | |
| 1¾ to 2 in. | 4.00 | 3.50 | |
| 2 to 2½ in. | 5.50 | 4.50 | |
| lavallei. 30' | | | |
| 8 to 10 ft. | 4.00 | | |
| sachalinense. <i>Sakhalin Corktree.</i> 50' | | | |
| 6 to 8 ft. | 3.50 | 3.00 | |
| 8 to 10 ft. | 4.00 | 3.50 | |
| 1½ to 1¾ in. | 4.50 | 4.00 | |
| Philadelphus Albatre. 6' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .30 |
| 4 to 5 ft. | .60 | .50 | |
| Argentine. 5' | | | |
| 2 to 3 ft. | .50 | .40 | |
| 3 to 4 ft. | .60 | .50 | |
| Avalanche. 5' | | | |
| 2 to 3 ft. | .50 | .40 | .30 |
| 3 to 4 ft. | .60 | .50 | |
| Banniere. 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .30 |
| Bouquet Blanc. 5' | | | |
| 2 to 3 ft. | .50 | .45 | .40 |
| 3 to 4 ft. | .60 | .55 | .50 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Philadelphus | | | |
| coronarius. <i>Sweet Mockorange.</i> 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .85 | .75 |
| coronarius aureus. <i>Golden Mockorange.</i> 4' | | | |
| 18 to 24 in. | .60 | .50 | |
| 24 to 30 in. | .75 | .60 | |
| 3 to 4 ft. | 1.00 | .75 | |
| 4 to 5 ft. | 1.25 | 1.00 | |
| coronarius nanus. 4' | | | |
| 12 to 15 in. | .60 | .50 | |
| 15 to 18 in. | .75 | .60 | |
| 18 to 24 in. | 1.00 | .75 | |
| coronarius multiflorus plenus. 6' | | | |
| 2 to 3 ft. | .50 | .40 | .30 |
| Dame Blanche. 6' | | | |
| 2 to 3 ft. | .50 | .40 | .30 |
| dianthiflorus plenus. 4' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 2 to 3 ft. | .50 | .40 | .30 |
| 3 to 4 ft. | .60 | .50 | .40 |
| falconeri. <i>Star Mockorange.</i> 8' | | | |
| 3 to 4 ft. | .50 | .40 | .30 |
| 4 to 5 ft. | .60 | .50 | |
| 5 to 6 ft. | .75 | .60 | |
| Favorite. 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| Gerbe de Neige. 6' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .30 |
| Glacier. 5' | | | |
| 2 to 3 ft. | .40 | .35 | .30 |
| 3 to 4 ft. | .50 | .45 | .40 |
| 4 to 5 ft. | .75 | .60 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Philadelphus | | | |
| gordonianus. <i>Gordon Mockorange.</i> 12' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| grandiflorus. <i>Big Scentless Mockorange.</i> 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .85 | .75 |
| incanus. <i>Gray Mockorange.</i> 10' | | | |
| 18 to 24 in. | 1.00 | .75 | |
| lemoinei erectus. 5' | | | |
| 2 to 3 ft. | .50 | .40 | .30 |
| 3 to 4 ft. | .60 | .50 | .45 |
| lewisi. <i>Lewis Mockorange.</i> 10' | | | |
| 3 to 4 ft. | .50 | .40 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| Magdalene. 6' | | | |
| 2 to 3 ft. | .50 | .40 | .30 |
| 3 to 4 ft. | .60 | .50 | |
| nepalensis. <i>Nepal Mockorange.</i> 10' | | | |
| 3 to 4 ft. | .50 | .40 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .75 | .60 |
| nivalis. <i>Snowbank Mockorange.</i> 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .85 | .75 |
| Norma. 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .75 | .60 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Philadelphus | | | |
| Ophelia. 6' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| Pavillon Blanc. 8' | | | |
| 3 to 4 ft. | .50 | .40 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| pyramidale. 6' | | | |
| 3 to 4 ft. | .50 | .40 | |
| 4 to 5 ft. | .60 | .50 | |
| sericanthus. Silk Mockorange. 12' | | | |
| 3 to 4 ft. | 1.50 | 1.25 | |
| Sybille. 5' | | | |
| 2 to 3 ft. | .60 | .45 | .35 |
| virginal. 8' | | | |
| 2 to 3 ft. | .50 | .45 | .40 |
| 3 to 4 ft. | .60 | .55 | .50 |
| 4 to 5 ft. | .75 | .65 | .60 |
| 5 to 6 ft. | 1.00 | .85 | .75 |
| 6 to 8 ft. | 1.25 | 1.10 | 1.00 |
| Voie Lactee. 6' | | | |
| 2 to 3 ft. | .50 | .40 | .30 |
| 3 to 4 ft. | .60 | .50 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | |
| zeyheri. Zeyher Mockorange. 10' | | | |
| 3 to 4 ft. | .50 | .40 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .85 | .75 |
| Photinia villosa. 8' | | | |
| 3 to 4 ft. | .75 | .60 | .50 |
| 4 to 5 ft. | 1.25 | 1.00 | .75 |
| 5 to 6 ft. | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft. | 2.50 | 2.00 | 1.50 |
| 8 to 10 ft. | 3.50 | 3.00 | 2.50 |
| villosa laevis. 15' | | | |
| 4 to 5 ft. | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft. | 2.00 | 1.50 | 1.25 |
| 6 to 8 ft. | 3.00 | 2.50 | 2.00 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Physocarpus intermedius parvifolius. Dwarf Ninebark. 4' | | | |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .45 |
| monogynus. 3' | | | |
| 2 to 3 ft. | 3.50 | | |
| opulifolius. Ninebark. 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .85 | .75 |
| opulifolius luteus. Goldleaf Ninebark. 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .85 | .75 |
| opulifolius nanus. 5' | | | |
| 2 to 3 ft. | .50 | .40 | .30 |
| 3 to 4 ft. | .60 | .50 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| Picea alba. White Spruce. 50' | | | |
| 2 ft. B&B | 2.50 | 2.00 | 1.75 |
| 3 ft. B&B | 3.50 | 3.00 | 2.50 |
| 4 ft. B&B | 5.00 | 4.50 | 3.75 |
| 5 ft. B&B | 6.50 | 5.50 | 5.00 |
| 6 ft. B&B | 7.50 | 6.50 | 6.00 |
| 7 ft. B&B | 10.00 | 8.50 | 7.50 |
| 8 ft. B&B | 15.00 | 12.50 | 10.00 |
| 9 ft. B&B | 18.50 | 15.00 | |
| 10 ft. B&B | 25.00 | 20.00 | |
| For larger sizes to 20 ft., add \$5.00 per foot. | | | |
| alba gloriosa. 30' | | | |
| 2 ft. B&B | 7.50 | | |
| 3 ft. B&B | 10.00 | | |
| 4 ft. B&B | 12.50 | | |
| 5 ft. B&B | 15.00 | | |
| 6 ft. B&B | 18.00 | | |
| alcockiana. Alcock Spruce. 75' | | | |
| 10 ft. B&B | 40.00 | | |
| For larger sizes to 15 ft., add \$5.00 per foot. | | | |

Picea

| | | |
|-------------|--------------|-----------------|
| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|

canadensis. *Black Hills Spruce.* 60'

| | | | | |
|-------------|-----|-------|-------|------|
| 2 ft. | B&B | 2.50 | 2.00 | 1.75 |
| 3 ft. | B&B | 3.50 | 2.75 | 2.25 |
| 4 ft. | B&B | 5.00 | 4.50 | 3.75 |
| 5 ft. | B&B | 6.50 | 5.50 | 5.00 |
| 6 ft. | B&B | 9.00 | 7.50 | |
| 7 ft. | B&B | 12.50 | 10.00 | |
| 8 ft. | B&B | 15.00 | 12.50 | |
| 9 ft. | B&B | 18.50 | 15.00 | |
| 10 ft. | B&B | 25.00 | 20.00 | |

For larger sizes to 18 ft., add \$5.00 per foot.

engelmanni. *Engelmann Spruce.* 75'

| | | | | |
|-------------|-----|-------|--|--|
| 3 ft. | B&B | 10.00 | | |
| 10 ft. | B&B | 35.00 | | |

For larger sizes to 16 ft., add \$5.00 per foot.

excelsa. *Norway Spruce.* 75'

| | | | | |
|------------|-----|-------|-------|------|
| 2 ft. | B&B | 2.00 | 1.75 | 1.50 |
| 3 ft. | B&B | 3.00 | 2.50 | 2.25 |
| 4 ft. | B&B | 5.00 | 4.00 | 3.75 |
| 5 ft. | B&B | 6.50 | 5.50 | 5.00 |
| 6 ft. | B&B | 8.50 | 7.50 | 6.50 |
| 7 ft. | B&B | 12.50 | 10.00 | 7.50 |
| 8 ft. | B&B | 15.00 | 12.50 | |
| 9 ft. | B&B | 18.00 | 15.00 | |

For larger sizes to 25 ft., add \$5.00 per foot.

excelsa aurea. *Golden Norway Spruce.* 75'

| | | | | |
|------------|-----|-------|-------|--|
| 3 ft. | B&B | 10.00 | 8.00 | |
| 4 ft. | B&B | 12.50 | 10.00 | |
| 5 ft. | B&B | 15.00 | 12.50 | |
| 6 ft. | B&B | 18.00 | | |
| 7 ft. | B&B | 22.50 | | |

For larger sizes to 12 ft., add \$5.00 per foot.

excelsa clanbrasiliana. 7'

| | | | | |
|-------------|-----|------|--|--|
| 15 in. | B&B | 5.00 | | |
| 18 in. | B&B | 6.50 | | |
| 2 ft. | B&B | 8.00 | | |

excelsa maxwelli. *Maxwell Spruce.* 6'

| | | | | |
|-------------------|-----|-------|-------|--|
| 18 to 24 in. | B&B | 7.50 | | |
| 24 to 30 in. | B&B | 10.00 | | |
| 30 to 36 in. | B&B | 12.50 | 10.00 | |
| 36 to 42 in. | B&B | 15.00 | 12.50 | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-----|-------------|--------------|-----------------|
| Picea | | | | |
| excelsa nana compacta. Dwarf Spruce. 4' | | | | |
| 18 to 24 in. | B&B | 7.50 | 6.00 | 5.00 |
| 24 to 30 in. | B&B | 10.00 | 7.50 | 6.00 |
| 30 to 36 in. | B&B | 12.50 | 10.00 | 8.00 |
| 36 to 42 in. | B&B | 15.00 | 12.50 | 10.00 |
| 42 to 48 in. | B&B | 20.00 | | |
| excelsa nana pyramidalis. Pyramidal Dwarf Spruce. 4' | | | | |
| 18 in. | B&B | 6.00 | | |
| 2 ft. | B&B | 7.50 | | |
| 3 ft. | B&B | 10.00 | | |
| excelsa pendula. Weeping Spruce. 20' | | | | |
| 3 ft. | B&B | 5.00 | 4.50 | |
| 4 ft. | B&B | 7.50 | 6.00 | |
| 5 ft. | B&B | 10.00 | 8.00 | |
| 6 ft. | B&B | 12.50 | 10.00 | |
| For larger sizes to 10 ft., add \$5.00 per foot. | | | | |
| excelsa pygmea. Pygmy Norway Spruce. 20' | | | | |
| 18 to 24 in. | B&B | 6.00 | 5.50 | |
| 24 to 30 in. | B&B | 7.50 | 6.50 | |
| 30 to 36 in. | B&B | 10.00 | | |
| 36 to 42 in. | B&B | 15.00 | | |
| excelsa remonti. Remont Spruce. 6' | | | | |
| 18 to 24 in. | B&B | 6.50 | 5.50 | 5.00 |
| 24 to 30 in. | B&B | 7.50 | 6.50 | |
| 30 to 36 in. | B&B | 10.00 | | |
| 36 to 42 in. | B&B | 12.50 | | |
| 42 to 48 in. | B&B | 15.00 | | |
| glauca conica. Dwarf Alberta Spruce. 6' | | | | |
| 2½ ft. | B&B | 7.50 | 6.00 | |
| 3 ft. | B&B | 10.00 | 7.50 | |
| 4 ft. | B&B | 12.50 | | |
| mariana. Black Spruce. 30' | | | | |
| 5 ft. | B&B | 6.00 | 5.00 | |
| 6 ft. | B&B | 7.50 | 6.00 | |
| 7 ft. | B&B | 10.00 | 7.50 | |
| 8 ft. | B&B | 12.50 | 10.00 | |
| mariana doumeti. Doumet Spruce. 25' | | | | |
| 2 ft. | B&B | 5.00 | 4.00 | |
| 3 ft. | B&B | 6.00 | 5.00 | |
| 4 ft. | B&B | 7.50 | | |
| 5 ft. | B&B | 10.00 | | |

Picea

| | | |
|-------------|--------------|-----------------|
| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|

omorika. *Serbian Spruce. 50'*

| | | |
|------------|-----|-------|
| 3 ft. | B&B | 12.50 |
| 4 ft. | B&B | 15.00 |
| 5 ft. | B&B | 20.00 |
| 6 ft. | B&B | 25.00 |

orientalis. *Oriental Spruce. 75'*

| | | | |
|-------------|-----|-------|------|
| 2 ft. | B&B | 4.00 | 3.75 |
| 3 ft. | B&B | 5.00 | 4.75 |
| 4 ft. | B&B | 7.50 | |
| 12 ft. | B&B | 45.00 | |

polita. *Tigertail Spruce. 75'*

| | | | |
|-------------|-----|-------|------|
| 2 ft. | B&B | 4.00 | |
| 3 ft. | B&B | 5.00 | 4.50 |
| 10 ft. | B&B | 25.00 | |

For larger sizes to 16 ft., add \$5.00 per foot.

pungens. *Colorado Spruce. 60'*

| | | | | |
|------------|-----|-------|-------|------|
| 3 ft. | B&B | 3.75 | 3.25 | 3.00 |
| 4 ft. | B&B | 5.00 | 4.50 | 4.00 |
| 5 ft. | B&B | 7.50 | 6.00 | 5.00 |
| 6 ft. | B&B | 10.00 | 7.50 | 6.00 |
| 7 ft. | B&B | 12.50 | 10.00 | 7.50 |
| 8 ft. | B&B | 15.00 | 12.50 | |

For larger sizes to 18 ft., add \$5.00 per foot.

pungens glauca. *Blue Colorado Spruce. 60'*

| | | | | |
|------------|-----|-------|-------|-------|
| 2 ft. | B&B | 4.00 | 3.50 | 3.00 |
| 3 ft. | B&B | 5.00 | 4.50 | 4.00 |
| 4 ft. | B&B | 7.50 | 6.50 | 6.00 |
| 5 ft. | B&B | 10.00 | 9.00 | 8.00 |
| 6 ft. | B&B | 15.00 | 12.50 | 10.00 |
| 7 ft. | B&B | 18.00 | 15.00 | 12.50 |
| 8 ft. | B&B | 25.00 | 20.00 | 17.50 |
| 9 ft. | B&B | 35.00 | 30.00 | |

For larger sizes to 20 ft., add \$5.00 per foot.

pungens kosteri. *Koster Blue Spruce. 50'*

| | | | | |
|-------------|-----|-------|-------|-------|
| 2 ft. | B&B | 5.00 | 4.50 | 4.00 |
| 2½ ft. | B&B | 6.00 | 5.50 | 5.00 |
| 3 ft. | B&B | 7.50 | 7.00 | 6.50 |
| 3½ ft. | B&B | 10.00 | 9.00 | 8.50 |
| 4 ft. | B&B | 12.00 | 11.00 | 10.00 |
| 4½ ft. | B&B | 14.00 | 13.00 | 12.00 |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|----------|-------------|--------------|-----------------|
| Picea pungens kosteri. | | | | |
| 5 ft. |B&B | 16.00 | 15.00 | 14.00 |
| 5½ ft. |B&B | 17.50 | 16.00 | 15.00 |
| 6 ft. |B&B | 20.00 | 18.00 | 16.00 |
| 7 ft. |B&B | 25.00 | 20.00 | 18.00 |
| 8 ft. |B&B | 30.00 | 25.00 | 20.00 |
| For larger sizes to 25 ft., add \$10.00 per foot. | | | | |

pungens moerheimi. 40'

| | | | | |
|--------|----------|-------|-------|--|
| 2½ ft. |B&B | 7.00 | 6.50 | |
| 3 ft. |B&B | 8.50 | 8.00 | |
| 3½ ft. |B&B | 12.00 | 10.00 | |
| 4 ft. |B&B | 15.00 | 12.50 | |

rubra. Red Spruce. 60'

| | | | | |
|--------|----------|-------|--|--|
| 5 ft. |B&B | 6.00 | | |
| 6 ft. |B&B | 7.50 | | |
| 7 ft. |B&B | 10.00 | | |
| 8 ft. |B&B | 12.50 | | |
| 9 ft. |B&B | 15.00 | | |
| 10 ft. |B&B | 20.00 | | |

Pieris floribunda. Mountain Andromeda. 4'

| | | | | |
|--------------|----------|------|------|------|
| 18 to 24 in. |B&B | 4.00 | 3.50 | 3.25 |
| 24 to 30 in. |B&B | 5.50 | | |

japonica. Japanese Andromeda. 10'

| | | | | |
|--------------|----------|------|------|--|
| 15 to 18 in. |B&B | 3.00 | 2.50 | |
| 18 to 24 in. |B&B | 3.50 | 3.00 | |
| 24 to 30 in. |B&B | 5.00 | | |

mariana. Staggerbush. 4'

| | | | | |
|--------------|----------|------|------|--|
| 30 to 36 in. |B&B | 4.00 | 3.50 | |
| 36 to 42 in. |B&B | 5.00 | 4.50 | |

Pinus banksiana. Jack Pine. 60'

| | | | | |
|--------|----------|-------|-------|-------|
| 6 ft. |B&B | 7.50 | 6.50 | 6.00 |
| 7 ft. |B&B | 10.00 | 8.50 | 7.50 |
| 8 ft. |B&B | 15.00 | 12.50 | 10.00 |
| 9 ft. |B&B | 18.00 | 15.00 | 12.50 |
| 10 ft. |B&B | 22.50 | 18.00 | 15.00 |
| 11 ft. |B&B | 27.50 | 22.50 | 18.00 |

For larger sizes to 18 ft., add \$5.00 per foot.

bungeana. Lacebark Pine. 60'

| | | | | |
|-------|----------|------|------|--|
| 2 ft. |B&B | 5.00 | 4.50 | |
|-------|----------|------|------|--|

cembra. Swiss Stone Pine. 70'

| | | | | |
|-------|----------|-------|--|--|
| 2 ft. |B&B | 10.00 | | |
|-------|----------|-------|--|--|

Pinus

| | | |
|------|------|---------|
| 1-4 | 5-24 | 25 & up |
| Each | Each | Each |

densiflora. *Japanese Red Pine.* 60'

| | | | | |
|-------|----------|-------|-------|------|
| 3 ft. |B&B | 3.50 | 3.00 | 2.50 |
| 4 ft. |B&B | 4.50 | 4.00 | 3.50 |
| 5 ft. |B&B | 5.00 | 4.50 | 4.00 |
| 6 ft. |B&B | 6.50 | 5.50 | 5.00 |
| 7 ft. |B&B | 9.00 | 7.50 | 6.50 |
| 8 ft. |B&B | 12.50 | 10.00 | 9.00 |
| 9 ft. |B&B | 15.00 | 12.50 | |

For larger sizes to 17 ft., add \$5.00 per foot.

flexilis. *Limber Pine.* 30'

| | | | | |
|-------|----------|-------|-------|--|
| 4 ft. |B&B | 7.50 | 6.50 | |
| 5 ft. |B&B | 10.00 | 8.50 | |
| 6 ft. |B&B | 12.50 | 10.00 | |
| 7 ft. |B&B | 15.00 | 12.50 | |

For larger sizes to 16 ft., add \$5.00 per foot.

montana. *Swiss Mountain Pine.* 10'

| | | | | |
|--------|----------|-------|-------|-------|
| 18 in. |B&B | 3.00 | 2.75 | 2.50 |
| 2 ft. |B&B | 3.50 | 3.25 | 3.00 |
| 2½ ft. |B&B | 4.50 | 4.25 | 4.00 |
| 3 ft. |B&B | 6.50 | 5.50 | 5.00 |
| 3½ ft. |B&B | 10.00 | 8.00 | 7.50 |
| 4 ft. |B&B | 15.00 | 12.50 | 10.00 |
| 5 ft. |B&B | 20.00 | 15.00 | 12.50 |
| 6 ft. |B&B | 25.00 | | |
| 7 ft. |B&B | 35.00 | | |

montana mughus. *Dwarf Mountain Pine.* 4'

| | | | | |
|--------------|--------------|-------|-------|-------|
| 15 to 18 in. | spd.B&B | 2.75 | 2.50 | 2.25 |
| 18 to 24 in. | spd.B&B | 3.50 | 3.00 | 2.75 |
| 2 to 2½ ft. | spd.B&B | 4.50 | 4.00 | 3.75 |
| 2½ to 3 ft. | spd.B&B | 6.50 | 5.50 | 5.00 |
| 3 to 3½ ft. | spd.B&B | 8.50 | 7.50 | 6.50 |
| 3½ to 4 ft. | spd.B&B | 10.00 | 9.00 | 8.00 |
| 4 to 5 ft. | spd.B&B | 15.00 | 12.50 | 10.00 |
| 5 to 6 ft. | spd.B&B | 25.00 | | |
| 6 to 7 ft. | spd.B&B | 35.00 | | |

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

Pinus

| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|
|-------------|--------------|-----------------|

nigra. *Austrian Pine.* 50'

| | | | | |
|------------|-----|-------|-------|-------|
| 2 ft. | B&B | 3.00 | 2.50 | 2.25 |
| 3 ft. | B&B | 5.00 | 4.00 | 3.75 |
| 4 ft. | B&B | 6.00 | 5.50 | 5.00 |
| 5 ft. | B&B | 8.50 | 7.50 | 6.50 |
| 6 ft. | B&B | 10.00 | 8.50 | 7.50 |
| 7 ft. | B&B | 15.00 | 12.50 | 10.00 |
| 8 ft. | B&B | 18.00 | 15.00 | 12.50 |
| 9 ft. | B&B | 22.50 | 18.00 | 15.00 |

For larger sizes to 16 ft., add \$5.00 per foot.

ponderosa. *Western Yellow Pine.* 60'

| | | | | |
|------------|-----|-------|------|------|
| 3 ft. | B&B | 5.00 | 4.50 | 4.00 |
| 4 ft. | B&B | 6.00 | 5.50 | 5.00 |
| 5 ft. | B&B | 7.50 | 6.50 | |
| 6 ft. | B&B | 10.00 | | |

For larger sizes to 18 ft., add \$5.00 per foot.

parviflora. *Japanese White Pine.* 50'

| | | | | |
|------------|-----|------|--|--|
| 2 ft. | B&B | 5.00 | | |
|------------|-----|------|--|--|

resinosa. *Red Pine.* 50'

| | | | | |
|------------|-----|-------|-------|-------|
| 3 ft. | B&B | 5.00 | 4.00 | 3.50 |
| 4 ft. | B&B | 6.00 | 5.00 | 4.50 |
| 5 ft. | B&B | 7.50 | 7.00 | 6.50 |
| 6 ft. | B&B | 10.00 | 8.50 | 7.50 |
| 7 ft. | B&B | 15.00 | 12.50 | 10.00 |
| 8 ft. | B&B | 18.00 | 15.00 | 12.50 |
| 9 ft. | B&B | 22.50 | 18.00 | 15.00 |

For larger sizes to 18 ft., add \$5.00 per foot.

strobus. *White Pine.* 75'

| | | | | |
|------------|-----|-------|-------|-------|
| 5 ft. | B&B | 7.50 | 6.50 | 6.00 |
| 6 ft. | B&B | 10.00 | 8.50 | 7.50 |
| 7 ft. | B&B | 15.00 | 12.50 | 10.00 |
| 8 ft. | B&B | 18.00 | 15.00 | 12.50 |

For larger sizes to 16 ft., add \$5.00 per foot.

sylvestris. *Scotch Pine.* 50'

| | | | | |
|-------------|-----|-------|-------|-------|
| 3 ft. | B&B | 4.00 | 3.50 | 3.00 |
| 4 ft. | B&B | 5.00 | 4.50 | 4.00 |
| 5 ft. | B&B | 7.00 | 6.00 | 5.50 |
| 6 ft. | B&B | 8.50 | 7.50 | 6.50 |
| 7 ft. | B&B | 12.50 | 10.00 | 8.00 |
| 8 ft. | B&B | 15.00 | 12.50 | 10.00 |
| 9 ft. | B&B | 18.00 | 15.00 | 12.50 |
| 10 ft. | B&B | 22.50 | 18.00 | 15.00 |
| 11 ft. | B&B | 27.50 | 22.50 | 18.00 |

For larger sizes to 18 ft., add \$5.00 per foot.

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|----------|-------------|--------------|-----------------|
| Pinus | | | | |
| thunbergi. <i>Japanese Black Pine.</i> 60' | | | | |
| 3 ft. |B&B | 5.00 | | |
| 4 ft. |B&B | 7.50 | | |
| 5 ft. |B&B | 10.00 | | |
| 6 ft. |B&B | 12.50 | | |
| Platanus occidentalis. <i>American Planetree.</i> 75' | | | | |
| 8 to 10 ft. | | 2.00 | 1.75 | 1.50 |
| 1¼ to 1½ in. | | 3.00 | 2.50 | |
| 1½ to 1¾ in. | | 3.50 | 3.00 | |
| 1¾ to 2 in. | | 5.00 | 4.00 | |
| 2 to 2½ in. | | 6.50 | 5.50 | |
| orientalis. <i>European Planetree.</i> 80' | | | | |
| 6 to 8 ft. | | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft. | | 2.00 | 1.75 | 1.50 |
| 1¼ to 1½ in. | | 3.00 | 2.50 | 2.00 |
| 1½ to 1¾ in. | | 3.50 | 3.00 | 2.50 |
| 1¾ to 2 in. | | 4.00 | 3.75 | 3.25 |
| 2 to 2½ in. | | 6.00 | 5.00 | 4.50 |
| Polygonum auberti. <i>China Fleecyvine.</i> 25' | | | | |
| 2 year | | .50 | .35 | .30 |
| Populus alba. <i>White Poplar.</i> 60' | | | | |
| 10 to 12 ft. | | 1.75 | 1.50 | |
| 1¾ to 2 in. | | 3.00 | 2.50 | |
| 2 to 2½ in. | | 3.50 | 3.00 | |
| alba nivea. <i>Silver Poplar.</i> 90' | | | | |
| 8 to 10 ft. | | 2.25 | 2.00 | |
| 10 to 12 ft. | | 3.00 | 2.75 | |
| 2 to 2½ in. | | 6.50 | 5.50 | |
| 2½ to 3 in. | | 7.50 | 6.50 | |
| berolinensis. <i>Volga Poplar.</i> 40' | | | | |
| 8 to 10 ft. | | 2.50 | 2.25 | 2.00 |
| 1¼ to 1½ in. | | 3.00 | 2.75 | 2.50 |
| 1½ to 1¾ in. | | 3.50 | 3.25 | 3.00 |
| 1¾ to 2 in. | | 5.00 | 4.00 | 3.50 |
| 2 to 2½ in. | | 7.50 | 6.00 | |
| bolleana. <i>Bolleana Poplar.</i> 50' | | | | |
| 6 to 8 ft. | | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft. | | 2.00 | 1.50 | 1.25 |
| 1¼ to 1½ in. | | 2.50 | 2.00 | 1.75 |
| 1½ to 1¾ in. | | 3.50 | 3.00 | |
| 1¾ to 2 in. | | 4.50 | 3.50 | |
| 2 to 2½ in. | | 6.50 | 5.50 | |
| 2½ to 3 in. | | 10.00 | 7.50 | |

| | | | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|----|-------|----------|-------------|--------------|-----------------|
| Populus | | | | | | |
| certinensis. <i>Certinensis Poplar.</i> 40' | | | | | | |
| 6 | to | 8 | ft. | 2.00 | 1.75 | |
| 8 | to | 10 | ft. | 2.50 | 2.00 | |
| 10 | to | 12 | ft. | 3.00 | 2.50 | |
| 1 3/4 | to | 2 | in. | 4.00 | 3.50 | |
| 2 | to | 2 1/2 | in. | 6.50 | 5.00 | |
| maximowiczi. <i>Japanese Poplar.</i> 40' | | | | | | |
| 8 | to | 10 | ft. | 3.00 | 2.50 | |
| 10 | to | 12 | ft. | 3.50 | 3.00 | |
| 1 1/2 | to | 1 3/4 | in. | 4.00 | 3.50 | |
| 2 | to | 2 1/2 | in. | 6.50 | 5.00 | |
| nigra betulifolia. 60' | | | | | | |
| 1 1/2 | to | 2 | in. | 5.00 | 4.00 | |
| 2 | to | 2 1/2 | in. | 7.50 | 6.00 | |
| 2 1/2 | to | 3 | in. | 10.00 | 7.50 | |
| nigra italica. <i>Lombardy Poplar.</i> 60' | | | | | | |
| 6 | to | 8 | ft. | 1.00 | .75 | .60 |
| 8 | to | 10 | ft. | 1.25 | 1.00 | .75 |
| 10 | to | 12 | ft. | 1.50 | 1.25 | 1.00 |
| 1 1/2 | to | 1 3/4 | in. | 2.00 | 1.60 | 1.35 |
| 1 3/4 | to | 2 | in. | 3.00 | 2.50 | 2.00 |
| 2 | to | 2 1/2 | in. | 4.00 | 3.00 | 2.50 |
| 2 1/2 | to | 3 | in. | 5.00 | 4.00 | 3.50 |
| 3 | to | 3 1/2 | in. | 7.50 | 6.00 | |
| simoni. <i>Simon Poplar.</i> 35' | | | | | | |
| 6 | to | 8 | ft. | 1.25 | 1.00 | .75 |
| 8 | to | 10 | ft. | 1.50 | 1.25 | 1.00 |
| 1 1/4 | to | 1 1/2 | in. | 1.75 | 1.50 | |
| 1 1/2 | to | 1 3/4 | in. | 2.00 | 1.75 | |
| 1 3/4 | to | 2 | in. | 3.00 | 2.50 | |
| 2 | to | 2 1/2 | in. | 4.00 | 3.00 | |
| suaveolens przewalski. 40' | | | | | | |
| 2 1/2 | to | 3 | in. | 5.00 | 4.00 | |
| 3 | to | 3 1/2 | in. | 7.50 | 6.50 | |
| tremuloides. <i>Quaking Aspen.</i> 50' | | | | | | |
| 8 | to | 10 | ft. | 2.75 | 2.25 | |
| 10 | to | 12 | ft. | 3.50 | 3.00 | |
| 1 3/4 | to | 2 | in. | 4.00 | 3.50 | |
| 2 | to | 2 1/2 | in. | 5.00 | 4.50 | |
| 2 1/2 | to | 3 | in. | 6.00 | | |
| 3 | to | 3 1/2 | in. | 7.50 | | |

Populus

| | | |
|-------------|--------------|-----------------|
| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|

trichocarpa. *Black Cottonwood.* 40'

| | | | |
|-------------------|------|------|------|
| 10 to 12 ft. | 2.75 | 2.25 | 1.75 |
| 1½ to 1¾ in. | 3.00 | 2.50 | |
| 1¾ to 2 in. | 3.50 | 3.00 | |
| 2 to 2½ in. | 4.00 | 3.50 | |
| 2½ to 3 in. | 5.00 | 4.00 | |

Potentilla fruticosa. *Shrubby Cinquefoil.* 4'

| | | | |
|-------------------|-----|-----|-----|
| 18 to 24 in. | .40 | .35 | .30 |
| 2 to 3 ft. | .50 | .45 | .40 |

Prinsepia sinensis. *Cherry Prinsepia.* 6'

| | | | |
|------------------------------|------|------|--|
| 9 to 12 in., from pots | 1.25 | 1.00 | |
|------------------------------|------|------|--|

Prunus americana. *American Plum.* 20'

| | | | |
|------------------|------|------|------|
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .60 |
| 6 to 8 ft. | 1.25 | 1.00 | .75 |
| 8 to 10 ft. | 1.50 | 1.25 | 1.00 |

americana Newport. *Purple-leaved American Plum.* 20'

| | | | |
|-----------------|------|------|------|
| 3 to 4 ft. | .75 | .60 | .50 |
| 4 to 5 ft. | 1.00 | .85 | .75 |
| 5 to 6 ft. | 1.25 | 1.10 | 1.00 |
| 6 to 8 ft. | 1.75 | 1.65 | 1.50 |

armeniaca sibirica. *Siberian Apricot.* 12'

| | | | |
|------------------|------|------|--|
| 4 to 5 ft. | 2.00 | 1.50 | |
| 5 to 6 ft. | 2.50 | 2.00 | |
| 6 to 8 ft. | 3.00 | 2.50 | |
| 8 to 10 ft. | 3.50 | 3.00 | |

***avium plena.** *Double White Flowering Cherry.* 30'

| | | | |
|----------------------------|-------|------|------|
| 6 to 8 ft. | 3.50 | 3.00 | 2.25 |
| 8 to 10 ft. | 5.00 | 4.00 | |
| 10 to 12 ft. | 6.00 | 5.00 | |
| 3 to 4 in. specimens. | 25.00 | | |

besseyi. *Bessey Cherry.* 8'

| | | | |
|-----------------|-----|-----|-----|
| 2 to 3 ft. | .50 | .40 | .30 |
| 3 to 4 ft. | .60 | .50 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |

cerasifera pissardi. *Purpleleaf Plum.* 12'

| | | | |
|------------------|------|------|------|
| 4 to 5 ft. | .85 | .75 | .65 |
| 5 to 6 ft. | 1.25 | 1.00 | .90 |
| 6 to 8 ft. | 1.75 | 1.65 | 1.50 |
| 8 to 10 ft. | 2.50 | 2.00 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Prunus | | | |
| cistena. <i>Purpleleaf Sand Cherry.</i> 20' | | | |
| 3 to 4 ft. | .75 | .60 | .50 |
| 4 to 5 ft. | 1.00 | .75 | .65 |
| 5 to 6 ft. | 1.25 | 1.00 | .75 |
| 6 to 8 ft. | 1.50 | 1.25 | .90 |
| demissa. <i>Western Chokecherry.</i> 30' | | | |
| 3 to 4 ft. | .60 | .50 | |
| 4 to 5 ft. | .75 | .60 | |
| 5 to 6 ft. | 1.00 | .75 | |
| dunbari. <i>Dunbar Plum.</i> 6' | | | |
| 2 to 3 ft. | .85 | .70 | .60 |
| 3 to 4 ft. | 1.00 | .85 | .75 |
| 4 to 5 ft. | 1.25 | 1.10 | 1.00 |
| 5 to 6 ft. | 1.50 | 1.25 | |
| glandulosa. <i>Flowering Almond.</i> 10' | | | |
| 2 to 3 ft. | .50 | .40 | .30 |
| 3 to 4 ft. | .60 | .50 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| glandulosa albiplena. <i>Double Whiteflowering Almond.</i> 6' | | | |
| 2 to 3 ft. | .65 | .50 | .45 |
| 3 to 4 ft. | .75 | .65 | .60 |
| 2 to 3 ft. own roots..... | 1.50 | | |
| glandulosa sinensis. <i>Double Pinkflowering Almond.</i> 6' | | | |
| 2 to 3 ft. | .65 | .50 | .45 |
| 3 to 4 ft. | .75 | .65 | .60 |
| 2 to 3 ft. own roots..... | 1.50 | | |
| 3 to 4 ft. own roots..... | 2.00 | | |
| hortulana. <i>Hortulan Plum.</i> 30' | | | |
| 4 to 5 ft. | 1.25 | 1.00 | |
| 5 to 6 ft. | 1.50 | 1.25 | |
| 6 to 8 ft. | 2.00 | 1.50 | |
| 8 to 10 ft. | 2.50 | 2.00 | |
| incisa. <i>Mame Cherry.</i> 15' | | | |
| 4 to 5 ft. | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft. | 2.00 | 1.75 | 1.50 |
| 6 to 8 ft. | 2.50 | 2.25 | 2.00 |
| 8 to 10 ft. | 3.50 | 3.00 | 2.50 |
| japonica. <i>Chinese Bush Cherry.</i> 12' | | | |
| 2 to 3 ft. | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft. | 1.75 | 1.50 | 1.25 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Prunus | | | |
| <i>*lannesiana. Hitoye Cherry. 30'</i> | | | |
| 5 to 6 ft. | 3.00 | 2.50 | |
| 6 to 8 ft. | 4.00 | 3.50 | |
| 8 to 10 ft. | 6.00 | 5.00 | |
| <i>*lannesiana Amayadori. 30'</i> | | | |
| 6 to 8 ft. | 4.00 | 3.50 | |
| 8 to 10 ft. | 6.00 | 5.00 | |
| <i>*lannesiana Jonioi. 25'</i> | | | |
| 4 to 5 ft. | 2.50 | | |
| <i>*lannesiana sirotae. Mt. Fuji Cherry. 25'</i> | | | |
| 5 to 6 ft. | 3.00 | 2.50 | |
| 6 to 8 ft. | 4.00 | 3.50 | |
| 8 to 10 ft. | 6.00 | 5.00 | |
| <i>maacki. Amur Cherry. 12'</i> | | | |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .60 |
| 6 to 8 ft. | 1.25 | 1.00 | .75 |
| <i>maritima. Beech Plum. 12'</i> | | | |
| 2 to 3 ft. | .65 | .55 | .45 |
| 3 to 4 ft. | .75 | .65 | .55 |
| 4 to 5 ft. | 1.00 | .85 | |
| <i>moseri fl. pl. 12'</i> | | | |
| 5 to 6 ft. | 1.25 | 1.00 | .75 |
| 6 to 8 ft. | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft. | 2.50 | 2.00 | |
| <i>mume. Japanese Apricot. 15'</i> | | | |
| 6 to 8 ft. | 2.50 | 2.25 | |
| 8 to 10 ft. | 3.00 | 2.75 | |
| <i>mume. fl. pl. Dbl. Flg. Japanese Apricot. 15'</i> | | | |
| 5 to 6 ft. | 3.00 | | |
| <i>padus. European Bird Cherry. 30'</i> | | | |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .85 | .75 |
| 6 to 8 ft. | 1.35 | 1.10 | 1.00 |
| 8 to 10 ft. | 1.50 | 1.35 | 1.25 |
| <i>pennsylvanica. Pin Cherry. 25'</i> | | | |
| 5 to 6 ft. | 1.00 | .85 | .75 |
| 6 to 8 ft. | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft. | 2.00 | 1.75 | 1.50 |
| 10 to 12 ft. | 3.00 | 2.50 | 2.25 |
| <i>persica. (See Amygdalus).</i> | | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Prunus | | | |
| pumila. Sand Cherry. 5' | | | |
| 2 to 3 ft. | .60 | .50 | .45 |
| 3 to 4 ft. | .75 | .60 | .55 |
| serotina. Wild Black Cherry. 60' | | | |
| 5 to 6 ft. | 1.00 | .75 | .60 |
| 6 to 8 ft. | 1.25 | 1.00 | .75 |
| 8 to 10 ft. | 1.50 | 1.25 | 1.00 |
| 10 to 12 ft. | 2.50 | 2.00 | |
| *serrulata. Oriental Cherry. 40' | | | |
| 5 to 6 ft. | 2.50 | 2.25 | 2.00 |
| 6 to 8 ft. | 3.00 | 2.75 | 2.50 |
| 8 to 10 ft. | 5.00 | 4.00 | |
| *serrulata Higantakura. Dbl. White Flg. Cherry. 30' | | | |
| 6 to 8 ft. | 4.00 | 3.50 | |
| 8 to 10 ft. | 6.00 | 5.00 | |
| 10 to 12 ft. spec..... | B&B 30.00 | | |
| *serrulata Hisakura. Dbl. Pink Flg. Cherry. 30' | | | |
| 4 to 5 ft. | 2.50 | 2.00 | |
| 5 to 6 ft. | 3.00 | 2.50 | |
| 6 to 8 ft. | 4.00 | 3.50 | |
| 8 to 10 ft. | 6.00 | 5.00 | |
| 10 to 12 ft. spec..... | B&B 30.00 | | |
| *serrulata James H. Veitch, syn. Fugenzo. 30' | | | |
| 4 to 5 ft. | 2.50 | 2.00 | 1.50 |
| 5 to 6 ft. | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft. | 4.00 | 3.50 | 2.75 |
| 8 to 10 ft. | 6.00 | 5.00 | |
| *s. James H. Veitch pendula. Dbl. Pink Wpg. Cherry. | | | |
| 2 yr. hds., 3 to 5 ft. stem | 10.00 | | |
| *serrulata sachalinensis. syn. Sargentii. Yama Cherry. 50' | | | |
| 4 to 5 ft. | 2.50 | 2.00 | 1.50 |
| 5 to 6 ft. | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft. | 4.00 | 3.50 | 2.75 |
| 8 to 10 ft. | 6.00 | 5.00 | 4.00 |
| 10 to 12 ft. | 10.00 | 7.50 | |
| *sieboldi, syn. Naden. Siebold Cherry. 40' | | | |
| 5 to 6 ft. | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft. | 4.00 | 3.50 | 2.75 |
| 8 to 10 ft. | 6.00 | 5.00 | 4.00 |
| 10 to 12 ft. | 10.00 | 7.50 | |

Prunus

| | | |
|------|------|---------|
| 1-4 | 5-24 | 25 & up |
| Each | Each | Each |

spinosa. Blackthorn. 12'

| | | | |
|------------------|------|------|------|
| 3 to 4 ft. | .75 | .60 | .50 |
| 4 to 5 ft. | 1.00 | .75 | .60 |
| 5 to 6 ft. | 1.25 | 1.00 | .75 |
| 6 to 8 ft. | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft. | 2.00 | 1.75 | 1.50 |

***subhirtella. Higan Cherry. 30'**

| | | | |
|-------------------|-------|------|------|
| 4 to 5 ft. | 2.50 | 2.00 | 1.50 |
| 5 to 6 ft. | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft. | 4.00 | 3.50 | 3.00 |
| 8 to 10 ft. | 6.00 | 5.00 | 4.00 |
| 10 to 12 ft. | 10.00 | 7.50 | |

***subhirtella ascendens. Shiro-higan. 20'**

| | | | |
|-----------------|------|------|--|
| 4 to 5 ft. | 3.00 | 2.50 | |
| 5 to 6 ft. | 4.00 | 3.50 | |
| 6 to 8 ft. | 5.00 | 4.50 | |

subhirtella autumnalis.Autumn Flowering Higan Cherry. 30'*

| | | | |
|----------------------------|-------|------|--|
| 5 to 6 ft. | 5.00 | 4.00 | |
| 6 to 8 ft. | 7.50 | 5.00 | |
| 8 to 10 ft. | 10.00 | | |
| 10 to 12 ft., spec.....B&B | 35.00 | | |

***subhirtella pendula. Weeping Higan Cherry. 15'**

| | | | |
|-----------------------------------|------|------|--|
| 2 yr. hds., 4 to 6 ft. stem | 5.00 | 4.00 | |
|-----------------------------------|------|------|--|

tomentosa. Nanking Cherry. 8'

| | | | |
|-----------------|------|------|-----|
| 2 to 3 ft. | .60 | .50 | .40 |
| 3 to 4 ft. | .75 | .60 | .50 |
| 4 to 5 ft. | 1.00 | .75 | .60 |
| 5 to 6 ft. | 1.25 | 1.00 | |

triloba. Single Flowering Plum. 10'

| | | | |
|-----------------|------|------|--|
| 4 to 5 ft. | 2.50 | 2.25 | |
| 5 to 6 ft. | 3.50 | 3.25 | |

triloba plena. Double Flowering Plum. 10'

| | | | |
|-----------------|------|------|-----|
| 3 to 4 ft. | .75 | .60 | .50 |
| 4 to 5 ft. | 1.00 | .75 | .65 |
| 5 to 6 ft. | 1.25 | 1.00 | .85 |

virginiana. Chokecherry. 30'

| | | | |
|------------------|------|------|------|
| 3 to 4 ft. | .60 | .50 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .60 |
| 6 to 8 ft. | 1.25 | 1.00 | .75 |
| 8 to 10 ft. | 1.50 | 1.25 | 1.00 |

| Prunus | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| *yedoensis. Yoshino Cherry. 35' | | | |
| 5 to 6 ft. | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft. | 4.00 | 3.50 | 3.00 |
| 8 to 10 ft. | 6.00 | 5.00 | 4.00 |
| 10 to 12 ft. | 10.00 | 7.50 | |
| *yedoensis taizanfukun. | | | |
| 4 to 5 ft. | 2.50 | 2.00 | 1.50 |
| 5 to 6 ft. | 3.00 | 2.50 | 2.00 |
| 6 to 8 ft. | 4.00 | 3.50 | 3.00 |
| 8 to 10 ft. | 6.00 | 5.00 | 4.00 |
| 10 to 12 ft. spec.....B&B | 30.00 | | |
| 12 to 14 ft. spec.B&B | 35.00 | | |

We can also supply in limited quantity the following varieties of Japanese Flowering Cherries propagated from the collection at Highland Park, Rochester. They are available in the 4 to 5 ft., 5 to 6 ft., and 6 to 8 ft. grades at \$2.50, \$3.00 and \$4.00 each, respectively.

Amanogawa—semi-double pale pink

Gioiko—semi-double pale yellow

Hata-zakura—semi-double white

Horaizan—double pink

Hosokawanioid—semi-double flesh

Kuramayami—double pink

Kwanzan—syn. **Sekiyama**—double deep pink

Miyako—double pink

Shirofugen—double light pink

Shogetsu—double soft pink

Sumizome—double purplish pink

Our named varieties of Japanese Flowering Cherries are grown on the Japanese type stocks. While the common practice of grafting on the European Mazzard Cherry stock is a cheaper method of propagation, it results in short-lived trees, which difficulty is overcome by using Japanese stocks.

| | | | |
|---|-------|-------|-------|
| Pseudotsuga douglasi. Douglas Fir. 70' | | | |
| 2 ft.B&B | 2.50 | 2.25 | 2.00 |
| 3 ft.B&B | 3.50 | 3.00 | 2.75 |
| 4 ft.B&B | 4.50 | 4.00 | 3.75 |
| 5 ft.B&B | 6.50 | 5.50 | 5.00 |
| 6 ft.B&B | 8.50 | 7.50 | 6.00 |
| 7 ft.B&B | 10.00 | 8.50 | 7.50 |
| 8 ft.B&B | 15.00 | 12.50 | 10.00 |
| 9 ft.B&B | 18.50 | 15.00 | 12.50 |
| 10 ft.B&B | 22.50 | 18.50 | 15.00 |

For larger sizes to 25 ft., add \$5.00 per foot.

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Pseudolarix kaempferi. <i>Golden Larch.</i> 50' | | | |
| 9 ft.B&B | 40.00 | | |
| 10 ft.B&B | 50.00 | | |
| Ptelea trifoliata. <i>Hoptree.</i> 20' | | | |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .60 |
| 6 to 8 ft. | 1.25 | 1.00 | .75 |
| Pterocarya stenoptera. <i>Chinese Wingnut.</i> 40' | | | |
| 3 to 4 ft. | 3.50 | | |
| 4 to 5 ft. | 5.00 | | |
| Pterostyrax corymbosa. <i>Little Epaulette-tree.</i> 20' | | | |
| 2 to 3 ft. | 2.50 | 2.00 | |
| 3 to 4 ft. | 3.00 | 2.50 | |
| Pueraria thunbergiana. <i>Kudzu-bean.</i> 40' | | | |
| 2 year | .45 | .30 | .20 |
| Pyracantha (<i>See Crataegus</i>). | | | |
| Pyrus betulaefolia. <i>Birch Leaf Pear.</i> 20' | | | |
| 6 to 8 ft. | 3.50 | | |
| calleryana. <i>Callery Pear.</i> 20' | | | |
| 5 to 6 ft. | 2.50 | 2.00 | |
| 6 to 8 ft. | 3.00 | 2.50 | |
| 8 to 10 ft. | 3.50 | 3.00 | |
| salicifolia. <i>Willowleaf Pear.</i> 30' | | | |
| 5 to 6 ft. | 2.50 | 2.00 | |
| 6 to 8 ft. | 3.00 | 2.50 | |
| serrulata. 20' | | | |
| 6 to 8 ft. | 3.00 | 2.50 | |
| 8 to 10 ft. | 3.50 | 3.00 | |
| Quercus alba. <i>White Oak.</i> 75' | | | |
| 6 to 8 ft. | 4.50 | 4.00 | |
| 1¼ to 1½ in. | 5.50 | 5.00 | |
| 1½ to 1¾ in. | 6.50 | 6.00 | |
| 1¾ to 2 in. | 8.50 | 7.50 | |
| 2 to 2½ in. | 12.50 | 10.00 | |
| 2½ to 3 in. | 15.00 | 12.50 | |
| 3 to 3½ in. | 20.00 | 15.00 | |
| 3½ to 4 in. | 25.00 | 20.00 | |

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

| Quercus | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|----------------|-------------|--------------|-----------------|
| bicolor. <i>Swamp White Oak.</i> 60' | | | | |
| 6 | to 8 ft. | 4.50 | 4.00 | |
| 1¼ | to 1½ in. | 5.50 | 5.00 | |
| 1½ | to 1¾ in. | 6.50 | 6.00 | |
| 1¾ | to 2 in. | 8.50 | 7.50 | |
| 2 | to 2½ in. | 12.50 | 10.00 | |
| 2½ | to 3 in. | 15.00 | 12.50 | |
| 3 | to 3½ in. | 20.00 | | |
| 3½ | to 4 in. | 25.00 | | |
| coccinea. <i>Scarlet Oak.</i> 75' | | | | |
| 6 | to 8 ft. | 4.00 | 3.50 | 3.00 |
| 1¼ | to 1½ in. | 5.00 | 4.50 | 4.00 |
| 1½ | to 1¾ in. | 6.00 | 5.50 | 5.00 |
| 1¾ | to 2 in. | 10.00 | 7.50 | 6.00 |
| 2 | to 2½ in. | 12.50 | 10.00 | 7.50 |
| 2½ | to 3 in. | 15.00 | 12.50 | 10.00 |
| 3 | to 3½ in. | 20.00 | 15.00 | |
| 3½ | to 4 in. | 25.00 | | |
| 4 | to 4½ in. | 35.00 | | |
| lyrata. <i>Overcup Oak.</i> 75' | | | | |
| 1¾ | to 2 in. | 12.50 | | |
| 2 | to 2½ in. | 15.00 | | |
| 2½ | to 3 in. | 17.50 | | |
| 3 | to 3½ in. | 20.00 | | |
| 3½ | to 4 in. | 25.00 | | |
| macrocarpa. <i>Mossycup Oak.</i> 75' | | | | |
| 1½ | to 1¾ in. | 6.00 | 5.50 | 5.00 |
| 1¾ | to 2 in. | 7.50 | 6.50 | 6.00 |
| 2 | to 2½ in. | 12.50 | 10.00 | 7.50 |
| 2½ | to 3 in. | 15.00 | 12.50 | 10.00 |
| 3 | to 3½ in. | 20.00 | 15.00 | 12.50 |
| 3½ | to 4 in. | 25.00 | 20.00 | |
| 4 | to 4½ in. | 35.00 | | |
| palustris. <i>Pin Oak.</i> 75' | | | | |
| 6 | to 8 ft. | 2.50 | 2.25 | 2.00 |
| 1¼ | to 1½ in. | 3.00 | 2.75 | 2.50 |
| 1½ | to 1¾ in. | 3.75 | 3.25 | 3.00 |
| 1¾ | to 2 in. | 5.50 | 5.00 | 4.50 |
| 2 | to 2½ in. | 8.50 | 7.50 | 6.00 |
| 2½ | to 3 in. | 12.50 | 10.00 | 8.00 |
| 3 | to 3½ in. | 15.00 | 12.50 | 10.00 |
| 3½ | to 4 in. | 20.00 | 15.00 | 12.50 |
| 4 | to 5 in. | 30.00 | 25.00 | |
| 5 | to 6 in. | 40.00 | | |

| | | |
|-------------|--------------|-----------------|
| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|

Quercus**phellos.** *Willow Oak.* 40'

| | | | |
|------------------|-------|------|--|
| 6 to 8 ft. | 10.00 | 7.50 | |
| 8 to 10 ft. | 12.50 | | |
| 4 to 5 in. | 40.00 | | |
| 5 to 6 in. | 50.00 | | |

prinus. *Chestnut Oak.* 50'

| | | | |
|-------------------|-------|-------|------|
| 6 to 8 ft. | 4.50 | 4.00 | 3.50 |
| 1¼ to 1½ in. | 5.50 | 5.00 | 4.50 |
| 1½ to 1¾ in. | 7.50 | 6.00 | 5.50 |
| 1¾ to 2 in. | 10.00 | 7.50 | |
| 2 to 2½ in. | 12.50 | 10.00 | |
| 2½ to 3 in. | 15.00 | 12.50 | |
| 3 to 3½ in. | 20.00 | 15.00 | |
| 3½ to 4 in. | 25.00 | | |

robur. *English Oak.* 80'

| | | | |
|-------------------|-------|-------|-------|
| 6 to 8 ft. | 4.50 | 4.00 | 3.50 |
| 1¼ to 1½ in. | 5.00 | 4.50 | 4.00 |
| 1½ to 1¾ in. | 6.50 | 5.50 | 5.00 |
| 2 to 2½ in. | 12.50 | 10.00 | 7.50 |
| 2½ to 3 in. | 15.00 | 12.50 | 10.00 |
| 3 to 3½ in. | 20.00 | 15.00 | |
| 3½ to 4 in. | 25.00 | | |
| 4 to 4½ in. | 35.00 | | |

robur fastigiata. *Pyramidal English Oak.* 60'

| | | | |
|------------------|-----------|--|--|
| 2½ to 3 in. | B&B 40.00 | | |
| 3 to 3½ in. | B&B 50.00 | | |
| 3½ to 4 in. | B&B 60.00 | | |
| 4 to 4½ in. | B&B 75.00 | | |

rubra. *Red Oak.* 75'

| | | | |
|-------------------|-------|-------|-------|
| 6 to 8 ft. | 3.50 | 2.75 | 2.50 |
| 1¼ to 1½ in. | 4.50 | 3.75 | 3.50 |
| 1½ to 1¾ in. | 5.50 | 5.00 | 4.50 |
| 1¾ to 2 in. | 7.50 | 6.50 | 6.00 |
| 2 to 2½ in. | 10.00 | 8.50 | 7.50 |
| 2½ to 3 in. | 15.00 | 12.50 | 10.00 |
| 3 to 3½ in. | 20.00 | 15.00 | |
| 3½ to 4 in. | 25.00 | 20.00 | |
| 4 to 4½ in. | 35.00 | | |

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Quercus | | | |
| texana. 75' | | | |
| 1½ to 1¾ in. | 7.50 | 6.00 | |
| 1¾ to 2 in. | 10.00 | 7.50 | |
| 2 to 2½ in. | 12.50 | 10.00 | |
| 2½ to 3 in. | 15.00 | 12.50 | |
| 3 to 3½ in. | 20.00 | 15.00 | |
| 3½ to 4 in. | 25.00 | 20.00 | |
| velutina. Black Oak. 70' | | | |
| 6 to 8 ft. | 5.00 | 4.00 | |
| 1¼ to 1½ in. | 6.00 | 5.00 | |
| Retinospora. (See Chamaecyparis). | | | |
| Rhamnus caroliniana. Carolina Buckthorn. 25' | | | |
| 2 to 3 ft. | .45 | .35 | |
| 3 to 4 ft. | .55 | .45 | |
| cathartica. Buckthorn. 12' | | | |
| 3 to 4 ft. | .50 | .40 | .35 |
| 4 to 5 ft. | .60 | .50 | .45 |
| 5 to 6 ft. | .75 | .60 | .55 |
| 6 to 8 ft. | 1.00 | .85 | .75 |
| dahurica. Dahurian Buckthorn. 12' | | | |
| 2 to 3 ft. | .45 | .35 | .30 |
| 3 to 4 ft. | .60 | .45 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .60 |
| frangula. Glossy Buckthorn. 12' | | | |
| 3 to 4 ft. | .60 | .45 | .35 |
| 4 to 5 ft. | .75 | .55 | .45 |
| 5 to 6 ft. | .85 | .65 | .55 |
| 6 to 8 ft. | 1.25 | .85 | .75 |
| 8 to 10 ft. | 1.50 | 1.25 | 1.00 |
| frangula asplenifolia. Fernleaf Rhamnus. 12' | | | |
| 3 to 4 ft. | 2.50 | 2.00 | |
| 4 to 5 ft. | 3.50 | 3.00 | |
| 5 to 6 ft. | 4.00 | 3.50 | |
| 6 to 8 ft. | 4.50 | 4.00 | |
| koraiensis. 12' | | | |
| 3 to 4 ft. | 1.00 | .90 | .75 |
| 4 to 5 ft. | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft. | 1.75 | 1.50 | 1.25 |
| 6 to 8 ft. | 2.00 | 1.75 | 1.50 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Rhamnus | | | |
| purshiana. <i>Cascara Buckthorn.</i> 12' | | | |
| 3 to 4 ft. | .60 | .45 | .35 |
| 4 to 5 ft. | .75 | .55 | .45 |
| 5 to 6 ft. | .85 | .65 | .55 |
| 6 to 8 ft. | 1.25 | .85 | .75 |
| 8 to 10 ft. | 1.50 | 1.25 | 1.00 |
| spathulaefolia. 6' | | | |
| 2 to 3 ft. | 2.50 | | |
| utilis. 10' | | | |
| 2 to 3 ft. | 1.25 | 1.00 | .75 |
| 3 to 4 ft. | 1.50 | 1.25 | |
| wilsoni. 10' | | | |
| 3 to 4 ft. | 1.75 | 1.50 | |
| 4 to 5 ft. | 2.00 | 1.75 | |
| Rhododendron carolinianum. <i>Carolina Rhododendron.</i> 6' | | | |
| 2 to 3 ft.B&B | 4.50 | 4.00 | 3.75 |
| catawbiense. <i>Catawba Rhododendron.</i> 8' | | | |
| 2 to 3 ft.B&B | 4.50 | 4.00 | 3.50 |
| 3 to 4 ft.B&B | 6.00 | 5.00 | 4.75 |
| maximum. <i>Rosebay Rhododendron.</i> 15' | | | |
| 2 to 3 ft.B&B | 4.00 | 3.50 | 3.00 |
| 3 to 4 ft.B&B | 5.00 | 4.50 | 4.00 |
| 4 to 5 ft.B&B | 7.50 | | |
| Rhodora canadensis. <i>Rhodora.</i> 3' | | | |
| 15 to 18 in.B&B | 2.50 | 2.00 | |
| Rhodotypos kerrioides <i>Jetbead.</i> 6' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| Rhus canadensis. <i>Fragrant Sumac.</i> 6' | | | |
| 2 to 3 ft. | .50 | .45 | .40 |
| 3 to 4 ft. | .60 | .55 | .50 |
| 4 to 5 ft. | .75 | .65 | .60 |
| 5 to 6 ft. | 1.00 | .80 | .75 |
| copallina. <i>Shining Sumac.</i> 20' | | | |
| 2 to 3 ft. | .55 | .45 | .40 |
| 3 to 4 ft. | .65 | .55 | .50 |
| 4 to 5 ft. | .75 | .65 | .60 |
| 5 to 6 ft. | 1.00 | .80 | .75 |
| 6 to 8 ft. | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft. | 1.75 | 1.50 | 1.25 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Rhus | | | |
| cotinus. <i>Purple Fringe or Smoketree.</i> 12' | | | |
| 3 to 4 ft. | 1.25 | 1.00 | .75 |
| 4 to 5 ft. | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft. | 2.00 | 1.75 | 1.50 |
| 6 to 8 ft. | 2.50 | 2.25 | 2.00 |
| 8 to 10 ft. | 2.75 | | |
| glabra. <i>Smooth Sumac.</i> 12' | | | |
| 2 to 3 ft. | .35 | .30 | .25 |
| 3 to 4 ft. | .40 | .35 | .30 |
| javanica syn. osbecki. <i>Java Sumac.</i> 18' | | | |
| 4 to 5 ft. | 1.25 | 1.00 | |
| 5 to 6 ft. | 1.50 | 1.25 | |
| 6 to 8 ft. | 2.00 | 1.75 | |
| 8 to 10 ft. | 3.00 | 2.50 | |
| trilobata. <i>Lemonade Sumac.</i> 3' | | | |
| 18 to 24 in. | .75 | .60 | |
| typhina. <i>Staghorn Sumac.</i> 25' | | | |
| 2 to 3 ft. | .35 | .30 | .25 |
| 3 to 4 ft. | .40 | .35 | .30 |
| 4 to 5 ft. | .50 | .45 | .40 |
| 5 to 6 ft. | .60 | .55 | .50 |
| typhina laciniata. <i>Shredded Sumac.</i> 25' | | | |
| 2 to 3 ft. | .45 | .35 | .30 |
| 3 to 4 ft. | .55 | .45 | .40 |
| 4 to 5 ft. | .65 | .55 | .50 |
| 5 to 6 ft. | .75 | .65 | .60 |
| 6 to 8 ft. | 1.00 | .85 | |
| Ribes alpinum. <i>Mountain Currant.</i> 4' | | | |
| 18 to 24 in. | .60 | .50 | .45 |
| 2 to 3 ft. | .75 | .60 | .55 |
| 3 to 4 ft. | 1.00 | .75 | |
| aureum. <i>Slender Golden Currant.</i> 10' | | | |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .60 |
| fasciculatum. <i>Winterberry Currant.</i> 4' | | | |
| 18 to 24 in. | .50 | .40 | .35 |
| 2 to 3 ft. | .60 | .45 | .40 |
| 3 to 4 ft. | .75 | .60 | .50 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Ribes | | | |
| gordonianum. <i>Gordon Currant.</i> 8' | | | |
| 3 to 4 ft. | .75 | .60 | |
| sanguineum. <i>Ruby Winter Currant.</i> 8' | | | |
| 2 to 3 ft. | .60 | .50 | |
| 3 to 4 ft. | .75 | .60 | |
| Robinia Elliotti. 5' | | | |
| 2 to 3 ft. | 3.00 | | |
| fertilis. 25' | | | |
| 6 to 8 ft. | 4.00 | 3.50 | |
| globosa. <i>Globe Locust.</i> | | | |
| 3 yr. hds., 5 to 6 ft. stems | 5.00 | | |
| 3 yr. hds., 6 to 8 ft. stems | 7.50 | | |
| hispidia. <i>Rose Acacia.</i> | | | |
| 2 yr. standard, 3 to 4 ft. | 1.75 | 1.50 | |
| 2 yr. standard, 4 to 5 ft. | 2.00 | 1.75 | |
| Bush form, 2 to 3 ft. | 1.50 | | |
| holdti. <i>Holdt Locust.</i> 25' | | | |
| 6 to 8 ft. | 3.50 | | |
| kelseyi. <i>Kelsey Locust.</i> 8' | | | |
| 5 to 6 ft. | 4.00 | 3.50 | |
| 6 to 8 ft. | 5.00 | 4.50 | |
| 8 to 10 ft. | 6.00 | 5.50 | |
| pseudoacacia. <i>Common Locust.</i> 60' | | | |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .85 | .75 |
| 8 to 10 ft. | 2.00 | 1.50 | 1.00 |
| 10 to 12 ft. | 3.00 | 2.50 | |
| pseudoacacia bessoniana. <i>Besson Locust.</i> 40' | | | |
| 4 to 5 ft. | 3.00 | 2.50 | |
| 5 to 6 ft. | 4.00 | 3.50 | |
| 6 to 8 ft. | 5.00 | 4.50 | |
| 8 to 10 ft. | 6.00 | 5.50 | |
| pseudoacacia decaisneana. <i>Decaisne Locust.</i> 40' | | | |
| 5 to 6 ft. | 3.50 | | |
| 6 to 8 ft. | 4.00 | | |
| 8 to 10 ft. | 5.00 | | |
| pseudoacacia Marguerite. 10' | | | |
| 5 to 6 ft. | 4.50 | 4.00 | |
| pseudoacacia umbraculifera. 20' | | | |
| 3 to 4 ft. | 2.50 | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Robinia | | | |
| viscosa. <i>Clammy Locust.</i> 10' | | | |
| 2 to 3 ft. | .60 | .50 | .45 |
| 3 to 4 ft. | .75 | .60 | .55 |
| 4 to 5 ft. | 1.00 | .75 | .65 |
| 5 to 6 ft. | 1.25 | .90 | .75 |
| Rosa acicularis. <i>Prickly Rose.</i> 5' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 2 to 3 ft. | .50 | .40 | .30 |
| 3 to 4 ft. | .60 | .50 | .45 |
| acicularis bourgeauiana. <i>Bourgeau Rose.</i> 6' | | | |
| 12 to 15 in. | 1.00 | | |
| blanda. <i>Meadow Rose.</i> 5' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .45 |
| blanda Willmottiae. 5' | | | |
| 12 to 15 in. | 1.00 | | |
| canina. <i>Dogbrier.</i> 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .30 |
| coriifolia froebeli. <i>Froebel Rose.</i> 5' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 2 to 3 ft. | .50 | .35 | .30 |
| 3 to 4 ft. | .60 | .50 | .40 |
| davurica. <i>Dahurian Rose.</i> 6' | | | |
| 2 to 3 ft. | 1.00 | .75 | .60 |
| ecae. <i>Eca Rose.</i> 6' | | | |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| foetida. <i>Austrian Copper Rose.</i> 4' | | | |
| 2 to 3 ft. | 1.00 | .75 | |
| foetida persiana. <i>Persian Yellow Rose.</i> | | | |
| 2 year | 1.00 | .75 | |
| fujisanensis. <i>Mt. Fuji Rose.</i> 8' | | | |
| 3 to 4 ft. | .75 | .60 | .50 |
| helenae. <i>Helen Rose.</i> 6' | | | |
| 18 to 24 in. | .50 | .40 | .30 |
| 2 to 3 ft. | .60 | .50 | .40 |
| helenae fl. pl. <i>Dbl. Helen Rose</i> 6' | | | |
| 2 to 3 ft. | 1.50 | | |

Rosa

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| hugonis. <i>Hugonis Rose.</i> 6' | | | |
| 2 to 3 ft. | .60 | .50 | .45 |
| 3 to 4 ft. | .75 | .60 | .55 |
| humilis. <i>Pasture Rose.</i> 5' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 2 to 3 ft. | .50 | .40 | .35 |
| laevigata. <i>Cherokee Rose.</i> 10' | | | |
| 12 to 15 in. | 1.00 | | |
| lucida. <i>Virginia Rose.</i> 6' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .45 |
| marreti. <i>Marret Rose.</i> 6' | | | |
| 3 to 4 ft. | 1.25 | 1.00 | .75 |
| maximowicziana jacki. <i>Jack Rose.</i> 6' | | | |
| 2 to 3 ft. | 1.50 | | |
| moyesi. <i>Moyes Rose.</i> 10' | | | |
| 2 to 3 ft. | 1.25 | 1.00 | |
| multiflora. <i>Japanese Rose.</i> 8' | | | |
| 2 to 3 ft. | .50 | .35 | .25 |
| 3 to 4 ft. | .55 | .40 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| multiflora cathayensis. <i>Cathay Rose.</i> 6' | | | |
| 3 to 4 ft. | .60 | .50 | .40 |
| nitida. <i>Bristly Rose.</i> 3' | | | |
| 18 to 24 in. | .40 | .35 | .30 |
| 2 to 3 ft. | .50 | .45 | .40 |
| 3 to 4 ft. | .75 | .60 | .50 |
| palustris. <i>Swamp Rose.</i> 8' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .40 |
| pendulina. 3' | | | |
| 2 to 3 ft. | .75 | .60 | .50 |
| 3 to 4 ft. | 1.00 | .75 | .60 |
| rouletti. | | | |
| 12 to 15 in., 4 in. pots | .75 | .60 | .50 |
| 15 to 18 in., F. G. | .60 | .50 | .40 |
| rubiginosa. <i>Sweetbriar.</i> 6' | | | |
| 2 to 3 ft. | .40 | .35 | .30 |
| 3 to 4 ft. | .50 | .40 | .35 |
| 4 to 5 ft. | .60 | .50 | .40 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Rosa | | | |
| rubiginosa hybrids. <i>Lady Penzance, Lord Penzance, Green Mantle, Lucy Ashton, Jeannie Deans, and Flora McIvor.</i> 6' | | | |
| 2 to 3 ft. | .75 | .60 | |
| 3 to 4 ft. | 1.00 | .75 | |
| rubrifolia. <i>Redleaf Rose.</i> 6' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 2 to 3 ft. | .50 | .40 | .30 |
| 3 to 4 ft. | .60 | .50 | .40 |
| rugosa. <i>Rugosa Rose.</i> 6' | | | |
| 18 to 24 in. | .45 | .35 | .30 |
| 2 to 3 ft. | .60 | .45 | |
| rugosa alba. <i>White Rugosa Rose.</i> 6' | | | |
| 18 to 24 in. | .60 | .50 | .40 |
| 2 to 3 ft. | .75 | .60 | |
| rugosa hybrids. 5' | | | |
| 2 to 3 ft. | .60 | .50 | .40 |
| 3 to 4 ft. | .75 | .60 | |
| <i>Varieties:—</i> | | | |
| Blanche de Coubert, C. F. Meyer, C. F. Worth, Agnes Carmen, New Century, Nova Zembla, Mad. Geo. Bruant, Mrs. Anthony Waterer, Belle Poitevine, Sir Thomas Lipton, Hansa, Agnes, F. J. Grootendorst. | | | |
| rugosa hyb.—climbing. <i>Max Graf.</i> 7.5 | .75 | .60 | |
| rugosa repens. <i>Creeping Rugosa Rose.</i> 1' | | | |
| 2 year | 1.50 | 1.25 | 1.00 |
| 3 year | 1.75 | 1.50 | 1.25 |
| sericea. 4' | | | |
| 2 to 3 ft. | .60 | .50 | .40 |
| 3 to 4 ft. | .75 | .60 | .50 |
| setigera. <i>Prairie Rose.</i> 6' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .40 | .35 |
| 4 to 5 ft. | .50 | .45 | .40 |
| spinosissima altaica. <i>Altai Rose.</i> 4' | | | |
| 18 to 24 in. | .50 | .40 | .35 |
| 2 to 3 ft. | .60 | .50 | .45 |
| 3 to 4 ft. | .75 | .60 | .55 |

Rosa

| | | |
|------|------|---------|
| 1-4 | 5-24 | 25 & up |
| Each | Each | Each |

spinosissima hispida. *Bristly Scotch Rose.* 6'

| | | | |
|-----------------|------|------|-----|
| 2 to 3 ft. | .75 | .60 | .50 |
| 3 to 4 ft. | 1.00 | .75 | .60 |
| 4 to 5 ft. | 1.25 | 1.00 | .75 |

spinosissima hybrids. 5'

| | | | |
|-----------------|------|------|--|
| 2 to 3 ft. | 1.00 | .75 | |
| 3 to 4 ft. | 1.25 | 1.00 | |

Dbl. Blush, Dbl. White, Dbl. Pink, Fulgens. Sgl. Red,
Sgl. Pink.

watsoniana. *Watson Rose.* 6'

| | | | |
|-----------------|------|------|--|
| 3 to 4 ft. | 1.25 | 1.00 | |
|-----------------|------|------|--|

wichuraiana. *Wichurian Rose.* 2'

| | | | |
|-------------|-----|-----|-----|
| 2 year | .40 | .35 | .30 |
| 3 year | .50 | .45 | .40 |

wichuraiana hybrids. 2'

| | | | |
|-------------|-----|-----|-----|
| 2 year | .75 | .60 | .50 |
|-------------|-----|-----|-----|

Jersey Beauty, Sweetheart, Universal Favor-
ite, Manda's Triumph, South Orange Perfec-
tion, Evergreen Gem.

ROSES**Hybrid Perpetuals.** 2 year No. 160 .50

| | |
|---------------------|---------------------|
| Anne de Diesbach | J. B. Clark |
| Baroness Rothchild | Mme. Albert Barbier |
| Baron de Bonstettin | Mrs. John Laing |
| Earl of Dufferin | Magna Charta |
| Clio | M. P. Wilder |
| Eugene Furst | Margaret Dickson |
| Frau Karl Druschki | Paul Neyron |
| Gen. Jacqueminot | Tom Wood |
| Geo. Arends | Ulrich Brunner |

Hybrid Tea. 2 year No. 175 .60

| | |
|---------------------|----------------------|
| Betty Uprichard | Madame Butterfly |
| Chas. K. Douglas | Mrs. Henry Bowles |
| Etoile de France | Mrs. Henry Morse |
| Gruss an Teplitz | Pres. Hoover |
| Jonkheer J. L. Mock | Radiance |
| Killarney | Rev. F. Page-Roberts |
| Lady Alice Stanley | Sunburst |
| Lady Hillingdon | White Killarney |
| Mad. Abel Chatenay | Willowmere |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|--------------------------|--------------|-----------------|
| Rosa | | | |
| Climbing roses. 2 year No. 1 | .60 | .50 | .45 |
| American Beauty | Mad. Gregoire Staechelin | | |
| American Pillar | Mary Wallace | | |
| Aviateur Bleriot | Paul's Scarlet Climber | | |
| Dr. W. Van Fleet | Roserie | | |
| Dorothy Perkins | Silver Moon | | |
| Excelsa | Star of Persia | | |
| Gardenia | White Dorothy Perkins | | |
| Hiawatha | | | |
| Polyantha hybrids. 2 year No. 1 ... | .65 | .55 | |
| Else Poulsen | Ideal | | |
| Gloria Mundi | Katherine Zeimet | | |
| Golden Salmon | Lafayette | | |
| xanthina Allard. 10' | | | |
| 2 to 3 ft. | 2.00 | | |
| xanthina spontanea. Sgl. Korean Rose. 10' | | | |
| 2 to 3 ft. | 2.00 | | |
| Rubus deliciosus. Boulder Raspberry. 5' | | | |
| 2 to 3 ft. | 1.25 | 1.00 | .75 |
| 3 to 4 ft. | 1.50 | 1.25 | 1.00 |
| dumetorum. European Dewberry. 2' | | | |
| 2 year | .50 | .40 | |
| odoratus. Flowering Raspberry. 6' | | | |
| 2 to 3 ft. | .45 | .35 | .30 |
| 3 to 4 ft. | .50 | .40 | .35 |
| 4 to 5 ft. | .60 | .50 | .40 |
| phoenicolasius. Wineberry. 8' | | | |
| 3 to 4 ft. | 1.00 | .75 | |
| Salix amygdaloides. Peachleaf Willow. 30' | | | |
| 2 to 3 ft. | 1.50 | | |
| babylonica. Babylon Weeping Willow. 50' | | | |
| 6 to 8 ft. | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft. | 1.75 | 1.50 | 1.25 |
| 1¼ to 1½ in. | 2.25 | 2.00 | |
| babylonica crispa. Ringleaf Weeping Willow. 30' | | | |
| 6 to 8 ft. | 3.50 | 3.00 | |
| 8 to 10 ft. | 4.00 | 3.50 | |
| babylonica dolorosa. Wisconsin Weeping Willow. 40' | | | |
| 6 to 8 ft. | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft. | 1.75 | 1.50 | 1.25 |
| 1¼ to 1½ in. | 2.25 | 2.00 | 1.75 |

Salix

| | | |
|-------------|--------------|-----------------|
| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|

babylonica salamoni. *Salamon Weeping Willow.* 50'

| | | | |
|-------------------|-------|------|------|
| 6 to 8 ft. | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft. | 2.00 | 1.75 | 1.50 |
| 1¼ to 1½ in. | 2.50 | 2.25 | 2.00 |
| 1½ to 1¾ in. | 2.75 | 2.50 | |
| 1¾ to 2 in. | 3.50 | 3.00 | |
| 2 to 2½ in. | 5.00 | 4.00 | |
| 2½ to 3 in. | 7.50 | 5.00 | |
| 3 to 3½ in. | 10.00 | 7.50 | |

caprea. *Goat Willow.* 20'

| | | | |
|------------------|------|------|-----|
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .75 | .65 |
| 8 to 10 ft. | 1.25 | 1.00 | .90 |

discolor. *Pussy Willow.* 20'

| | | | |
|------------------|------|------|-----|
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .80 | .65 |
| 8 to 10 ft. | 1.25 | 1.00 | .90 |

doniana. 9'

| | | | |
|-----------------|------|------|--|
| 4 to 5 ft. | 1.50 | 1.25 | |
| 5 to 6 ft. | 1.75 | 1.50 | |
| 6 to 8 ft. | 2.00 | 1.75 | |

elegantissima. *ThurLOW Weeping Willow.* 50'

| | | | |
|-------------------|------|------|------|
| 6 to 8 ft. | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft. | 2.00 | 1.50 | 1.25 |
| 1¼ to 1½ in. | 2.50 | 2.25 | 1.75 |
| 1½ to 1¾ in. | 2.75 | 2.50 | 2.00 |
| 1¾ to 2 in. | 3.00 | 2.75 | 2.50 |
| 2 to 2½ in. | 4.00 | 3.50 | 3.00 |

fragilis. *Brittle Willow.* 50'

| | | | |
|-----------------|------|--|--|
| 2 to 3 ft. | 1.50 | | |
|-----------------|------|--|--|

fragilis repandens. 10'

| | | | |
|-----------------|------|--|--|
| 2 to 3 ft. | 1.50 | | |
|-----------------|------|--|--|

incana. syn. rosmarinifolia. *Rosemary Willow.* 20'

| | | | |
|----------------------------|------|-----|-----|
| 3 to 4 ft. shrub form | .55 | .45 | .40 |
| 4 to 5 ft. shrub form | .65 | .55 | .50 |
| 5 to 6 ft. shrub form | .75 | .65 | |
| 6 to 8 ft. shrub form | 1.00 | .75 | |

irrorata. *Bluestem Willow.* 12'

| | | | |
|------------------|------|------|------|
| 3 to 4 ft. | .75 | .60 | .50 |
| 4 to 5 ft. | 1.00 | .75 | .60 |
| 5 to 6 ft. | 1.25 | 1.00 | .75 |
| 6 to 8 ft. | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft. | 2.00 | 1.50 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Salix | | | |
| jessoensis. 6' | | | |
| 2 to 3 ft. | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft. | 2.00 | 1.50 | 1.25 |
| 4 to 5 ft. | 2.25 | 1.75 | 1.50 |
| lucida. <i>Shining Willow.</i> 18' | | | |
| 2 to 3 ft. | 1.50 | | |
| mandshurica. 30' | | | |
| 2 to 3 ft. | 1.50 | 1.25 | |
| matsudana. <i>Hankow Willow.</i> 35' | | | |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .75 | .60 |
| 8 to 10 ft. | 1.25 | 1.00 | .75 |
| matsudana tortuosa. 20' | | | |
| 6 to 8 ft. | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft. | 2.50 | 2.00 | 1.75 |
| 10 to 12 ft. | 3.00 | 2.50 | 2.00 |
| mutabilis. 5' | | | |
| 2 to 3 ft. | .60 | .50 | .40 |
| 3 to 4 ft. | .75 | .60 | .50 |
| myricoides rigida. 9' | | | |
| 3 to 4 ft. | 1.25 | 1.00 | .75 |
| 4 to 5 ft. | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft. | 1.75 | 1.50 | 1.25 |
| nigricans cotinifolia. 12' | | | |
| 6 to 8 ft. | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft. | 2.50 | 2.00 | 1.75 |
| niobe. <i>Niobe Weeping Willow.</i> 30' | | | |
| 6 to 8 ft. | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft. | 2.00 | 1.75 | 1.50 |
| 10 to 12 ft. | 2.75 | 2.50 | 2.25 |
| 1½ to 1¾ in. | 2.50 | 2.00 | |
| 1¾ to 2 in. | 3.00 | 2.50 | |
| 2 to 2½ in. | 4.00 | 3.50 | |
| patula. 20' | | | |
| 2 to 3 ft. | 1.50 | | |
| pentandra. <i>Laurel Willow.</i> 30' | | | |
| 6 to 8 ft. | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft. | 1.75 | 1.50 | 1.25 |
| 1¼ to 1½ in. | 2.00 | 1.75 | 1.40 |
| 1½ to 1¾ in. | 2.25 | 2.00 | 1.60 |
| 1¾ to 2 in. | 3.00 | 2.50 | 2.00 |

| Salix | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|------|-------------|--------------|-----------------|
| purpurea nana. <i>Dwf. Purple Osier.</i> 5' | | | | |
| 2 to 3 ft. | 1.00 | .75 | .60 | |
| 3 to 4 ft. | 1.25 | 1.00 | .75 | |
| 4 to 5 ft. | 1.50 | 1.25 | 1.00 | |
| regalis. <i>Royal Willow.</i> 30' | | | | |
| 5 to 6 ft. | .90 | .80 | | |
| 6 to 8 ft. | 1.25 | 1.00 | | |
| 8 to 10 ft. | 1.75 | 1.50 | | |
| sieboldiana. <i>Siebold Willow.</i> 30' | | | | |
| 6 to 8 ft. | 1.25 | 1.00 | .90 | |
| 8 to 10 ft. | 1.75 | 1.50 | 1.25 | |
| smithiana. 20' | | | | |
| 2 to 3 ft. | 1.50 | 1.25 | | |
| uralensis. 15' | | | | |
| 5 to 6 ft. | .75 | .65 | .50 | |
| 6 to 8 ft. | 1.00 | .90 | .75 | |
| vitellina. <i>Golden Willow.</i> 30' | | | | |
| 6 to 8 ft. | 1.25 | 1.00 | .90 | |
| 8 to 10 ft. | 1.75 | 1.50 | 1.25 | |
| 1½ to 1½ in. | 2.00 | 1.75 | 1.40 | |
| 1½ to 1¾ in. | 2.50 | 2.00 | 1.60 | |
| 1¾ to 2 in. | 3.00 | 2.50 | 2.00 | |
| vitellina britzensis. <i>Bronze Golden Willow.</i> 30' | | | | |
| 6 to 8 ft. | 1.50 | 1.25 | 1.00 | |
| 8 to 10 ft. | 1.75 | 1.50 | 1.25 | |
| 1½ to 1¾ in. | 2.50 | 2.00 | 1.75 | |
| 1¾ to 2 in. | 3.00 | 2.50 | | |
| 2 to 2½ in. | 3.50 | 3.00 | | |
| vitellina glauca. <i>Blue Russian Willow.</i> 20' | | | | |
| 5 to 8 ft. | .75 | .60 | .50 | |
| 6 to 8 ft. | 1.00 | .85 | .75 | |
| 8 to 10 ft. | 1.50 | 1.25 | 1.00 | |
| vitellina pendula. <i>Golden Weeping Willow.</i> 40' | | | | |
| 6 to 8 ft. | 1.75 | 1.50 | 1.25 | |
| 8 to 10 ft. | 2.00 | 1.75 | 1.50 | |
| 1½ to 1¾ in. | 2.50 | 2.25 | 2.00 | |
| 1¾ to 2 in. | 3.00 | 2.75 | 2.50 | |
| wentworthi. 50' | | | | |
| 8 to 10 ft. | 1.50 | 1.25 | 1.00 | |
| 1½ to 1¾ in. | 2.25 | 2.00 | 1.50 | |
| 1¾ to 2 in. | 2.75 | 2.50 | 2.00 | |
| 2 to 2½ in. | 3.50 | 3.00 | 2.50 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Sambucus canadensis. American Elder. 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .75 | .65 |
| canadensis acutiloba. Cutleaved Elder. 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| 6 to 8 ft. | 1.00 | .75 | .60 |
| nigra. European Elder. 15' | | | |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .60 |
| 6 to 8 ft. | 1.25 | 1.00 | .75 |
| nigra aurea. Golden European Elder. 15' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .35 |
| 4 to 5 ft. | .65 | .50 | .45 |
| 5 to 6 ft. | .75 | .65 | .60 |
| nigra variegata. Variegated Elder. 10' | | | |
| 3 to 4 ft. | .75 | .50 | |
| pubens. Scarlet Elder. 8' | | | |
| 3 to 4 ft. | .60 | .50 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .65 |
| pubens leucocarpa. Yellow-fruited Elder. 8' | | | |
| 4 to 5 ft. | 1.50 | 1.25 | |
| 5 to 6 ft. | 1.75 | 1.50 | |
| 6 to 8 ft. | 2.00 | | |
| racemosa. European Red Elder. 8' | | | |
| 3 to 4 ft. | .60 | .50 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .65 |
| 6 to 8 ft. | 1.25 | 1.00 | |
| Sassafras variifolium. Sassafras. 50' | | | |
| 6 to 8 ft. | 3.50 | 3.00 | |
| 8 to 10 ft. | 4.00 | 3.50 | |
| 10 to 12 ft. | 6.00 | 5.00 | |
| Schizophragma hydrangeoides. 20' | | | |
| <i>Japanese Hydrangea-vine.</i> | | | |
| from pots | 1.00 | .85 | .75 |

| | Each 1-4 | Each 5-24 | Each 25 & up |
|--|-------------|--------------|-----------------|
| Sciadopitys verticillata. <i>Umbrella Pine.</i> 60' | | | |
| 10 ft. spec.B&B | 100.00 | | |
| Shepherdia argentea. <i>Silver Buffaloberry.</i> 15' | | | |
| 4 to 5 ft. | 1.00 | .75 | |
| 5 to 6 ft. | 1.25 | 1.00 | |
| 6 to 8 ft. | 1.50 | 1.25 | |
| Skimmia japonica. <i>Japanese Skimmia.</i> 5' | | | |
| 6 in. bushy, 4 in. pots | 1.50 | 1.25 | |
| Smilax rotundifolia. <i>Horsebrier.</i> | | | |
| 18 to 24 in. | .50 | .40 | .30 |
| 2 to 3 ft. | .60 | .50 | .40 |
| Solanum dulcamara. <i>True Bittersweet.</i> | | | |
| 2 year | .40 | .30 | .25 |
| Sophora japonica. <i>Chinese Scholartree</i> 25' | | | |
| 2 to 3 ft.B&B | 2.50 | 2.25 | 2.00 |
| 3 to 4 ft.B&B | 3.50 | 3.00 | 2.75 |
| 4 to 5 ft.B&B | 5.00 | 4.50 | 4.00 |
| 5 to 6 ft.B&B | 7.50 | 6.00 | 5.50 |
| 6 to 8 ft.B&B | 10.00 | 7.50 | |
| 5 to 6 ft. spec.B&B | 10.00 | | |
| 6 to 8 ft. spec.B&B | 12.50 | | |
| vicifolia. <i>Vetchleaf Sophora.</i> 6' | | | |
| 3 to 4 ft.B&B | 3.50 | | |
| Sorbaria aitchisoni. <i>Kashmir False Spiraea.</i> 8' | | | |
| 3 to 4 ft. | .50 | .40 | .35 |
| 4 to 5 ft. | .65 | .50 | .45 |
| 5 to 6 ft. | .75 | .65 | .60 |
| arborea glabrata. 15' | | | |
| 3 to 4 ft. | .60 | .50 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | .85 | .70 | .60 |
| 6 to 8 ft. | 1.00 | .85 | .75 |
| lindleyana. <i>Lindley False Spiraea.</i> 8' | | | |
| 3 to 4 ft. | .55 | .45 | .40 |
| 4 to 5 ft. | .65 | .55 | .50 |
| 5 to 6 ft. | .75 | .65 | |
| sorbifolia. <i>Ural False Spiraea.</i> 6' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .35 |
| 4 to 5 ft. | .65 | .50 | .45 |
| 5 to 6 ft. | .75 | .65 | .60 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Sorbus americana. <i>American Mountain Ash.</i> 25' | | | |
| 5 to 6 ft. | 2.50 | 2.00 | |
| 6 to 8 ft. | 3.00 | 2.50 | |
| 8 to 10 ft. | 4.00 | | |
| aria latifolia. <i>White Beam-tree.</i> 40' | | | |
| 6 to 8 ft. | 2.50 | 2.00 | |
| 8 to 10 ft. | 3.00 | 2.50 | |
| 1¼ to 1½ in. | 3.50 | 3.00 | |
| 1½ to 1¾ in. | 4.00 | 3.50 | |
| 1¾ to 2 in. | 5.00 | 4.50 | |
| 2 to 2½ in. | 6.50 | 5.50 | |
| aucuparia. <i>European Mountain Ash.</i> 50' | | | |
| 6 to 8 ft. | 2.50 | 2.00 | 1.50 |
| 8 to 10 ft. | 3.00 | 2.25 | 1.75 |
| 1¼ to 1½ in. | 3.50 | 3.00 | 2.50 |
| 1½ to 1¾ in. | 4.00 | 3.50 | 3.00 |
| 1¾ to 2 in. | 4.50 | 4.00 | 3.50 |
| 2 to 2½ in. | 6.00 | 5.00 | 4.50 |
| 2½ to 3 in. | 10.00 | 7.50 | 6.50 |
| 3 to 3½ in. | 12.50 | 10.00 | |
| aucuparia fastigiata. <i>Pyramidal Mt. Ash.</i> 40' | | | |
| 8 to 10 ft. | 7.50 | | |
| commixta. <i>Japanese Mountain Ash.</i> 25' | | | |
| 6 to 8 ft. | 3.00 | 2.50 | |
| 8 to 10 ft. | 3.50 | 3.00 | |
| 10 to 12 ft. | 4.00 | 3.50 | |
| quercifolia. <i>Oak-leaf Mountain Ash.</i> 25' | | | |
| 6 to 8 ft. | 2.75 | 2.25 | 2.00 |
| 8 to 10 ft. | 3.50 | 2.75 | 2.50 |
| 1¼ to 1½ in. | 4.00 | 3.50 | 3.00 |
| 1½ to 1¾ in. | 5.00 | 4.50 | 4.00 |
| 1¾ to 2 in. | 6.00 | 5.00 | |
| 2 to 2½ in. | 7.50 | 6.00 | |
| 2½ to 3 in. | 10.00 | 7.50 | |
| 3 to 3½ in. | 12.50 | 10.00 | |
| spuria. 15' | | | |
| 6 to 8 ft. | 3.00 | 2.50 | |
| 8 to 10 ft. | 3.50 | 3.00 | |
| 1¼ to 1½ in. | 4.00 | 3.50 | |
| torminalis. <i>Wild Service Tree.</i> 50' | | | |
| 4 to 5 ft. | 2.50 | 2.00 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Spirea arguta. <i>Garland Spiraea.</i> 6' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| aitchisoni. (<i>See Sorbaria.</i>) | | | |
| billiardi. <i>Billiard Spiraea.</i> 6' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| bumalda. <i>Bumalda Spiraea.</i> 3' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 24 to 30 in. | .45 | .35 | .30 |
| bumalda Anthony Waterer. <i>Anthony Waterer Spiraea.</i> 3' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 24 to 30 in. | .45 | .35 | .30 |
| bumalda walluffi. 3' | | | |
| 18 to 24 in. | .45 | .35 | |
| 24 to 30 in. | .50 | .40 | |
| callosa alba. (<i>See japonica ovalifolia.</i>) | | | |
| chamaedryfolia ulmifolia. <i>Elmleaf Spiraea.</i> 6' | | | |
| 2 to 3 ft. | .75 | | |
| dasyantha. 8' | | | |
| 3 to 4 ft. | 1.25 | 1.00 | |
| douglasi. <i>Douglas Spiraea.</i> 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| fortunei. <i>Fortune Spiraea.</i> 4' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| froebeli. <i>Froebel Spiraea.</i> 4' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .35 |
| japonica. <i>Japanese Spiraea.</i> 6' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 24 to 30 in. | .45 | .35 | .30 |
| japonica ovalifolia. <i>White Japanese Spiraea.</i> 3' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 24 to 30 in. | .45 | .35 | .30 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Spiraea | | | |
| japonica ruberrima. <i>Pink Japanese Spiraea.</i> 5' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .30 |
| latifolia syn. bethlehemensis. <i>Pink Meadow Spiraea.</i> 6' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| lindleyana. (<i>See Sorbaria</i>). | | | |
| margaritae. <i>Margarita Spiraea.</i> 5' | | | |
| 2 to 3 ft. | .45 | .35 | .30 |
| nipponica rotundifolia. <i>Big Nippon Spiraea.</i> 10' | | | |
| 3 to 4 ft. | .60 | .50 | |
| 4 to 5 ft. | .75 | .60 | |
| 5 to 6 ft. | 1.00 | .75 | |
| prunifolia. <i>Bridal Wreath.</i> 8' | | | |
| 2 to 3 ft. | .45 | .35 | .30 |
| 3 to 4 ft. | .55 | .45 | .40 |
| 4 to 5 ft. | .65 | .55 | .50 |
| 5 to 6 ft. | .75 | .65 | .60 |
| pubescens. 6' | | | |
| 3 to 4 ft. | .60 | .50 | |
| 4 to 5 ft. | .75 | .60 | |
| reevesiana. <i>Reeves Spiraea.</i> 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| reevesiana lanceata. <i>Double Reeves Spiraea.</i> 8' | | | |
| 2 to 3 ft. | .45 | .35 | |
| 3 to 4 ft. | .55 | .45 | |
| salicifolia. <i>Willowleaf Spiraea.</i> 5' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| sorbifolia. (<i>See Sorbaria</i>). | | | |
| superba. <i>Striped Spiraea.</i> 4' | | | |
| 18 to 24 in. | .40 | .30 | .25 |
| 2 to 3 ft. | .50 | .40 | .35 |
| syringiflora. <i>Lilac Spiraea.</i> 3' | | | |
| 18 to 24 in. | .60 | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Spiraea | | | |
| thunbergi. <i>Thunberg Spiraea.</i> 5' | | | |
| 18 to 24 in. | .35 | .25 | .20 |
| 2 to 3 ft. | .45 | .35 | .30 |
| 3 to 4 ft. | .55 | .45 | .40 |
| 4 to 5 ft. | .65 | .55 | .50 |
| tomentosa. <i>Hardhack.</i> 4' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .35 |
| trichocarpa. <i>Korean Spiraea.</i> 4' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| van houttei. <i>Vanhoutte Spiraea.</i> 10' | | | |
| 2 to 3 ft. | .35 | .25 | .18 |
| 3 to 4 ft. | .40 | .30 | .22 |
| 4 to 5 ft. | .50 | .40 | .35 |
| 5 to 6 ft. | .65 | .55 | .50 |
| veitchi. <i>Veitch Spiraea.</i> 12' | | | |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .45 |
| wilsoni. <i>Wilson Spiraea.</i> 6' | | | |
| 3 to 4 ft. | 1.00 | .75 | .60 |
| Staphylea bumalda. <i>Bumalda Bladdernut.</i> 8' | | | |
| 3 to 4 ft. | .75 | .60 | .50 |
| 4 to 5 ft. | 1.00 | .75 | .60 |
| 5 to 6 ft. | 1.25 | 1.00 | .75 |
| colchica. <i>Colchis Bladdernut.</i> 12' | | | |
| 3 to 4 ft. | 1.75 | 1.25 | |
| 4 to 5 ft. | 2.00 | | |
| 5 to 6 ft. | 2.50 | | |
| pinnata. <i>European Bladdernut.</i> 12' | | | |
| 3 to 4 ft. | .60 | .50 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| trifolia. <i>American Bladdernut.</i> 12' | | | |
| 2 to 3 ft. | .50 | .40 | .30 |
| 3 to 4 ft. | .60 | .50 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .60 |
| 6 to 8 ft. | 1.25 | 1.00 | .75 |
| Stephanandra flexuosa. <i>Cutleaf Stephanandra.</i> 6' | | | |
| 2 to 3 ft. | .45 | .35 | .30 |
| 3 to 4 ft. | .55 | .45 | .40 |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-----|-------------|--------------|-----------------|
| Stewartia pentagyna. <i>Mountain Stewartia.</i> | | | | |
| 3 to 4 ft. | B&B | 5.00 | 4.00 | |
| 4 to 5 ft. | B&B | 6.00 | 5.00 | |
| 5 to 6 ft. | B&B | 7.50 | 6.50 | |
| 6 to 8 ft. | B&B | 10.00 | | |
| 8 to 10 ft. | B&B | 15.00 | | |
| pentagyna grandiflora. 15' | | | | |
| 5 to 6 ft. | B&B | 10.00 | | |
| 6 to 8 ft. | B&B | 12.50 | | |
| 8 to 10 ft. | B&B | 17.50 | | |
| pseudocamellia. <i>Japanese Stewartia.</i> 25' | | | | |
| 3 to 4 ft. | B&B | 5.00 | | |
| 4 to 5 ft. | B&B | 7.50 | | |
| Stranvaesia davidiana. 5' | | | | |
| 12 to 15 in., from pots | | 1.25 | 1.00 | .75 |
| 18 to 24 in. | B&B | 1.75 | 1.50 | |
| 24 to 30 in. | B&B | 2.50 | 2.00 | |
| Styrax japonica. <i>Japanese Snowbell.</i> 20' | | | | |
| 3 to 4 ft. | B&B | 3.00 | 2.50 | 2.00 |
| 4 to 5 ft. | B&B | 4.00 | 3.50 | 3.00 |
| 5 to 6 ft. | B&B | 6.00 | 4.50 | |
| 6 to 8 ft. | B&B | 7.50 | 6.00 | |
| 8 to 10 ft. | B&B | 10.00 | 8.00 | |
| obassia. <i>Fragrant Snowbell.</i> 20' | | | | |
| 4 to 5 ft. | B&B | 5.00 | | |
| 5 to 6 ft. | B&B | 6.00 | | |
| 6 to 8 ft. | B&B | 7.50 | | |
| 8 to 10 ft. | B&B | 10.00 | | |
| Symphoricarpos chenaulti. 5' | | | | |
| 2 to 3 ft. | | .40 | .30 | .25 |
| 3 to 4 ft. | | .50 | .35 | .30 |
| mollis. <i>Spreading Snowberry.</i> 6' | | | | |
| 2 to 3 ft. | | .40 | .30 | .25 |
| 3 to 4 ft. | | .50 | .35 | .30 |
| occidentalis. <i>Western Snowberry.</i> 5' | | | | |
| 2 to 3 ft. | | .40 | .35 | .30 |
| 3 to 4 ft. | | .50 | .45 | .40 |
| 4 to 5 ft. | | .65 | .55 | .50 |
| o. heyeri. 5' | | | | |
| 2 to 3 ft. | | .50 | .40 | .30 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Symphoricarpos | | | |
| racemosus. Snowberry. 6' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .45 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| vulgaris. Coralberry. 5' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| *Symplocos paniculata. syn. crataegoides. | | | |
| <i>Asiatic Sweetleaf. 10'</i> | | | |
| 2 to 3 ft. | 1.00 | .75 | .60 |
| 3 to 4 ft. | 1.25 | 1.00 | .75 |
| 4 to 5 ft. | 1.75 | 1.50 | 1.00 |
| 5 to 6 ft. | 2.50 | 2.00 | 1.50 |
| 6 to 8 ft. | 3.50 | 2.50 | 2.25 |
| Syringa affinis giraldi. Purple Early Lilac. 12' | | | |
| 3 to 4 ft. | 1.50 | 1.25 | |
| 4 to 5 ft. | 2.00 | 1.50 | |
| 5 to 6 ft. | 2.50 | 2.00 | |
| 6 to 8 ft. | 3.50 | 3.00 | |
| 8 to 10 ft. | 5.00 | 4.00 | |
| chinensis. syn. rothomagensis. Chinese Lilac. 10' | | | |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .45 |
| 4 to 5 ft. | .75 | .60 | .55 |
| 5 to 6 ft. | 1.00 | .75 | .65 |
| 6 to 8 ft. | 1.25 | 1.00 | .75 |
| chinensis alba. White Chinese Lilac. 10' | | | |
| 2 to 3 ft. | 1.00 | .75 | .60 |
| 3 to 4 ft. | 1.25 | 1.00 | .75 |
| 4 to 5 ft. | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft. | 1.75 | 1.50 | |
| chinensis metensis. 10' | | | |
| 3 to 4 ft. | 1.25 | 1.00 | .75 |
| 4 to 5 ft. | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft. | 1.75 | 1.50 | |
| chinensis saugeana. Purple Chinese Lilac. 10' | | | |
| 2 to 3 ft. | .55 | .45 | .40 |
| 3 to 4 ft. | .65 | .55 | .50 |
| 4 to 5 ft. | .75 | .65 | .60 |
| 5 to 6 ft. | 1.00 | .85 | .75 |
| 6 to 8 ft. | 1.25 | 1.00 | .90 |

| Syringa | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| emodi. <i>Himalayan Lilac.</i> 8' | | | |
| 3 to 4 ft. | 1.00 | .75 | |
| 4 to 5 ft. | 1.50 | 1.00 | |
| 5 to 6 ft. | 2.00 | 1.50 | |
| henryi eximea. 8' | | | |
| 3 to 4 ft. | 2.50 | 2.00 | |
| 4 to 5 ft. | 3.00 | 2.50 | |
| henryi lutece. 8' | | | |
| 3 to 4 ft. | 2.50 | 2.00 | |
| 4 to 5 ft. | 3.00 | 2.50 | |
| 5 to 6 ft. | 3.50 | 3.00 | |
| japonica. <i>Japanese Tree Lilac.</i> 20' | | | |
| 3 to 4 ft. | .75 | .60 | .50 |
| 4 to 5 ft. | 1.00 | .90 | .75 |
| 5 to 6 ft. | 1.50 | 1.25 | 1.00 |
| 6 to 8 ft. | 1.75 | 1.50 | 1.25 |
| 8 to 10 ft. | 2.50 | 2.25 | 1.75 |
| 10 to 12 ft. | 6.00 | 5.00 | |
| 12 to 15 ft. | 10.00 | | |
| josikaea. <i>Hungarian Lilac.</i> 10' | | | |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .45 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .60 |
| 6 to 8 ft. | 1.25 | 1.00 | .75 |
| microphylla. <i>Littleleaf Lilac.</i> 10' | | | |
| 2 to 3 ft. | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft. | 2.00 | 1.50 | 1.25 |
| 4 to 5 ft. | 2.50 | 2.00 | 1.50 |
| 5 to 6 ft. | 3.00 | 2.50 | 2.00 |
| oblata. 12' | | | |
| 3 to 4 ft. | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft. | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft. | 2.00 | 1.75 | |
| oblata dilatata. 12' | | | |
| 2 to 3 ft. | 1.00 | .75 | .60 |
| 3 to 4 ft. | 1.25 | 1.00 | .75 |
| 4 to 5 ft. | 1.50 | 1.25 | 1.00 |
| palibiniana. 10' | | | |
| 3 to 4 ft. | 1.50 | | |
| 4 to 5 ft. | 2.00 | | |
| 5 to 6 ft. | 2.50 | | |

Syringa**pekinensis.** *Peking Lilac.* 15'

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--------------------------|-------------|--------------|-----------------|
| 4 to 5 ft. | 1.75 | 1.50 | 1.25 |
| 5 to 6 ft. | 2.50 | 2.00 | 1.75 |
| 6 to 8 ft. | 3.00 | 2.75 | 2.50 |
| 8 to 10 ft. | 4.00 | 3.75 | 3.50 |
| 10 to 12 ft. | 7.50 | 6.00 | |
| 6 to 8 ft. spec.....B&B | 10.00 | | |
| 8 to 10 ft. spec.....B&B | 12.50 | | |

persica. *Persian Lilac.* 10'

| | | | |
|-----------------|------|-----|-----|
| 2 to 3 ft. | .55 | .45 | .40 |
| 3 to 4 ft. | .65 | .55 | .50 |
| 4 to 5 ft. | .75 | .65 | .60 |
| 5 to 6 ft. | 1.00 | .90 | |

persica alba. *White Persian Lilac.* 10'

| | | | |
|-----------------|------|-----|--|
| 2 to 3 ft. | .85 | .75 | |
| 3 to 4 ft. | 1.00 | .90 | |

pubescens. *Hairy Lilac.* 6'

| | | | |
|-----------------|------|--|--|
| 2 to 3 ft. | 2.50 | | |
|-----------------|------|--|--|

velutina. 10'

| | | | |
|-----------------|------|------|--|
| 3 to 4 ft. | 2.00 | 1.50 | |
| 4 to 5 ft. | 2.50 | 2.00 | |

villosa. *Late Lilac.* 8'

| | | | |
|-----------------|------|------|-----|
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .45 |
| 4 to 5 ft. | .75 | .60 | .55 |
| 5 to 6 ft. | 1.00 | .75 | .65 |
| 6 to 8 ft. | 1.25 | 1.00 | |

vulgaris. *Common Purple Lilac.* 15'

| | | | |
|------------------------|------|-----|-----|
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .35 |
| 4 to 5 ft. | .65 | .55 | .50 |
| 5 to 6 ft. | .75 | .65 | .60 |
| 6 to 8 ft. | 1.00 | .85 | .75 |
| 4 to 5 ft. clumps | 4.00 | | |
| 5 to 6 ft. clumps | 5.00 | | |

vulgaris alba. *Common White Lilac.* 15'

| | | | |
|------------------------|------|------|------|
| 2 to 3 ft. | .50 | .45 | .40 |
| 3 to 4 ft. | .60 | .55 | .50 |
| 4 to 5 ft. | .75 | .65 | .60 |
| 5 to 6 ft. | 1.00 | .85 | .75 |
| 6 to 8 ft. | 1.25 | 1.10 | 1.00 |
| 4 to 5 ft. clumps | 4.00 | | |
| 5 to 6 ft. clumps | 5.00 | | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Syringa vulgaris. Named Varieties. 15' | | | |

These hybrid lilacs are grown on their own roots in bush form. Can also be furnished in tree form in first two sizes at 25% additional.

| | | | |
|-----------------|------|------|------|
| 2 to 3 ft. | 1.00 | .75 | .60 |
| 3 to 4 ft. | 1.25 | 1.00 | .90 |
| 4 to 5 ft. | 1.50 | 1.35 | 1.25 |
| 5 to 6 ft. | 2.25 | 2.00 | 1.75 |
| 6 to 8 ft. | 3.00 | 2.75 | 2.50 |

Belle de Nancy—Double Rose.

2-3' 3-4' 4-5' 5-6' 6-8'

Chas. Joly—Dark Purplish Red.

2-3' 3-4' 4-5'

Frau Dammann—Single White.

2-3' 3-4' 4-5' 5-6'

La Tour d'Auvergne—Double Purple.

2-3' 3-4' 4-5'

Ludwig Spaeth—Single Red.

2-3' 3-4' 4-5' 5-6'

Mad. Abel Chatenay—Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Casimer Perier—Double Creamy White.

2-3' 3-4' 4-5' 5-6' 6-8'

Mad. Lemoine—Large Double White.

2-3' 3-4' 4-5' 5-6' 6-8'

Marie Le Graye—Single White.

2-3' 3-4' 4-5' 5-6'

Pres. Grevy—Double Blue.

2-3' 3-4' 4-5' 5-6' 6-8'

Princess Alexandra—Single White.

2-3' 3-4' 4-5' 5-6' 6-8'

We have a limited quantity of the newer varieties of Lemoine's hybrid named lilacs, which we offer at the following prices. A list of varieties will be forwarded on request.

| | |
|-----------------|------|
| 2 to 3 ft. | 1.50 |
| 3 to 4 ft. | 2.00 |
| 4 to 5 ft. | 2.50 |
| 5 to 6 ft. | 3.50 |

yunnanensis. Yunnan Lilac. 10'

| | | |
|-----------------|------|------|
| 3 to 4 ft. | 2.00 | 1.75 |
|-----------------|------|------|

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-----------------------|-------------|--------------|-----------------|
| Tamarix africana. <i>African Tamarix.</i> 15' | | | | |
| | 3 to 4 ft. | .45 | .35 | .30 |
| | 4 to 5 ft. | .60 | .50 | .40 |
| | 5 to 6 ft. | .75 | .60 | .50 |
| | 6 to 8 ft. | 1.00 | .85 | .75 |
| gallica. <i>French Tamarix.</i> 10' | | | | |
| | 3 to 4 ft. | .45 | .35 | .30 |
| | 4 to 5 ft. | .60 | .45 | .40 |
| gallica indica. <i>India Tamarix.</i> 10' | | | | |
| | 3 to 4 ft. | .45 | .35 | .30 |
| | 4 to 5 ft. | .60 | .45 | .40 |
| | 5 to 6 ft. | .75 | .60 | .50 |
| juniperina. <i>Juniper Tamarix.</i> 15' | | | | |
| | 3 to 4 ft. | 1.50 | 1.25 | |
| | 4 to 5 ft. | 1.75 | | |
| odessana. <i>Odessa Tamarix.</i> 6' | | | | |
| | 3 to 4 ft. | .45 | .35 | .30 |
| | 4 to 5 ft. | .60 | .45 | .40 |
| | 5 to 6 ft. | .75 | .60 | .50 |
| pentandra. <i>Fivestamen Tamarix.</i> 12' | | | | |
| | 3 to 4 ft. | .55 | .45 | .35 |
| | 4 to 5 ft. | .75 | .60 | .50 |
| | 5 to 6 ft. | 1.00 | .75 | |
| tetandra purpurea. <i>Fourstamen Tamarix.</i> 10' | | | | |
| | 3 to 4 ft. | .50 | .40 | .35 |
| | 4 to 5 ft. | .60 | .50 | .45 |
| Taxodium distichum. <i>Common Baldcypress.</i> 50' | | | | |
| | 4 to 5 ft. B&B | 4.50 | 4.00 | |
| | 5 to 6 ft. B&B | 6.50 | 5.50 | |
| | 6 to 8 ft. B&B | 10.00 | 7.50 | |
| | 8 to 10 ft. B&B | 15.00 | 12.50 | |
| | 10 to 12 ft. B&B | 20.00 | 15.00 | |
| Taxus baccata. <i>English Yew.</i> 50' | | | | |
| | 18 in. B&B | 3.50 | 3.00 | 2.50 |
| | 2 ft. B&B | 4.50 | 4.00 | 3.50 |
| | 2½ ft. B&B | 6.00 | 5.00 | 4.50 |
| | 3 to 3½ ft. B&B | 7.50 | 6.50 | 5.50 |
| | 3½ to 4 ft. B&B | 10.00 | 7.50 | |
| baccata erecta. <i>Broom Yew.</i> 10' | | | | |
| | 2½ ft. B&B | 7.50 | | |
| | 3 ft. B&B | 10.00 | | |
| | 3½ ft. B&B | 15.00 | | |
| | 4 ft. B&B | 20.00 | | |

| Taxus | | | |
|---|-------------|--------------|-----------------|
| | 1-4 Each | 5-24 Each | 25 & up Each |
| baccata fastigiata. <i>Irish Yew.</i> 10' | | | |
| 2 ft. | B&B 12.50 | | |
| 3 ft. | B&B 15.00 | | |
| baccata repandens. <i>Spreading English Yew.</i> 2' | | | |
| 15 to 18 in. spd. | B&B 3.00 | 2.50 | 2.25 |
| 18 to 24 in. spd. | B&B 3.75 | 3.25 | 3.00 |
| 24 to 30 in. spd. | B&B 5.00 | 4.00 | 3.75 |
| 30 to 36 in. spd. | B&B 6.50 | 5.50 | |
| 36 to 42 in. spd. | B&B 10.00 | | |
| baccata washingtoni. <i>Washington Yew.</i> 6' | | | |
| 24 in. spec. | B&B 10.00 | | |
| 30 in. spec. | B&B 12.50 | | |
| canadensis. <i>Canada Yew.</i> 3' | | | |
| 15 to 18 in. spd. | B&B 2.50 | 2.00 | |
| cuspidata. <i>Japanese Yew.</i> 10' | | | |
| 15 to 18 in. spd. | B&B 2.50 | 2.25 | 2.00 |
| 18 to 24 in. spd. | B&B 3.00 | 2.75 | 2.50 |
| 2 to 2½ ft. spd. | B&B 4.00 | 3.75 | 3.50 |
| 2½ to 3 ft. spd. | B&B 5.50 | 5.00 | 4.50 |
| 3 to 3½ ft. spd. | B&B 10.00 | 7.50 | 6.00 |
| 3½ to 4 ft. spd. | B&B 12.50 | 10.00 | |
| 4 to 4½ ft. spd. | B&B 15.00 | 12.50 | |
| 4½ to 5 ft. spd. | B&B 20.00 | 17.50 | |
| 5 to 6 ft. spec. | B&B 40.00 | 35.00 | |
| 6 to 7 ft. spec. | B&B 50.00 | 45.00 | |
| cuspidata brevifolia. <i>Dwarf Japanese Yew.</i> 6' | | | |
| 15 to 18 in. | B&B 3.50 | 3.00 | 2.50 |
| 18 to 24 in. | B&B 4.50 | 4.00 | 3.50 |
| 24 to 30 in. | B&B 7.50 | 6.50 | 5.50 |
| 30 to 36 in. | B&B 10.00 | 8.50 | |
| 36 to 42 in. | B&B 12.50 | | |
| cuspidata brevifolia compacta. 6' | | | |
| 18 to 24 in. | B&B 6.00 | 5.00 | |
| 24 to 30 in. | B&B 7.50 | | |
| cuspidata capitata. <i>Upright Japanese Yew.</i> 25' | | | |
| 18 in. | B&B 2.50 | 2.25 | 2.00 |
| 2 ft. | B&B 3.50 | 3.00 | 2.50 |
| 2½ ft. | B&B 5.00 | 4.50 | 4.00 |
| 3 ft. | B&B 7.50 | 6.00 | 5.00 |
| 3½ ft. | B&B 10.00 | 7.50 | 6.50 |
| 4 ft. | B&B 12.50 | 10.00 | |
| 4½ ft. | B&B 15.00 | | |
| 5 ft. | B&B 20.00 | | |

| Taxus | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-----|-------------|--------------|-----------------|
| intermedia. <i>Hybrid Yew.</i> 12' | | | | |
| 18 to 24 in. | B&B | 3.50 | 3.00 | |
| 24 to 30 in. | B&B | 5.00 | 4.00 | |
| media hicksi. <i>Hicks Yew.</i> 20' | | | | |
| 18 to 24 in. | B&B | 3.50 | 3.00 | |
| 24 to 30 in. | B&B | 5.00 | 4.00 | |
| Tecoma. (<i>See Bignonia</i>). | | | | |
| Thuja occidentalis. <i>American Arborvitae.</i> 40' | | | | |
| 3 ft. | B&B | 2.25 | 2.00 | 1.75 |
| 4 ft. | B&B | 3.50 | 3.00 | 2.75 |
| 4 ft. heavy spec. | B&B | 6.00 | | |
| 5 ft. | B&B | 4.50 | 4.00 | 3.75 |
| 5 ft. heavy spec. | B&B | 7.50 | | |
| 6 ft. | B&B | 6.50 | 5.50 | 5.00 |
| 6 ft. heavy spec. | B&B | 10.00 | | |
| 7 ft. | B&B | 7.50 | 6.50 | 6.00 |
| 7 ft. heavy spec. | B&B | 12.50 | | |
| 8 ft. | B&B | 10.00 | 8.50 | 7.50 |
| 8 ft. heavy spec. | B&B | 15.00 | | |
| 9 ft. | B&B | 12.50 | 10.00 | 8.50 |
| 10 ft. | B&B | 15.00 | 12.50 | 10.00 |
| 10 ft. heavy spec. | B&B | 20.00 | | |
| For larger sizes to 18 ft., add \$5.00 per foot. | | | | |
| occidentalis aurea douglasi. | | | | |
| <i>Douglas Golden Arborvitae.</i> 15' | | | | |
| 3 ft. | B&B | 3.50 | 3.00 | 2.50 |
| 4 ft. | B&B | 4.50 | 4.00 | 3.50 |
| 5 ft. | B&B | 6.00 | 5.50 | 5.00 |
| 6 ft. | B&B | 7.50 | 6.50 | 6.00 |
| 7 ft. | B&B | 10.00 | 8.50 | 7.50 |
| 8 ft. | B&B | 12.50 | 10.00 | |
| 9 ft. | B&B | 15.00 | 12.50 | |
| 10 ft. | B&B | 18.00 | 15.00 | |
| For larger sizes to 16 ft., add \$5.00 per foot. | | | | |
| occidentalis columbia. <i>Silver-tipped Arborvitae.</i> 40' | | | | |
| 3 ft. | B&B | 3.50 | 3.00 | 2.50 |
| 4 ft. | B&B | 4.50 | 4.00 | 3.50 |
| 5 ft. | B&B | 6.00 | 5.00 | 4.00 |
| 6 ft. | B&B | 7.50 | 6.00 | |
| 7 ft. | B&B | 8.50 | 7.00 | |
| 8 ft. | B&B | 10.00 | 8.00 | |
| 9 ft. | B&B | 12.50 | 10.00 | |
| For larger sizes to 14 ft., add \$5.00 per foot. | | | | |

Thuja

| | | |
|------|------|---------|
| 1-4 | 5-24 | 25 & up |
| Each | Each | Each |

occidentalis compacta. Compact Arborvitae. 4'

| | | | | |
|-------------|-----|------|------|------|
| 15 in. | B&B | 1.75 | 1.50 | 1.25 |
| 18 in. | B&B | 2.00 | 1.75 | 1.60 |
| 24 in. | B&B | 2.50 | 2.00 | 1.85 |
| 30 in. | B&B | 3.00 | 2.50 | 2.25 |
| 36 in. | B&B | 4.00 | 3.00 | 2.75 |
| 42 in. | B&B | 5.00 | 4.50 | 4.00 |
| 48 in. | B&B | 7.50 | 6.50 | |

occidentalis compacta. Parsons Arborvitae. 10'

| | | | | |
|-------------|-----|-------|-------|------|
| 2½ ft. | B&B | 2.75 | 2.25 | 2.00 |
| 3 ft. | B&B | 4.00 | 3.00 | 2.50 |
| 3½ ft. | B&B | 4.50 | 3.50 | 3.00 |
| 4 ft. | B&B | 5.00 | 4.00 | 3.50 |
| 4½ ft. | B&B | 6.00 | 5.00 | |
| 5 ft. | B&B | 7.50 | 6.00 | |
| 5½ ft. | B&B | 8.50 | 7.50 | |
| 6 ft. | B&B | 10.00 | 8.00 | |
| 7 ft. | B&B | 12.50 | 10.00 | |
| 8 ft. | B&B | 15.00 | 12.50 | |
| 9 ft. | B&B | 18.00 | 15.00 | |

occidentalis elegantissima. 15'

| | | | | |
|-------------|-----|-------|-------|------|
| 2 ft. | B&B | 2.50 | 2.00 | 1.75 |
| 3 ft. | B&B | 3.00 | 2.75 | 2.50 |
| 4 ft. | B&B | 4.00 | 3.50 | 3.25 |
| 5 ft. | B&B | 5.00 | 4.50 | 4.00 |
| 6 ft. | B&B | 6.50 | 5.50 | 5.00 |
| 7 ft. | B&B | 9.00 | 7.50 | 6.00 |
| 8 ft. | B&B | 10.00 | 9.00 | 7.50 |
| 9 ft. | B&B | 12.50 | 10.00 | 9.00 |
| 10 ft. | B&B | 15.00 | 12.50 | |

For larger sizes to 15 ft., add \$5.00 per foot.

occidentalis ellwangeriana. Tom Thumb Arborvitae. 6'

| | | | | |
|-------------|-----|------|------|------|
| 2 ft. | B&B | 2.50 | 2.00 | 1.75 |
| 2½ ft. | B&B | 3.00 | 2.50 | 2.00 |
| 3 ft. | B&B | 3.50 | 3.00 | 2.50 |
| 3½ ft. | B&B | 4.50 | 4.00 | 3.50 |
| 4 ft. | B&B | 5.00 | 4.50 | 4.00 |
| 4½ ft. | B&B | 6.50 | 5.50 | 5.00 |
| 5 ft. | B&B | 9.00 | 7.50 | |

occidentalis ericoides. Heath Arborvitae. 5'

| | | | | |
|------------|-----|------|------|--|
| 3 ft. | B&B | 3.50 | 3.00 | |
|------------|-----|------|------|--|

Thuja

| | | |
|------|------|---------|
| 1-4 | 5-24 | 25 & up |
| Each | Each | Each |

occidentalis globosa. *Globe Arborvitae.* 3'

| | | | | |
|-------------|-----|------|------|------|
| 18 in. | B&B | 2.00 | 1.75 | 1.60 |
| 24 in. | B&B | 2.50 | 2.25 | 2.00 |
| 30 in. | B&B | 3.00 | 2.50 | 2.25 |
| 36 in. | B&B | 3.50 | 3.00 | 2.50 |
| 42 in. | B&B | 5.00 | 4.00 | |

occidentalis hoveyi. *Hovey Golden Arborvitae.* 8'

| | | | | |
|-------------|-----|-------|------|------|
| 18 in. | B&B | 2.00 | 1.75 | 1.60 |
| 2 ft. | B&B | 2.50 | 2.25 | 2.00 |
| 2½ ft. | B&B | 3.00 | 2.50 | 2.25 |
| 3 ft. | B&B | 3.50 | 3.00 | 2.50 |
| 3½ ft. | B&B | 4.00 | 3.50 | 3.00 |
| 4 ft. | B&B | 5.00 | 4.50 | 4.00 |
| 4½ ft. | B&B | 7.50 | 6.00 | 5.50 |
| 5 ft. | B&B | 8.50 | 7.50 | 7.00 |
| 5½ ft. | B&B | 10.00 | | |
| 6 ft. | B&B | 12.50 | | |
| 7 ft. | B&B | 15.00 | | |

occidentalis Little Gem. 2'

| | | | | |
|-------------|-----|------|------|--|
| 15 in. | B&B | 3.00 | 2.50 | |
| 18 in. | B&B | 4.00 | 3.50 | |

occidentalis lutea. *Geo. Peabody's Arborvitae.* 15'

| | | | | |
|-------------|-----|-------|-------|-------|
| 3 ft. | B&B | 3.50 | 3.00 | 2.50 |
| 4 ft. | B&B | 4.50 | 4.00 | 3.50 |
| 5 ft. | B&B | 5.50 | 5.00 | 4.50 |
| 6 ft. | B&B | 7.50 | 6.50 | 6.00 |
| 7 ft. | B&B | 10.00 | 8.00 | 7.00 |
| 8 ft. | B&B | 12.50 | 10.00 | 8.50 |
| 9 ft. | B&B | 15.00 | 12.50 | 10.00 |
| 10 ft. | B&B | 18.00 | 15.00 | |

For larger sizes to 16 ft., add \$5.00 per foot.

occidentalis pumila. *Green Globe Arborvitae.* 3'

| | | | | |
|--------------------|-----|-------|------|------|
| 18 in. spread | B&B | 2.25 | 2.00 | 1.75 |
| 24 in. spread | B&B | 3.00 | 2.50 | 2.25 |
| 30 in. spread | B&B | 3.50 | 3.00 | 2.75 |
| 36 in. spread | B&B | 5.00 | 4.00 | 3.50 |
| 42 in. spread | B&B | 7.50 | 6.00 | 5.00 |
| 48 in. spread | B&B | 10.00 | | |

LARGE SPECIMEN SHRUBS QUOTED ON REQUEST.

Thuja

| | | |
|-------------|--------------|-----------------|
| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|

occidentalis pyramidalis. *Pyramidal Arborvitae. 25'*

| | | | | |
|-------------|-----|-------|-------|-------|
| 2 ft. | B&B | 2.50 | 2.25 | 2.00 |
| 3 ft. | B&B | 3.25 | 2.75 | 2.50 |
| 4 ft. | B&B | 4.50 | 3.75 | 3.25 |
| 5 ft. | B&B | 6.00 | 5.00 | 4.50 |
| 6 ft. | B&B | 7.50 | 6.50 | 6.00 |
| 7 ft. | B&B | 10.00 | 8.50 | 7.50 |
| 8 ft. | B&B | 12.50 | 10.00 | 9.00 |
| 9 ft. | B&B | 15.00 | 12.50 | 10.00 |
| 10 ft. | B&B | 18.00 | 15.00 | 12.50 |

For larger sizes to 18 ft., add \$5.00 per foot.

occidentalis douglasi pyramidalis.*Douglas Pyramidal Arborvitae. 20'*

| | | | | |
|------------|-----|-------|------|------|
| 2 ft. | B&B | 3.00 | 2.50 | 2.00 |
| 3 ft. | B&B | 3.50 | 3.00 | 2.50 |
| 4 ft. | B&B | 4.50 | 4.00 | 3.50 |
| 5 ft. | B&B | 6.00 | 5.00 | 4.50 |
| 6 ft. | B&B | 7.50 | 6.50 | 6.00 |
| 7 ft. | B&B | 10.00 | 8.50 | |

For larger sizes to 13 ft., add \$5.00 per foot.

occidentalis recurva nana. 6'

| | | | | |
|-------------|-----|------|------|------|
| 18 in. | B&B | 2.50 | 2.25 | 2.00 |
| 2 ft. | B&B | 3.00 | 2.50 | 2.25 |
| 2½ ft. | B&B | 3.50 | 3.00 | 2.75 |
| 3 ft. | B&B | 4.50 | 4.00 | 3.50 |
| 3½ ft. | B&B | 6.00 | 5.00 | |
| 4 ft. | B&B | 7.50 | 6.50 | |

occidentalis reevesi. *Reeves Arborvitae. 10'*

| | | | | |
|-------------|-----|-------|-------|------|
| 2½ ft. | B&B | 3.00 | 2.50 | 2.00 |
| 3 ft. | B&B | 3.50 | 3.00 | 2.50 |
| 3½ ft. | B&B | 4.00 | 3.50 | 3.00 |
| 4 ft. | B&B | 5.00 | 4.50 | 4.00 |
| 4½ ft. | B&B | 6.50 | 5.50 | 5.00 |
| 5 ft. | B&B | 7.50 | 6.50 | 6.00 |
| 6 ft. | B&B | 10.00 | 8.50 | 7.50 |
| 7 ft. | B&B | 12.50 | 10.00 | |
| 8 ft. | B&B | 15.00 | | |

Thuja

| | | |
|-------------|--------------|-----------------|
| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|

occidentalis reidi. *Reid Arborvitae.* 8'

| | | | | |
|-------------|-----|-------|-------|------|
| 2 ft. | B&B | 3.00 | 2.50 | 2.25 |
| 2½ ft. | B&B | 3.50 | 3.00 | 2.75 |
| 3 ft. | B&B | 4.50 | 3.75 | 3.25 |
| 3½ ft. | B&B | 5.50 | 4.50 | |
| 4 ft. | B&B | 6.50 | 5.50 | |
| 4½ ft. | B&B | 7.50 | 6.50 | |
| 5 ft. | B&B | 10.00 | 7.50 | |
| 6 ft. | B&B | 12.50 | 10.00 | |

occidentalis riversi. *Rivers Arborvitae.* 12'

| | | | | |
|-------------|-----|-------|-------|------|
| 4 ft. | B&B | 4.00 | 3.50 | 3.00 |
| 5 ft. | B&B | 5.00 | 4.50 | 4.00 |
| 6 ft. | B&B | 6.50 | 5.50 | 5.00 |
| 7 ft. | B&B | 7.50 | 6.50 | 6.00 |
| 8 ft. | B&B | 10.00 | 8.00 | |
| 9 ft. | B&B | 12.50 | 10.00 | |
| 10 ft. | B&B | 15.00 | 12.50 | |

For larger sizes to 12 ft., add \$5.00 per foot.

occidentalis rosenthali. *Rosenthal Arborvitae.* 10'

| | | | | |
|------------|-----|-------|------|------|
| 2 ft. | B&B | 2.50 | 2.00 | 1.75 |
| 3 ft. | B&B | 3.50 | 3.00 | 2.75 |
| 4 ft. | B&B | 5.00 | 4.50 | 3.75 |
| 5 ft. | B&B | 6.50 | 5.50 | 5.00 |
| 6 ft. | B&B | 7.50 | 6.50 | |
| 7 ft. | B&B | 10.00 | 9.00 | |

occidentalis spiralis. *Spiral Arborvitae.* 25'

| | | | | |
|------------|-----|-------|-------|-------|
| 2 ft. | B&B | 2.50 | 2.25 | 2.00 |
| 3 ft. | B&B | 3.25 | 2.75 | 2.50 |
| 4 ft. | B&B | 4.50 | 3.75 | 3.25 |
| 5 ft. | B&B | 6.00 | 5.00 | 4.50 |
| 6 ft. | B&B | 7.50 | 6.50 | 6.00 |
| 7 ft. | B&B | 10.00 | 8.50 | 7.50 |
| 8 ft. | B&B | 12.50 | 10.00 | 9.00 |
| 9 ft. | B&B | 15.00 | 12.50 | 10.00 |

For larger sizes to 16 ft., add \$5.00 per foot.

occidentalis umbraculifera. *Dwarf Arborvitae.* 3'

| | | | | | |
|-------------|-----------|-----|------|------|------|
| 15 to 18 in | spd. | B&B | 1.75 | 1.60 | 1.50 |
| 18 to 24 in | spd. | B&B | 2.00 | 1.75 | 1.60 |
| 24 to 30 in | spd. | B&B | 2.75 | 2.25 | 2.00 |
| 2½ to 3 ft. | spd. | B&B | 3.50 | 2.75 | 2.25 |
| 3 to 3½ ft. | spd. | B&B | 4.00 | 3.50 | 3.00 |
| 3½ to 4 ft. | spd. | B&B | 5.50 | 4.50 | |
| 4 to 5 ft. | spd. | B&B | 7.50 | 6.50 | |

Thuja

| | | |
|------|------|---------|
| 1-4 | 5-24 | 25 & up |
| Each | Each | Each |

occidentalis vervaeneana. *Vervaeene Arborvitae.* 12'

| | | | | |
|--------|----------|-------|-------|-------|
| 3 ft. |B&B | 2.50 | 2.25 | 2.00 |
| 4 ft. |B&B | 3.50 | 3.00 | 2.75 |
| 5 ft. |B&B | 5.00 | 4.50 | 4.00 |
| 6 ft. |B&B | 7.50 | 6.50 | 5.50 |
| 7 ft. |B&B | 8.50 | 7.50 | 6.50 |
| 8 ft. |B&B | 10.00 | 9.00 | 8.00 |
| 9 ft. |B&B | 12.50 | 10.00 | 9.00 |
| 10 ft. |B&B | 15.00 | 12.50 | 10.00 |

For larger sizes to 16 ft., add \$5.00 per foot.

occidentalis wareana. *Ware or Siberian Arborvitae.* 15'

| | | | | |
|--------|----------|-------|-------|-------|
| 18 in. |B&B | 2.00 | 1.75 | 1.60 |
| 2 ft. |B&B | 2.50 | 2.00 | 1.85 |
| 2½ ft. |B&B | 3.00 | 2.50 | 2.25 |
| 3 ft. |B&B | 4.00 | 3.50 | 3.00 |
| 3½ ft. |B&B | 5.00 | 4.00 | 3.50 |
| 4 ft. |B&B | 6.00 | 5.00 | 4.50 |
| 4½ ft. |B&B | 7.50 | 6.00 | 5.50 |
| 5 ft. |B&B | 8.50 | 7.50 | 6.50 |
| 6 ft. |B&B | 10.00 | 9.00 | 8.00 |
| 7 ft. |B&B | 14.00 | 12.00 | 10.00 |
| 8 ft. |B&B | 18.50 | 15.00 | |

For larger sizes to 12 ft., add \$5.00 per foot.

occidentalis wareana lutescens.*Golden Ware Arborvitae.* 15'

| | | | | |
|--------|----------|------|--|--|
| 3½ ft. |B&B | 4.00 | | |
|--------|----------|------|--|--|

occidentalis woodwardi. *Woodward Arborvitae.* 6'

| | | | | |
|--------|----------|------|------|------|
| 18 in. |B&B | 2.50 | 2.00 | 1.75 |
| 24 in. |B&B | 3.00 | 2.50 | 2.00 |

orientalis. *Oriental Arborvitae.* 25'

| | | | | |
|--------|----------|-------|-------|------|
| 3 ft. |B&B | 3.50 | 3.00 | 2.50 |
| 4 ft. |B&B | 4.00 | 3.50 | 3.00 |
| 5 ft. |B&B | 5.00 | 4.50 | 4.00 |
| 6 ft. |B&B | 6.50 | 5.50 | |
| 7 ft. |B&B | 7.50 | 6.50 | |
| 8 ft. |B&B | 10.00 | 7.50 | |
| 9 ft. |B&B | 12.50 | 10.00 | |
| 10 ft. |B&B | 15.00 | 12.50 | |

For larger sizes to 15 ft., add \$5.00 per foot.

Thuja

| | | |
|------|------|---------|
| 1-4 | 5-24 | 25 & up |
| Each | Each | Each |

orientalis conspicua. *Goldspire Arborvitae.* 20'

| | | | |
|------------|-----|------|------|
| 2 ft. | B&B | 3.50 | 3.00 |
| 3 ft. | B&B | 4.00 | 3.50 |
| 4 ft. | B&B | 5.00 | |

orientalis elegantissima. *Rollinson's Golden Arborvitae.* 10'

| | | | | |
|------------|-----|-------|-------|------|
| 2 ft. | B&B | 3.50 | 3.00 | 2.50 |
| 3 ft. | B&B | 4.50 | 4.00 | 3.50 |
| 4 ft. | B&B | 5.50 | 5.00 | 4.50 |
| 5 ft. | B&B | 7.50 | 6.50 | 6.00 |
| 6 ft. | B&B | 10.00 | 8.00 | 7.50 |
| 7 ft. | B&B | 12.50 | 10.00 | |
| 8 ft. | B&B | 15.00 | 12.50 | |

orientalis nana aurea. *Berkmans Golden Arborvitae.* 3'

| | | | | |
|-------------|-----|------|------|------|
| 18 in. | B&B | 2.50 | 2.25 | 2.00 |
| 2 ft. | B&B | 3.50 | 3.00 | 2.50 |
| 2½ ft. | B&B | 4.00 | 3.50 | |
| 3 ft. | B&B | 5.00 | | |

orientalis sieboldi. *Siebold Arborvitae.* 3'

| | | |
|------------|-----|------|
| 2 ft. | B&B | 3.50 |
| 3 ft. | B&B | 4.00 |

plicata. *Giant Arborvitae.* 20'

| | | | |
|------------|-----|-------|-------|
| 3 ft. | B&B | 3.00 | 2.50 |
| 4 ft. | B&B | 4.00 | 3.50 |
| 5 ft. | B&B | 5.00 | 4.50 |
| 6 ft. | B&B | 6.00 | 5.50 |
| 7 ft. | B&B | 7.50 | 6.50 |
| 8 ft. | B&B | 10.00 | 8.50 |
| 9 ft. | B&B | 12.50 | 10.00 |

For larger sizes to 14 ft., add \$5.00 per foot.

standishi. *Standish Arborvitae.* 15'

| | | |
|-------------|-----|-------|
| 2 ft. | B&B | 2.50 |
| 3 ft. | B&B | 3.00 |
| 4 ft. | B&B | 4.00 |
| 5 ft. | B&B | 5.00 |
| 10 ft. | B&B | 18.00 |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-----------|-------------|--------------|-----------------|
| Tilia americana. <i>American Linden.</i> 75' | | | | |
| 6 | to 8 ft. | 1.50 | 1.25 | 1.00 |
| 8 | to 10 ft. | 1.75 | 1.50 | 1.25 |
| 1¼ | to 1½ in. | 2.50 | 2.00 | 1.75 |
| 1½ | to 1¾ in. | 3.00 | 2.50 | 2.25 |
| 1¾ | to 2 in. | 4.00 | 3.25 | 2.75 |
| 2 | to 2½ in. | 5.00 | 4.00 | 3.50 |
| 2½ | to 3 in. | 7.50 | 6.00 | 5.00 |
| 3 | to 3½ in. | 12.50 | 10.00 | 7.50 |
| 3½ | to 4 in. | 15.00 | 12.50 | |
| 4 | to 5 in. | 25.00 | | |
| 5 | to 6 in. | 35.00 | | |
| cordata. <i>Littleleaf European Linden.</i> 70' | | | | |
| 1¼ | to 1½ in. | 4.00 | 3.50 | 3.25 |
| 1½ | to 1¾ in. | 5.00 | 4.50 | 4.00 |
| 1¾ | to 2 in. | 6.00 | 5.50 | 5.00 |
| 2 | to 2½ in. | 10.00 | 7.50 | 6.00 |
| 2½ | to 3 in. | 12.50 | 10.00 | 7.50 |
| 3 | to 3½ in. | 17.50 | 15.00 | |
| 4 | to 4½ in. | 25.00 | | |
| euchlora. <i>Crimean Linden.</i> 75' | | | | |
| 6 | to 8 ft. | 3.50 | 3.00 | 2.50 |
| 8 | to 10 ft. | 4.00 | 3.50 | 3.00 |
| 1¼ | to 1½ in. | 5.00 | 4.50 | 4.00 |
| 1½ | to 1¾ in. | 6.50 | 5.50 | 5.00 |
| 1¾ | to 2 in. | 7.50 | 7.00 | 6.50 |
| 2 | to 2½ in. | 10.00 | 8.50 | 7.50 |
| 2½ | to 3 in. | 15.00 | 12.50 | |
| 3 | to 3½ in. | 20.00 | 18.00 | |
| henryana. 50' | | | | |
| 1¼ | to 1½ in. | 5.00 | | |
| heterophylla. <i>Beetree Linden.</i> 60' | | | | |
| 1½ | to 1¾ in. | 4.00 | 3.50 | |
| 1¾ | to 2 in. | 5.00 | 4.00 | |
| 2 | to 2½ in. | 6.50 | 5.00 | |
| 2½ | to 3 in. | 9.00 | 7.50 | |
| 3 | to 3½ in. | 12.50 | | |
| oliveri. 50' | | | | |
| 8 | to 10 ft. | 5.00 | | |

Tilia

| | | |
|------|------|---------|
| 1-4 | 5-24 | 25 & up |
| Each | Each | Each |

platyphyllos. *Bigleaf European Linden.* 75'

| | | | |
|-------------------|-------|-------|-------|
| 6 to 8 ft. | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft. | 2.50 | 2.25 | 2.00 |
| 1¼ to 1½ in. | 3.00 | 2.50 | 2.25 |
| 1½ to 1¾ in. | 3.50 | 3.00 | 2.75 |
| 1¾ to 2 in. | 4.50 | 4.00 | 3.50 |
| 2 to 2½ in. | 6.00 | 5.00 | 4.50 |
| 2½ to 3 in. | 10.00 | 7.50 | 6.50 |
| 3 to 3½ in. | 15.00 | 12.50 | 10.00 |
| 3½ to 4 in. | 17.50 | | |
| 4 to 5 in. | 25.00 | | |

platyphyllos pyramidalis. *Pyramidal Bigleaf Linden.* 50'

| | |
|-----------------|------|
| 6 to 8 ft. | 5.00 |
|-----------------|------|

tomentosa. *Silver Linden.* 40'

| | | | |
|-------------------|-------|-------|-------|
| 6 to 8 ft. | 3.50 | 3.00 | 2.50 |
| 1½ to 1¾ in. | 6.50 | 5.50 | 5.00 |
| 1¾ to 2 in. | 7.50 | 7.00 | 6.50 |
| 2 to 2½ in. | 10.00 | 8.50 | 8.00 |
| 2½ to 3 in. | 15.00 | 12.50 | 11.00 |
| 3 to 3½ in. | 20.00 | 18.00 | 15.00 |
| 3½ to 4 in. | 25.00 | | |
| 4 to 5 in. | 35.00 | | |

vulgaris. *Common European Linden.* 75'

| | | | |
|-------------------|-------|-------|------|
| 6 to 8 ft. | 2.25 | 2.00 | 1.75 |
| 8 to 10 ft. | 2.75 | 2.50 | 2.25 |
| 1¼ to 1½ in. | 3.75 | 3.50 | 3.25 |
| 1½ to 1¾ in. | 5.00 | 4.50 | 4.00 |
| 1¾ to 2 in. | 6.00 | 5.50 | 5.00 |
| 2 to 2½ in. | 8.50 | 7.00 | 6.00 |
| 2½ to 3 in. | 10.00 | 8.50 | 7.50 |
| 3 to 3½ in. | 15.00 | 12.50 | |
| 3½ to 4 in. | 17.50 | 15.00 | |
| 4 to 5 in. | 25.00 | | |

Tripterygium regeli. 5'

| | | | | |
|-----------------|-----|------|------|------|
| 2 to 3 ft. | B&B | 1.50 | 1.25 | 1.00 |
| 3 to 4 ft. | B&B | 1.75 | 1.50 | 1.25 |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-----|-------------|--------------|-----------------|
| Tsuga canadensis. <i>Canada Hemlock.</i> 75' | | | | |
| 2 ft. | B&B | 2.75 | 2.50 | 2.25 |
| 3 ft. | B&B | 4.00 | 3.50 | 3.25 |
| 4 ft. | B&B | 6.00 | 5.00 | 4.25 |
| 4 ft. ex. broad | B&B | 7.50 | | |
| 5 ft. | B&B | 7.50 | 6.50 | 5.50 |
| 5 ft. ex. broad | B&B | 10.00 | | |
| 6 ft. | B&B | 10.00 | 8.50 | 7.50 |
| 7 ft. | B&B | 12.50 | 10.00 | 9.00 |
| 8 ft. | B&B | 15.00 | 12.50 | 10.00 |
| 9 ft. | B&B | 20.00 | 15.00 | |

For larger sizes to 18 ft., add \$5.00 per foot.

| | | | | |
|--|-----|-------|------|--|
| caroliniana. <i>Carolina Hemlock.</i> 50' | | | | |
| 2 ft. | B&B | 5.00 | 4.00 | |
| 3 ft. | B&B | 6.50 | 5.00 | |
| 4 ft. | B&B | 10.00 | 9.00 | |
| 5 ft. | B&B | 12.50 | | |
| 6 ft. | B&B | 15.00 | | |

| | | | | |
|--|-----|-------|--|--|
| sieboldi. <i>Siebold Hemlock.</i> 35' | | | | |
| 8 ft. specimens | B&B | 60.00 | | |
| 9 ft. specimens | B&B | 75.00 | | |

| | | | | |
|--|--|------|------|--|
| Ulex europeaus. <i>Common Gorse.</i> 4' | | | | |
| 18 to 24 in., 4 in. pots | | 1.25 | 1.00 | |

| | | | | |
|--|--|-------|-------|------|
| Ulmus americana. <i>American Elm.</i> 80' | | | | |
| 8 to 10 ft. | | 1.50 | 1.25 | 1.00 |
| 1¼ to 1½ in. | | 1.75 | 1.50 | 1.25 |
| 1½ to 1¾ in. | | 2.00 | 1.75 | 1.50 |
| 1¾ to 2 in. | | 3.00 | 2.50 | 2.25 |
| 2 to 2½ in. | | 4.00 | 3.50 | 3.00 |
| 2½ to 3 in. | | 6.50 | 5.00 | 4.50 |
| 3 to 3½ in. | | 10.00 | 7.50 | 6.50 |
| 3½ to 4 in. | | 12.50 | 10.00 | 9.00 |
| 4 to 4½ in. | | 15.00 | 12.50 | |

| | | | | |
|---|--|-------|------|------|
| americana moline. <i>Moline Elm.</i> 80' | | | | |
| 6 to 8 ft. | | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft. | | 1.75 | 1.50 | 1.25 |
| 1¼ to 1½ in. | | 2.00 | 1.75 | 1.50 |
| 1½ to 1¾ in. | | 3.00 | 2.50 | 2.25 |
| 1¾ to 2 in. | | 3.50 | 3.00 | 2.75 |
| 2 to 2½ in. | | 5.00 | 4.00 | 3.75 |
| 2½ to 3 in. | | 7.50 | 6.00 | 5.00 |
| 3 to 3½ in. | | 10.00 | 7.50 | |

Ulmus

| | | |
|-------------|--------------|-----------------|
| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|

americana vase-shaped. 50'

| | | | |
|-------------------|-------|------|------|
| 6 to 8 ft. | 1.50 | 1.25 | 1.00 |
| 8 to 10 ft. | 1.75 | 1.50 | 1.25 |
| 1¼ to 1½ in. | 2.00 | 1.75 | 1.50 |
| 1½ to 1¾ in. | 3.00 | 2.50 | 2.25 |
| 1¾ to 2 in. | 3.50 | 3.00 | 2.75 |
| 2 to 2½ in. | 5.00 | 4.00 | 3.75 |
| 2½ to 3 in. | 7.50 | 6.00 | |
| 3 to 3½ in. | 10.00 | 7.50 | |

campestris. English Elm. 75'

| | | | |
|-------------------|-------|-------|--|
| 6 to 8 ft. | 2.00 | 1.75 | |
| 8 to 10 ft. | 2.50 | 2.25 | |
| 1¼ to 1½ in. | 3.00 | 2.75 | |
| 1½ to 1¾ in. | 4.00 | 3.50 | |
| 1¾ to 2 in. | 6.00 | 5.00 | |
| 2 to 2½ in. | 8.50 | 7.50 | |
| 2½ to 3 in. | 12.50 | 10.00 | |
| 3 to 3½ in. | 20.00 | 15.00 | |
| 3½ to 4 in. | 25.00 | 20.00 | |
| 4 to 5 in. | 35.00 | 30.00 | |
| 5 to 6 in. | 50.00 | 45.00 | |

campestris klemmeri. Klemmer Elm. 75'

| | | | |
|------------------|------|--|--|
| 8 to 10 ft. | 5.00 | | |
|------------------|------|--|--|

campestris latifolia. Belgian Elm. 75'

| | | | |
|-------------------|-------|--|--|
| 8 to 10 ft. | 3.00 | | |
| 1¼ to 1½ in. | 4.00 | | |
| 1½ to 1¾ in. | 5.00 | | |
| 1¾ to 2 in. | 7.50 | | |
| 2 to 2½ in. | 10.00 | | |
| 2½ to 3 in. | 12.50 | | |
| 3 to 3½ in. | 20.00 | | |

campestris monumentalis. Monument Elm. 75'

| | | | |
|-------------------|-------|-------|-------|
| 6 to 8 ft. | 4.00 | 3.50 | 3.00 |
| 8 to 10 ft. | 5.00 | 4.00 | 3.75 |
| 1¼ to 1½ in. | 6.00 | 5.00 | 4.50 |
| 1½ to 1¾ in. | 7.50 | 6.50 | 5.50 |
| 1¾ to 2 in. | 10.00 | 7.50 | 6.50 |
| 2 to 2½ in. | 15.00 | 12.50 | 10.00 |
| 2½ to 3 in. | 18.00 | 15.00 | 13.50 |
| 3 to 3½ in. | 25.00 | 20.00 | 18.00 |
| 3½ to 4 in. | 30.00 | 25.00 | |
| 4 to 4½ in. | 40.00 | | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-----------|-------------|--------------|-----------------|
| Ulmus | | | | |
| campestris purpurea. <i>Purpleleaf English Elm.</i> 70' | | | | |
| 8 | to 10 ft. | 3.00 | 2.50 | |
| 2½ | to 3 in. | 12.50 | 10.00 | |
| 3 | to 3½ in. | 20.00 | 18.00 | |
| campestris vegeta. <i>Huntingdon Elm.</i> 75' | | | | |
| 8 | to 10 ft. | 2.50 | 2.25 | 2.00 |
| 1¼ | to 1½ in. | 3.00 | 2.75 | 2.50 |
| 1½ | to 1¾ in. | 3.50 | 3.25 | 3.00 |
| 1¾ | to 2 in. | 5.00 | 4.50 | 4.00 |
| 2 | to 2½ in. | 8.50 | 7.50 | 6.00 |
| 2½ | to 3 in. | 12.00 | 10.00 | 8.00 |
| 3 | to 3½ in. | 15.00 | 12.50 | |
| 3½ | to 4 in. | 20.00 | 15.00 | |
| 4 | to 5 in. | 35.00 | | |
| 5 | to 6 in. | 50.00 | | |
| campestris wheatleyi. <i>Wheatley Elm.</i> 75' | | | | |
| 6 | to 8 ft. | 4.00 | 3.50 | 3.00 |
| 8 | to 10 ft. | 5.00 | 4.00 | 3.75 |
| 1¼ | to 1½ in. | 6.00 | 5.00 | 4.50 |
| 1½ | to 1¾ in. | 7.50 | 6.50 | 5.50 |
| 1¾ | to 2 in. | 10.00 | 7.50 | 6.50 |
| 2 | to 2½ in. | 15.00 | 12.50 | |
| 2½ | to 3 in. | 20.00 | 15.00 | |
| 3 | to 3½ in. | 25.00 | | |
| 3½ | to 4 in. | 30.00 | | |
| fulva. <i>Slippery Elm.</i> 65' | | | | |
| 1½ | to 1¾ in. | 3.50 | | |
| 1¾ | to 2 in. | 5.00 | | |
| 2 | to 2½ in. | 7.50 | | |
| 2½ | to 3 in. | 10.00 | | |
| glabra. <i>Scotch Elm.</i> 75' | | | | |
| 1¼ | to 1½ in. | 4.00 | 3.50 | |
| 1½ | to 1¾ in. | 5.00 | 4.50 | |
| 1¾ | to 2 in. | 7.50 | 6.00 | |
| 2 | to 2½ in. | 10.00 | 7.50 | |
| 2½ | to 3 in. | 12.50 | 10.00 | |
| 3 | to 3½ in. | 18.00 | 15.00 | |
| 3½ | to 4 in. | 25.00 | 20.00 | |
| glabra camperdown. <i>Camperdown Elm.</i> 20' | | | | |
| 6 ft. stem | | 4.00 | 3.50 | |
| glabra nana. <i>Globe Elm.</i> | | | | |
| 6 to 8 ft. standards | | 10.00 | | |

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------------|-------------|--------------|-----------------|
| Ulmus | | | | |
| japonica. <i>Japanese Elm.</i> 70' | | | | |
| 8 | to 10 ft. | 5.00 | | |
| 1½ | to 1¾ in. | 6.50 | | |
| 1¾ | to 2 in. | 7.50 | | |
| 2 | to 2½ in. | 10.00 | | |
| 2½ | to 3 in. | 12.50 | | |
| 3 | to 3½ in. | 15.00 | | |
| parvifolia. <i>Chinese Elm.</i> 30' | | | | |
| 6 | to 8 ft. | 2.50 | 2.00 | 1.50 |
| 8 | to 10 ft. | 3.00 | 2.75 | 2.50 |
| 10 | to 12 ft. | 4.00 | 3.75 | 3.50 |
| 12 | to 14 ft. | 6.00 | 5.00 | 4.50 |
| pumila. <i>Dwarf Asiatic Elm.</i> 75' | | | | |
| 6 | to 8 ft. | 2.00 | 1.75 | 1.50 |
| 8 | to 10 ft. | 2.50 | 2.25 | 2.00 |
| 10 | to 12 ft. | 3.00 | 2.75 | 2.50 |
| 1½ | to 1¾ in. | 3.50 | 3.00 | |
| 1¾ | to 2 in. | 4.00 | 3.50 | |
| 2 | to 2½ in. | 5.00 | 4.50 | |
| 3 | to 3½ in. | 7.50 | 6.00 | |
| 3½ | to 4 in. | 10.00 | 7.50 | |
| racemosa. <i>Rock Elm.</i> 80' | | | | |
| 3 | to 3½ in. | 25.00 | | |
| 3½ | to 4 in. | 30.00 | | |
| 4 | to 5 in. | 35.00 | | |
| Vaccinium corymbosum. <i>Highbush Blueberry.</i> 8' | | | | |
| 2 | to 3 ft.B&B | 2.50 | 2.25 | 2.00 |
| 3 | to 4 ft.B&B | 3.50 | 3.25 | 3.00 |
| 4 | to 5 ft.B&B | 5.00 | 4.50 | 4.00 |
| vacillans. <i>Dryland Blueberry.</i> 3' | | | | |
| 12 | to 15 in.B&B | 2.00 | 1.75 | |
| Viburnum acerifolium. <i>Mapleleaf Viburnum.</i> 5' | | | | |
| 18 | to 24 in. | .60 | .50 | .40 |
| 2 | to 3 ft. | .75 | .60 | .50 |
| 3 | to 4 ft. | .85 | .70 | .60 |
| 4 | to 5 ft. | 1.00 | .85 | .75 |
| 5 | to 6 ft. | 1.50 | 1.25 | 1.00 |
| americanum. <i>American Cranberrybush.</i> 10' | | | | |
| 2 | to 3 ft. | .50 | .45 | .40 |
| 3 | to 4 ft. | .60 | .55 | .50 |
| 4 | to 5 ft. | .75 | .65 | .60 |
| 5 | to 6 ft. | 1.00 | .85 | .75 |
| 6 | to 8 ft. | 1.25 | 1.00 | .90 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Viburnum | | | |
| betulifolium. <i>12'</i> | | | |
| 2 to 3 ft. | 2.50 | | |
| bitchuiense. <i>Yeddo Viburnum. 6'</i> | | | |
| 3 to 4 ft. B&B | 2.25 | 2.00 | |
| burejaeticum. <i>Manchurian Viburnum. 15'</i> | | | |
| 2 to 3 ft. | 2.50 | | |
| burkwoodi. <i>4'</i> | | | |
| 18 to 24 in. B&B | 3.00 | 2.50 | |
| carlesi. <i>Fragrant Viburnum. 4'</i> | | | |
| 18 to 24 in. B&B | 2.50 | 2.25 | 2.00 |
| 2 to 3 ft. B&B | 3.00 | 2.75 | 2.50 |
| 3 to 4 ft. B&B | 3.50 | 3.25 | 3.00 |
| 18 to 24 in., own roots B&B | 3.50 | 3.00 | |
| 2 to 3 ft., own roots B&B | 4.00 | 3.50 | |
| Standards | | | |
| 18 in. stem B&B | 3.00 | 2.50 | |
| 2 ft. stem B&B | 3.50 | 3.00 | |
| 3 ft. stem B&B | 4.00 | 3.50 | |
| cassinoides. <i>Withe Rod. 6'</i> | | | |
| 2 to 3 ft. | .60 | .50 | .45 |
| 3 to 4 ft. | .75 | .65 | .60 |
| 4 to 5 ft. | 1.00 | .80 | .75 |
| 5 to 6 ft. | 1.25 | 1.10 | 1.00 |
| 6 to 8 ft. | 2.00 | 1.50 | 1.25 |
| dentatum. <i>Arrow Wood. 12'</i> | | | |
| 2 to 3 ft. | .45 | .35 | .30 |
| 3 to 4 ft. | .55 | .45 | .40 |
| 4 to 5 ft. | .75 | .60 | .55 |
| 5 to 6 ft. | 1.00 | .85 | .75 |
| 6 to 8 ft. | 1.25 | 1.10 | 1.00 |
| dilatatum. <i>Linden Viburnum. 10'</i> | | | |
| 2 to 3 ft. | .65 | .55 | .50 |
| 3 to 4 ft. | 1.00 | .75 | .65 |
| 4 to 5 ft. | 1.25 | 1.00 | .75 |
| 5 to 6 ft. | 1.50 | 1.25 | 1.00 |
| 5 to 6 ft. spec. B&B | 7.50 | | |
| 6 to 8 ft. spec. B&B | 12.50 | | |
| dilatatum leucocarpum. <i>Yellow Fruited. 8'</i> | | | |
| 15 to 18 in. | 2.50 | | |
| hupehense. <i>Hupeh Viburnum. 6'</i> | | | |
| 2 to 3 ft. | 1.25 | 1.00 | |

Viburnum

| | | |
|-------------|--------------|-----------------|
| 1-4 Each | 5-24 Each | 25 & up Each |
|-------------|--------------|-----------------|

lantana. *Wayfaring Tree.* 15'

| | | | |
|-----------------|------|------|-----|
| 2 to 3 ft. | .45 | .35 | .30 |
| 3 to 4 ft. | .55 | .45 | .40 |
| 4 to 5 ft. | .75 | .60 | .55 |
| 5 to 6 ft. | 1.00 | .80 | .70 |
| 6 to 8 ft. | 1.25 | 1.00 | .90 |

lantana rugosum. *Wrinkleleaf Wayfaring-tree.* 15'

| | | | |
|-----------------|------|------|------|
| 3 to 4 ft. | .75 | .60 | .50 |
| 4 to 5 ft. | 1.00 | .75 | .60 |
| 5 to 6 ft. | 1.25 | 1.00 | .75 |
| 6 to 8 ft. | 1.50 | 1.25 | 1.00 |

lentago. *Nannyberry.* 20'

| | | | |
|-------------------------|-----------|------|------|
| 3 to 4 ft. | .75 | .65 | .60 |
| 4 to 5 ft. | .90 | .80 | .75 |
| 5 to 6 ft. | 1.25 | 1.10 | 1.00 |
| 6 to 8 ft. | 2.00 | 1.75 | 1.50 |
| 8 to 10 ft. | 2.50 | 2.25 | 2.00 |
| 10 to 12 ft. spec. | B&B 15.00 | | |

molle. *Kentucky Viburnum.* 10'

| | | | |
|-----------------|------|------|------|
| 2 to 3 ft. | .45 | .35 | .30 |
| 3 to 4 ft. | .60 | .45 | .40 |
| 4 to 5 ft. | .75 | .65 | .50 |
| 5 to 6 ft. | 1.00 | .80 | .75 |
| 6 to 8 ft. | 1.25 | 1.10 | 1.00 |

nudum. *Smooth Withe Rod.* 8'

| | | | |
|-----------------------|----------|------|------|
| 2 to 3 ft. | .75 | .60 | .50 |
| 3 to 4 ft. | 1.00 | .75 | .60 |
| 4 to 5 ft. | 1.25 | 1.00 | .75 |
| 5 to 6 ft. | 1.75 | 1.50 | 1.25 |
| 6 to 8 ft. spec. | B&B 7.50 | | |

opulus. *High Bush Cranberry.* 10'

| | | | |
|------------------|------|------|------|
| 2 to 3 ft. | .50 | .45 | .40 |
| 3 to 4 ft. | .60 | .55 | .50 |
| 4 to 5 ft. | .75 | .65 | .60 |
| 5 to 6 ft. | 1.00 | .85 | .75 |
| 6 to 8 ft. | 1.25 | 1.10 | 1.00 |
| 8 to 10 ft. | 1.75 | 1.65 | 1.50 |

opulus nanum. *Dwarf Cranberry Bush.* 2'

| | | | |
|-------------------|------|-----|-----|
| 10 to 12 in. | .65 | .60 | .55 |
| 12 to 15 in. | .75 | .70 | .65 |
| 15 to 18 in. | 1.00 | .80 | .75 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Viburnum | | | |
| opulus sterile. <i>Common Snowball.</i> 10' | | | |
| 2 to 3 ft. | .50 | .45 | .40 |
| 3 to 4 ft. | .65 | .50 | |
| 4 to 5 ft. | .75 | .60 | |
| 5 to 6 ft. | 1.00 | .75 | |
| opulus xanthocarpum. <i>Yellowfruit Cranberrybush.</i> 10' | | | |
| 2 to 3 ft. | 2.50 | | |
| 3 to 4 ft. | 3.50 | | |
| ovatifolium. <i>Eggleaf Viburnum.</i> 10' | | | |
| 3 to 4 ft. | 1.50 | 1.25 | |
| prunifolium. <i>Blackhaw.</i> 12' | | | |
| 2 to 3 ft. | 1.00 | .85 | .75 |
| 3 to 4 ft. | 1.25 | 1.10 | 1.00 |
| 4 to 5 ft. | 1.50 | 1.35 | 1.25 |
| 5 to 6 ft. | 2.50 | 2.00 | 1.75 |
| 6 to 8 ft. | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft. | 5.00 | 4.50 | 4.00 |
| pubescens. <i>Downy Viburnum.</i> 6' | | | |
| 2 to 3 ft. | .75 | .60 | .50 |
| 3 to 4 ft. | 1.00 | .75 | .60 |
| 4 to 5 ft. | 1.25 | 1.00 | .75 |
| 5 to 6 ft. | 1.50 | 1.25 | |
| rhytidophyllum. <i>Leatherleaf Viburnum.</i> 8' | | | |
| 18 to 24 in. B&B | 1.50 | 1.25 | 1.00 |
| 2 to 3 ft. B&B | 2.00 | 1.75 | 1.50 |
| 3 to 4 ft. B&B | 3.00 | 2.50 | 2.00 |
| 4 to 5 ft. B&B | 4.50 | 4.00 | 3.50 |
| 5 to 6 ft. B&B | 6.00 | 5.00 | 4.50 |
| rufidulum. <i>Southern Blackhaw.</i> 10' | | | |
| 2 to 3 ft. | 1.00 | .85 | .75 |
| 3 to 4 ft. | 1.25 | 1.10 | 1.00 |
| 4 to 5 ft. | 1.50 | 1.35 | 1.25 |
| 5 to 6 ft. | 2.50 | 2.00 | 1.75 |
| 6 to 8 ft. | 4.00 | 3.50 | 3.00 |
| 8 to 10 ft. | 5.00 | 4.50 | 4.00 |
| sargentii. <i>Sargent Cranberrybush.</i> 10' | | | |
| 2 to 3 ft. | .60 | .50 | |
| 3 to 4 ft. | .75 | .60 | |
| 4 to 5 ft. | 1.00 | .75 | |
| 5 to 6 ft. | 1.50 | 1.25 | |
| 6 to 8 ft. | 1.75 | 1.50 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Viburnum | | | |
| sieboldi. <i>Siebold Viburnum.</i> 10' | | | |
| 3 to 4 ft. | .75 | .60 | .50 |
| 4 to 5 ft. | 1.00 | .75 | .60 |
| 5 to 6 ft. | 1.50 | 1.00 | .75 |
| 6 to 8 ft. | 2.50 | 1.50 | 1.25 |
| 8 to 10 ft. | 3.50 | 3.00 | 2.50 |
| theiferum. <i>Tea Viburnum.</i> 12' | | | |
| 2 to 3 ft. | 1.25 | 1.00 | |
| tomentosum. <i>Doublefile Viburnum.</i> 8' | | | |
| 2 to 3 ft. | .50 | .40 | .35 |
| 3 to 4 ft. | .60 | .50 | .45 |
| 4 to 5 ft. | .75 | .65 | .60 |
| 5 to 6 ft. | 1.00 | .80 | .75 |
| 6 to 8 ft. | 1.50 | 1.25 | 1.00 |
| tomentosum plicatum. <i>Japanese Snowball.</i> 8' | | | |
| 2 to 3 ft. | .65 | .55 | .50 |
| 3 to 4 ft. | 1.00 | .75 | .60 |
| 4 to 5 ft. | 1.50 | 1.25 | |
| veitchi. <i>Veitch Viburnum.</i> 6' | | | |
| 3 to 4 ft. | 1.50 | 1.25 | |
| 4 to 5 ft. | 1.75 | 1.50 | |
| 5 to 6 ft. | 2.00 | 1.75 | |
| venosum canbyi. <i>Canby Viburnum.</i> 8' | | | |
| 3 to 4 ft. | .65 | .55 | .50 |
| 4 to 5 ft. | .75 | .65 | .60 |
| 5 to 6 ft. | 1.00 | .80 | .75 |
| 6 to 8 ft. | 1.50 | 1.25 | 1.00 |
| wrighti. <i>Wright Viburnum.</i> 8' | | | |
| 2 to 3 ft. | 1.25 | 1.00 | .75 |
| 3 to 4 ft. | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft. | 2.00 | 1.50 | 1.25 |
| 5 to 6 ft. | 2.25 | 1.75 | 1.50 |
| Vinca minor. (<i>See Herbaceous Material</i>) | | | |
| Vitex agnus castus. <i>Chaste-tree.</i> 4' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .35 |
| 4 to 5 ft. | .65 | .55 | .50 |
| agnus castus alba. <i>White Chaste-tree.</i> 4' | | | |
| 2 to 3 ft. | .55 | .45 | .35 |
| 3 to 4 ft. | .65 | .50 | |
| macrophylla. <i>Hemp-tree.</i> 4' | | | |
| 2 to 3 ft. | .60 | .45 | .35 |
| 3 to 4 ft. | .75 | .60 | |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Vitex negundo incisa. <i>Cutleaf Chaste-tree.</i> 4' | | | |
| 3 to 4 ft. | 1.00 | .75 | |
| Vitis aestivalis. <i>Summer Grape.</i> 40' | | | |
| 2 year | .45 | .35 | .30 |
| 3 year | .55 | .45 | .40 |
| amurensis. <i>Amur Grape.</i> 40' | | | |
| 3 year | .75 | .60 | |
| coignetiae. <i>Gloryvine.</i> 40' | | | |
| 3 year | .75 | .60 | .50 |
| 4 year | 1.00 | .90 | |
| cordifolia. <i>Frost or Winter Grape.</i> 40' | | | |
| 2 year | .45 | .35 | .30 |
| 3 year | .55 | .45 | .40 |
| labrusca. <i>Fox Grape.</i> 40' | | | |
| 2 year | .45 | .35 | .30 |
| 3 year | .55 | .45 | .40 |
| rotundifolia. <i>Muscadine Grape.</i> 40' | | | |
| 3 year | .60 | .50 | .40 |
| 4 year | .75 | .60 | .50 |
| vulpina. <i>Riverbank Grape.</i> 40' | | | |
| 2 year | .45 | .35 | .30 |
| 3 year | .55 | .45 | .40 |
| 4 year | .75 | .60 | .50 |
| Weigela Abel Carriere. 10' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| amabilis. <i>Rose Weigela.</i> 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| candida. <i>Snow Weigela.</i> 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .40 | .35 |
| 4 to 5 ft. | .65 | .55 | .50 |
| desboisi. <i>Desbois Weigela.</i> 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| Eva Rathke. 5' | | | |
| 2 to 3 ft. | .45 | .35 | .30 |
| 3 to 4 ft. | .60 | .45 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|--|-------------|--------------|-----------------|
| Weigela | | | |
| floribunda. <i>Crimson Weigela.</i> 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .50 | .45 | .35 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .60 |
| groenewegeni. <i>Greenway Weigela.</i> 8' | | | |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| Gustav Mallot. 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| hortensis rubra. 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| japonica. <i>Japanese Weigela.</i> 8' | | | |
| 3 to 4 ft. | .50 | .40 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| rosea. <i>Pink Weigela.</i> 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |
| rosea nana variegata. <i>Dwarf Variegated Weigela.</i> 5' | | | |
| 2 to 3 ft. | .45 | .35 | .30 |
| 3 to 4 ft. | .60 | .50 | .40 |
| sieboldi argenteomarginata. <i>Variegated Weigela.</i> 8' | | | |
| 3 to 4 ft. | .65 | .50 | |
| 4 to 5 ft. | .75 | .60 | |
| styriaca. 8' | | | |
| 3 to 4 ft. | .60 | .50 | |
| 4 to 5 ft. | .75 | .60 | |
| Vanhoutte. <i>Van Houtte Weigela.</i> 8' | | | |
| 2 to 3 ft. | .40 | .30 | .25 |
| 3 to 4 ft. | .45 | .35 | .30 |
| 4 to 5 ft. | .60 | .50 | .40 |
| 5 to 6 ft. | .75 | .60 | .50 |

| | 1-4 Each | 5-24 Each | 25 & up Each |
|---|-------------|--------------|-----------------|
| Wistaria frutescens. <i>American Wistaria.</i> 30' | | | |
| 2 year | .50 | .40 | .30 |
| frutescens magnifica. <i>Yelloweye Wistaria.</i> 25' | | | |
| 2 year | .50 | .35 | .30 |
| 3 year | .60 | .45 | .40 |
| multijuga. <i>Japanese Wistaria.</i> 30' | | | |
| 2 year | .50 | .40 | .35 |
| 3 year | .60 | .50 | .45 |
| 4 year | .75 | .65 | .55 |
| sinensis. <i>Chinese Purple Wistaria</i> 40' | | | |
| 2 year | .45 | .35 | .30 |
| 3 year | .60 | .45 | .40 |
| 2 year grafted flower- ing plants | 1.25 | 1.00 | |
| Standards. 4 ft. stem, 30 in. head | B&B 6.00 | | |
| sinensis alba. <i>Chinese White Wistaria.</i> 40' | | | |
| 2 year | .45 | .35 | .30 |
| 3 year | .60 | .45 | .40 |
| 4 year | 1.00 | .75 | |
| 2 year grafted flower- ing plants | 1.25 | 1.00 | |
| Standards. 4 ft. stem, 30 in. head | B&B 7.50 | | |
| venusta. <i>Silky Wistaria.</i> 30' | | | |
| 3 year | .60 | .50 | |
| 4 year | .75 | | |
| Zanthorhiza apiifolia. <i>Yellowroot.</i> 3' | | | |
| 12 to 15 in. clumps | .45 | .35 | .25 |
| 15 to 18 in. clumps | .60 | .45 | .35 |
| 18 to 24 in. clumps | 1.00 | .75 | .60 |
| Zanthoxylum americanum. <i>Prickly Ash.</i> 15' | | | |
| 3 to 4 ft. | .60 | .50 | .40 |
| 4 to 5 ft. | .75 | .60 | .50 |
| 5 to 6 ft. | 1.00 | .75 | .60 |
| 6 to 8 ft. | 1.25 | 1.00 | .75 |
| Zelkova serrata. <i>Sawleaf Zelkova.</i> 50' | | | |
| 2 to 3 ft. | 1.25 | 1.00 | .75 |
| 3 to 4 ft. | 1.50 | 1.25 | 1.00 |
| 4 to 5 ft. | 2.00 | 1.75 | 1.50 |
| 5 to 6 ft. | 2.50 | 2.25 | 2.00 |
| 6 to 8 ft. | 3.50 | 3.00 | 2.50 |
| 8 to 10 ft. | 5.00 | 4.00 | |

Herbaceous & Alpine Material

All kinds marked with an asterisk (*) are adapted for the rock garden.

We are prepared to deliver from pots such kinds as are difficult to transplant or whose dormant period in the spring is brief. An extra charge of three cents per plant will be made for those so grown.

| | 5-24 each | 25 & up each |
|--|--------------|-----------------|
| * Acaena buehanani. Bluish gray, Aug., 1" | \$.20 | \$.18 |
| * sanguisorbae. Bright green foliage, 2" | .20 | .18 |
| Acanthus mollis. Purple rose, July, 4' | .20 | |
| mollis latifolius. Rose, July, 2-3' | .20 | |
| * Achillea ageratifolia aizoon. White, May, June, 8" | .20 | .18 |
| clavennae. White, July, 1' | .20 | .18 |
| filipendulina. Yellow, June, July, 3' | .15 | .12 |
| * millefolium Cerise Queen. Rose, July, 2' .. | .15 | .12 |
| * nana. White, June, July, 6" | .18 | .15 |
| * nitida. White, June, July, 1' | .20 | .18 |
| * ptarmica The Pearl. White, July, 2' | .15 | .12 |
| * ptarmica Boule de Neige. White, June, July, 2' | .15 | .12 |
| * ptarmica Perry White. June, July, 2' | .15 | .12 |
| * tomentosa. Yellow, June, 1' | .15 | .12 |
| Aconitum autumnale. Blue, July, August, 4' ... | .30 | .25 |
| fischeri. Blue, September, 3' | .25 | .20 |
| fischeri wilsoni. Violet blue, Sept., 5' | .40 | .35 |
| napellus. Light blue, July, Aug., 4' | .30 | .25 |
| napellus Spark's. Violet blue, July, Aug., 5' | .30 | .25 |
| * Actinea herbacea. Yellow, May, 6" | .25 | |
| Actaea alba. White, May, June, 3-4' | .15 | .12 |
| rubra. Red, May, June, 3-4' | .15 | .12 |
| Adenophora chinensis. Blue, Fall, 3' | .25 | |
| potanini. Light blue, July, Aug., 3' | .25 | |
| Adiantum pedatum. Maiden Hair Fern | .15 | .12 |
| * Aegopodium podagraria variegatum. Variegat- ed foliage, 1' | .18 | .15 |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25 & up each |
|--|--------------|-----------------|
| *Aethionema cordifolium. Rosy lilac, June, 6" .. | .20 | .18 |
| grandiflorum. Pink, June, 12" | .20 | .18 |
| *kotschyi. Rose, July, 4" | .20 | .18 |
| *persicum. Pink, June, July, 9" | .20 | .18 |
| *pulchellum. Pink, June, 8" | .20 | .18 |
| *schistosum. Rose, June, 4" | .20 | .18 |
| *Ajuga brockbanki. Purple, June, 6" | .18 | .15 |
| *genevensis. Bright blue, May, 6" | .18 | .15 |
| *reptans. Blue, May, 6" | .15 | .12 |
| *reptans alba. White, May, 6" | .20 | |
| Allium carinatum. Rose, June, July, 2' | .18 | .15 |
| *karataviense. White, June, July, 8" | .25 | .20 |
| narcissiflorum. Rose, June, July, 1' | .25 | .20 |
| schoenoprasum. Rose purple, June, July, 2' | .25 | .20 |
| stellatum. Rose, June, July, 18" | .20 | .18 |
| *thibetica. Lilac mauve, June, July, 8" | .18 | .15 |
| Althea rosea. Hollyhock. | | |
| Double. Separate colors, July, Aug., 5' ... | .15 | .12 |
| Double. Chaters' strain, separate colors .. | .15 | .12 |
| Fringed Allegheny. July, August, 5' | .15 | .12 |
| Single. Mixed colors, July, Aug., 5' | .15 | .12 |
| Single. Separate colors, July, Aug., 5' | .15 | .12 |
| *Alyssum argenteum. Yellow, July, Aug., 6" .. | .15 | .12 |
| *amanum. Yellow, May, June, 4" | .25 | |
| *creticum. Yellow, June, July, 1' | .18 | .15 |
| *moellendorffianum. Yellow, June, July, 6" .. | .25 | .20 |
| *montanum. Yellow, June, July, 8" | .25 | .20 |
| *rostratum. Yellow, June, July, 12" | .15 | .12 |
| *saxatile compactum. Yellow, May, 1' | .15 | .12 |
| *saxatile sulphureum. Yellow, May, 1' | .25 | .20 |
| *serpyllifolium. Yellow, June, July, 4" | .18 | .15 |
| *spinosum. Pink and white, June, 3" | .30 | .25 |
| Amsonia tabernaemontana. Blue, May, June, 3' | .18 | .15 |
| Anchusa barrelieri. Blue, May, 2' | .25 | |
| capensis. Blue, summer, 18" | .18 | .15 |
| italica Dropmorei. Blue, June, 4-5' | .15 | .12 |
| myosotidiflora. Bright blue, May, 1' | .20 | .18 |
| *Androsace lanuginosa. Rose, June, 8" | .35 | |
| *lanuginosa leichtlini. Rose, June, 8" | .40 | |
| *sarmentosa. Rose, June, 6" | .40 | |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25 & up each |
|---|--------------|-----------------|
| * Anemone baldensis. White and pink, July, 1' .. | .25 | |
| * hupehensis. Mauve, Aug., Sept., 1' | .20 | .18 |
| * japonica alba. White, fall, 3' | .18 | .15 |
| japonica Alice. Rose pink, fall, 3' | .20 | .18 |
| japonica Louise Uhink. White, fall, 3' | .20 | |
| japonica Marie Manchard. White, fall, 3' .. | .30 | |
| japonica Prince Heinrich. Deep pink, fall, 3' | .20 | .18 |
| japonica Queen Charlotte. Rose, fall, 3' ... | .20 | .18 |
| japonica Richard Ahrends. Shell pink, fall, 2' | .20 | .18 |
| japonica rubra. Red, fall, 2' | .25 | .20 |
| japonica September Charm. Silvery pink, fall, 2' | .25 | |
| japonica September Sprite. Pink, fall, 2' .. | .25 | .20 |
| * japonica Whirlwind. Pure white, fall, 3' .. | .20 | .18 |
| * magellanica. Creamy yellow, spring, 1' | .30 | |
| * pennsylvanica. White, July, 1½' | .15 | |
| * pulsatilla. Blue, April, 15" | .18 | .15 |
| * pulsatilla alba. White, April, 1' | .30 | .25 |
| * pulsatilla rubra. Dark red, April, 12" | .30 | .25 |
| * sylvestris. White, May, June, 1' | .20 | .18 |
| * vernalis. White, April, 6" | .30 | |
| * Antennaria dioica. White, May, 6" | .15 | .12 |
| * Anthemis cinerea. White, Aug. 1' | .20 | .18 |
| * montana. White, July, 10" | .20 | .18 |
| Moonlight. Pale yellow, summer, 2' | .35 | |
| nobilis. White, summer, 1' | .15 | .12 |
| tinctoria. Yellow, July, Aug., 3' | .15 | .12 |
| tinctoria E. C. Buxton. White, yellow eye, July, Aug., 3' | .15 | .12 |
| tinctoria kelwayi. Yellow, July, Aug., 3' .. | .15 | .12 |
| tinctoria kelwayi. White, July, 3' | .18 | .15 |
| Anthericum liliago. White, May, June, 3' | .30 | |
| Anthyllis vulneraria dillenii. Red, summer, 1' .. | .25 | |
| Antirrhinum cranifolium. Blue, July, Aug., 15" .. | .25 | .20 |
| * Aquilegia alpina. Blue, May, June, 1' | .18 | .15 |
| * caerulea. Blue, May, June, 1½' | .20 | .18 |
| caerulea hybrida. Various, June, 2' | .15 | .12 |
| * canadensis. Scarlet, May, June, 2' | .15 | .12 |
| * chrysantha. Yellow, June, July, 3' | .18 | .15 |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25 Group each |
|--|--------------|---------------------|
| Aquilegia | | |
| chrysantha alba. White, June, July, 3' | .18 | .15 |
| Crimson Star. Crimson, May, June, 2' | .25 | .20 |
| * flabellata nana-alba .White, June, 10" | .18 | .15 |
| * hybrida. Mrs. Scott Elliott. Various, June, 2' | .18 | .15 |
| longissima. Yellow, June, 2' | .40 | .35 |
| * pyrenaica. Deep blue, June, July, 1' | .25 | .20 |
| rosea. Long spurred pink, June, 2' | .18 | .15 |
| * siberica fl. pl. Blue and white, June, 18" .. | .25 | .20 |
| skinneri. Red and yellow, May, 2' | .18 | .15 |
| vulgaris. Purple, May, June, 2' | .15 | .12 |
| vulgaris nivea. White, May, 2' | .18 | .15 |
| * Arabis albida. White, May, 6" | .18 | .15 |
| * alpina. White, April, May, 6" | .15 | .12 |
| * alpina fl. pl. Dbl. White, April, May, 6" .. | .25 | .20 |
| * alpina Rosabella. Pink, April, May, 6" | .35 | |
| * alpina rosea. Pink, April, May, 6" | .20 | .18 |
| * aubretioides. Pink, May, 8" | .30 | .25 |
| * cebennensis. White, May, 10" | .20 | .18 |
| * cockilis. White, April, May, 6" | .25 | .20 |
| * holboelli. Lilac, May, 8" | .20 | .18 |
| * muralis. Rose, May, 10" | .25 | .20 |
| * procurrens. White, May, 1' | .25 | .20 |
| * Arenaria balearica. White, July, Aug., 3" | .20 | .18 |
| * grandiflora. White, May, 4" | .18 | .15 |
| * montana. White, June, 4" | .18 | .15 |
| * purpurascens. Purple rose, July, 4" | .25 | .20 |
| * verna. White, June, July, 3" | .20 | .18 |
| Arisaema triphyllum. Purple, May, 1' | .15 | .12 |
| * Armeria alpina. Pink, summer, 6" | .18 | |
| * caespitosa. Pale pink, May, 2" | .30 | .25 |
| * cephalotes rubra. Deep pink, May, June, 6" .. | .18 | .15 |
| * lauchiana. Crimson, May, June, 8" | .15 | .12 |
| * maritima. Pink, May, June, 6" | .15 | .12 |
| * maritima alba. White, May, June, 6" | .15 | .12 |
| * robusta. Crimson, May, June, 10" | .15 | .12 |
| Artemisia abrotanum. Fragrant foliage, 5' | .15 | .12 |
| absinthium. Wormwood, 4' | .15 | .12 |
| cana. Gray foliage, 30" | .35 | |
| dracunculus. White, August, 2' | .20 | .18 |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25&up each |
|--|--------------|---------------|
| Artemisia | | |
| frigida. Silver foliage, 18" | .20 | .18 |
| lactiflora. White, Aug., 4' | .18 | .15 |
| pontica. Gray foliage, 12" | .15 | .12 |
| purshiana. Gray foliage, 3' | .15 | .12 |
| Silver King. White foliage, 3' | .15 | .12 |
| stelleriana. White, summer, 2' | .15 | .12 |
| Arundo-donax. Giant Reed, 12' | .30 | .25 |
| * Asarum canadense. Chocolate, May, 6" | .15 | .12 |
| Asclepias incarnata. Red, August, 4' | .15 | .12 |
| tuberosa. Orange, July, August, 2' | .15 | .12 |
| * Asperula cynanchica. Pink, summer, 10" | .20 | |
| hexaphylla. White, June, 1' | .18 | .15 |
| *hirta. Pink, July, Aug., 6" | .20 | |
| *longifolia. White, summer, 8" | .25 | |
| *odorata. White, May, 8" | .20 | .18 |
| *scutellaria. White, June, July, 6" | .25 | |
| Asphodeline lutea . Yellow, July, 3' | .20 | .18 |
| * Asplenium felix faemina. Lady Fern | .15 | .12 |
| * Aster alpinus. Blue, June, July, 8" | .15 | .12 |
| *alpinus albus. White, June, July, 8" | .18 | .15 |
| *alpinus Goliath. Bluish purple, May, June, 8" | .30 | |
| *alpinus ruber. Rosy purple, July, 8" | .25 | |
| amelloides. Purple, July, 18" | .20 | |
| amellus elegans. Purple, Aug., 18" | .20 | .18 |
| amellus Rud. Goethe. Lavender blue, fall, 2' | .25 | .20 |
| Abendrothe. Rose pink, Oct., 3' | .18 | .15 |
| Acme. Light lavender, Oct., 5' | .30 | |
| Anita Ballard. Soft lavender, fall, 4' | .18 | .15 |
| Ballard's Crimson. Fall, 3' | .20 | .18 |
| Beauty of Colwall. Fine blue, Sept., 3' | .15 | .12 |
| Beechwood Challenger. Crimson, fall, 18" | .30 | .25 |
| Blanchette. Mauve blush, fall, 4' | .15 | .12 |
| Blue Gem. Blue, Sept., 3' | .25 | .20 |
| Climax. Blue, Sept., Oct., 3' | .15 | .12 |
| diplostephioides. Blue, July, 2' | .18 | .15 |
| dracunculoides. Light blue, July, 2' | .25 | .20 |
| frikarti Wonder of Staefa. Lavender, fall, 2' | .45 | |
| Harrington's Pink. Fall, 3' | .30 | |
| himalaicus. Lilac, Aug., 18" | .30 | .25 |

For less than five, add five cents per plant to the 5-24 rate.

5-24
each
 25
each
Aster

| | | |
|--|-----|-----|
| hyb. luteus. Yellow, Sept., 3' | .30 | .25 |
| laevis. Lavender, Sept., 4' | .15 | .12 |
| Mad. Emil Thoury. Violet, Sept., 5' | .15 | .12 |
| Mad. Soyeuse. Light blue, Sept., Oct., 3' | .15 | .12 |
| Mauve Cushion. Mauve, Oct., 12" | .15 | .12 |
| Mauve Queen. Mauve, Sept., 3' | .18 | .15 |
| Mrs. Raynor. Crimson, Sept., 3' | .18 | .15 |
| Mt .Everest. White, fall, 3' | .20 | .18 |
| novae-angliae. Purple, Sept., Oct., 4' | .15 | .12 |
| novae-angliae roseus. Rose, Sept., 4' | .18 | .15 |
| Queen Mary. Blue, Sept., 3' | .20 | .18 |
| Red Rover. Red, fall, 3' | .20 | |
| Robt. Parker. Lavender, Sept., Oct., 5' | .15 | .12 |
| Rue des Hatives. Rose mauve, fall, 3' | .15 | .12 |
| Skylands Queen. Light blue, fall, 3' | .20 | |
| Snow Queen. White, Sept., Oct., 4' | .15 | .12 |
| St. Egwyn. Soft pink, Sept., Oct., 3' | .15 | .12 |
| Sunset. Pink, Sept., 3' | .30 | .25 |
| tartaricus. Purple, Oct. and Nov., 6' | .15 | .12 |
| Wartberg Star. Lilac blue, spring, 1' | .35 | |
| White Climax. White, fall, 4' | .15 | .12 |

dwarf varieties.

| | | |
|---|-----|-----|
| Countess of Dudley. Clear pink, Sept., 9" | .20 | .18 |
| Lady Henry Maddocks. Pink, Sept., 1'.. | .20 | .18 |
| Lavenda. Lavender blue, Sept., 6" | .30 | .25 |
| Marjorie. Rose pink, Sept., 1' | .20 | .18 |
| Nancy. Flesh pink, Sept., 1' | .20 | .18 |
| Niobe. White, Sept., 6" | .30 | .25 |
| Ronald. Lilac pink, Sept., 1' | .20 | .18 |
| Snowsprite. White, Sept., 1' | .20 | .18 |
| Victor. Lavender blue, Sept., 8" | .20 | .18 |
| Astilbe arendsi Ceres. Rosy lilac, July, 2' | .25 | .20 |
| arendsi Granat. Crimson, June, 2' | .30 | |
| arendsi Grandis rosea magnifica. Pink, July, 4' | .25 | |
| arendsi Juno. Purplish pink, July, 3' | .25 | .20 |
| arendsi Kreimhilde. Rose, June, July, 2'.. | .25 | .20 |
| arendsi Marguerite Van Rechteren. Red, tinged lilac, Aug., 4' | .30 | .25 |
| arendsi Moerheimi. White, July, 3' | .30 | .25 |

For less than five, add five cents per plant to the 5-24 rate.

5-24
each 25¢
up each**Astilbe**

| | | |
|---|-----|-----|
| arendsi Philadelphia. Lavender rose, July, 2' | .30 | |
| arendsi Rhineland. Crimson, shaded salmon, June, 2' | .30 | .25 |
| arendsi Rose Pearl. Shell pink, July, 3' | .25 | .20 |
| arendsi Salland. Red, July, 5' | .25 | .20 |
| binternata. Cream, June, 4' | .25 | .20 |
| rosea Queen Alexandra. Deep pink, July, 3' | .25 | .20 |
| rosea Queen of Holland. Rose pink, July, 3' | .25 | .20 |
| rubella Solferino. Violet pink, July, 3' | .30 | .25 |
| rubella Vesta. Lilac rose, July, 3' | .25 | .20 |
| Astrantia major. Silvery pink, May, 2' | .15 | .12 |
| *Aubrietia deltoidea. Purple, April, May, 4" ... | .18 | .15 |
| *deltoidea bougainvillei. Dark blue, April, 5" | .18 | .15 |
| *deltoidea eyrei. Rosy lilac, April, 5" | .18 | .15 |
| *deltoidea Fire King. Red, May, 4" | .30 | |
| *deltoidea graeca. Violet, May, 4" | .18 | .15 |
| *deltoidea leichtlini. Pink, April, 5" | .18 | .15 |
| *deltoidea purpurea. Purple, April, 5" | .18 | .15 |
| *hybrida. Various, April, May, 6" | .25 | |
| Baptisia australis. Indigo, June, 4' | .18 | .15 |
| tinctoria. Yellow, June, 3' | .18 | .15 |
| Belamcanda chinensis. Orange, summer, 3' | .15 | .12 |
| *Bellis perennis alba. White, April, May, 3" | .15 | .12 |
| *perennis rosea. Pink, April, May, 3" | .15 | .12 |
| *rotundifolia caerulea. Blue, May, 2" .. | .20 | .18 |
| *Bellium bellidifolium. Blush, summer, 4" | .15 | .12 |
| Bocconia cordata. Creamy white, Aug., 6' | .15 | .12 |
| Boltonia asteroides. White, Sept., 5' | .15 | .12 |
| latisquama. Lavender, Aug., 5' | .15 | .12 |
| latisquama nana. Lavender, Aug., 2' | .20 | .18 |
| Boykinia rotundifolia. White, June, 2' | .18 | .15 |
| Buphthalmum speciosum. Yellow, June, 3' | .15 | .12 |
| salicifolium. Yellow, summer, 2' | .18 | .15 |
| *Calamintha alpina. Purple, summer, 6" | .18 | .15 |
| *Calandrinia umbellata. Crimson, summer, 6" .. | .20 | .18 |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25 & up each |
|--|--------------|-----------------|
| Calimeris incisa. Pink, summer, 2' | .25 | |
| * Callirhoe involucrata. Red, all summer, 6" | .15 | .12 |
| * Caltha palustris. Yellow, April, May, 12" | .15 | .12 |
| Camassia leichtlini. Blue, May, 2' | .15 | .12 |
| quamash. Blue, May, 2' | .15 | .12 |
| * Campanula alliariaefolia. White, June, July, 2' .. | .18 | .15 |
| * bononiensis. Blue, June, 2' | .18 | .15 |
| * carpatica. Blue, July, August, 9" | .18 | .15 |
| * carpatica alba. White, July, Aug., 9" | .18 | .15 |
| * collina. Blue, July, Aug., 1' | .25 | |
| * elatinoides. Blue, summer, 6" | .20 | |
| * fenestrellata. Pale blue, summer, 3" | .20 | .18 |
| * garganica. Light blue, June, 6" | .30 | .25 |
| * garganica hirsuta. Blue, June, 4" | .25 | |
| * glomerata. Purple, June, July, 2' | .15 | .12 |
| * glomerata acaulis. Purple, June, 6" | .18 | .15 |
| * glomerata superba. Violet, June, July, 2' .. | .18 | .15 |
| * grosseki. Blue, summer, 2' | .15 | .12 |
| * istriaca. Pale blue, June, July, 3" | .20 | |
| * kolenatiana. Blue, July, 9" | .25 | .20 |
| lactiflora. Light blue, Aug., 4' | .18 | .15 |
| latifolia alba. White, July, 3' | .20 | .18 |
| latifolia macrantha. Purplish blue, July, 3' .. | .18 | .15 |
| medium. Mixed, June, July, 3' | .15 | .12 |
| medium. Separate colors, June, July, 3' .. | .18 | .15 |
| medium calycanthema. Mixed, July, 3' ... | .15 | .12 |
| medium calycanthema. Separate colors, July, 3' | .18 | .15 |
| * muralis. Blue-purple, June, 6" | .30 | .25 |
| persicifolia. Blue, June, July, 2' | .18 | .15 |
| persicifolia alba. White, June, 2' | .20 | .18 |
| persicifolia alba. fl. pl. White, summer, 2' .. | .40 | |
| * poscharskyana. Blue, summer, 5" | .35 | |
| pyramidalis. Blue, July, 4-5' | .18 | .15 |
| pyramidalis alba. White, July, 4-5' | .18 | .15 |
| * raddeana. Purple, July, Aug., 1' | .25 | .20 |
| * raineri. Dark blue, July, 6" | .18 | .15 |
| * raineri alba. White, July, 6" | .20 | .18 |
| * rhomboidalis. Blue, July, 1' | .18 | .15 |
| * riverslea. Dark blue, July, 9" | .20 | .18 |
| * riverslea alba. White, July, 9" | .20 | .18 |
| * rotundifolia. Blue, June, July, 12" | .18 | .15 |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25 & up each |
|--|--------------|-----------------|
| Campanula | | |
| * sarmatica . Pale blue, summer, 12" | .30 | .25 |
| * sibirica alba . White, summer, 10" | .25 | .20 |
| * turbinata . Blue, June, July, 6" | .18 | .15 |
| * turbinata alba . White, June, July, 6" | .18 | .15 |
| * trachelium . Blue, July, 2-3' | .15 | .12 |
| * Carex morrowi . White-edged foliage, 1' | .25 | |
| * Carlina acaulis . White, summer, 6" | .25 | |
| Cassia marilandica . Yellow, July, 3-4' | .15 | .12 |
| Catananche caerulea . Blue, June, July, 18" | .15 | .12 |
| Caulophyllum thalictroides | .15 | .12 |
| Cedronella cana . Pink, July, 3' | .25 | .20 |
| Centaurea babylonica . Yellow, July, 5' | .15 | .12 |
| * dealbata . Red, July, 1½' | .18 | .15 |
| macrocephala . Yellow, July, 3-4' | .18 | .15 |
| * montana . Blue, June, July, 2' | .15 | .12 |
| ruthenica . Straw color, July, 4' | .18 | |
| Centranthus augustifolius . Rose, summer, 18" .. | .20 | |
| ruber . Red, summer, 3' | .15 | .12 |
| ruber albus . White, all summer, 3' | .15 | .12 |
| Cephalaria alpina . Yellow, July, 5' | .15 | .12 |
| tatarica . Cream, summer, 6' | .15 | .12 |
| * Cerastium arvense compactum . | | |
| White, July, 8" | .15 | .12 |
| * biebersteini . White, June, 6" | .18 | .15 |
| * tomentosum . White, June, 6" | .15 | .12 |
| * Ceratostigma plumbaginoides . Blue, fall, 6" | .18 | .15 |
| * Chieranthus allioni . Orange, July, 1' | .15 | .12 |
| * Golden Bedder . June, 1' | .20 | |
| Chelone glabra . White, rose tinged, July, 2' | .18 | .15 |
| lyoni . Deep rose, August, 2' | .18 | .15 |
| Chrysanthemum anemone—flowered | .15 | .12 |
| Snow Queen—White. | | |
| * arcticum . White, fall, 2' | .15 | .12 |
| * arcticum Astrid . Pink, fall, 18" | .20 | .18 |
| balsamita . Yellow, Aug., Sept., 2' | .25 | .20 |
| coreanum . Blush, fall, 3' | .18 | .15 |
| Cushion varieties . Fall, 1' | .20 | .18 |
| (white, yellow, pink, red, bronze) | | |
| * erubescens . Pink, Aug., Sept., 18" | .25 | |

For less than five, add five cents per plant to the 5-24 rate.

5-24 25&up
each each

Chrysanthemum

| | | |
|--|-----|-----|
| hardy button varieties | .15 | .12 |
| Baby Marguerite—pink. | | |
| Bronze Button—bronze. | | |
| Irene—blush white. | | |
| Lillian Doty—pink. | | |
| Mitzi—yellow. | | |
| Mrs. H. Harrison—pink. | | |
| Niza—delicate pink. | | |
| Ouray—rich bronze. | | |
| Pygmy Gold — golden yellow. | | |
| White Doty—white. | | |
| White Gull—white. | | |
| hardy large flowering, double, fall, 4' | .15 | .12 |
| Algonquin—yellow. | | |
| Angelo—pink. | | |
| Barbara Cumming—yellow, bronze shading. | | |
| Boston—orange. | | |
| Brune Poitevine—deep velvety reddish bronze. | | |
| Caliph—oxblood red. | | |
| Canariense—yellow. | | |
| Comoleta—yellow. | | |
| Golden Queen—yellow. | | |
| Harvest Home—yellow. | | |
| Indian—coppery red. | | |
| L'Argentuillais—deep chestnut. | | |
| Lavender Lady—clear lavender. | | |
| Marie Antoinette—deep pink. | | |
| Mrs. F. H. Bergen—pale pink. | | |
| Mrs. H. Craig—yellow, overlaid orange crimson. | | |
| Murillo—pink. | | |
| Oonto—white. | | |
| Ohio Gold—yellow. | | |
| Old Homestead—pink. | | |
| Pacific Supreme—pink. | | |
| R. Marion Hatton—canary yellow. | | |
| Snowclad—white. | | |
| Vesuve—red. | | |
| Aladdin. Coppery bronze, Aug., 2' | .20 | .18 |
| Dazzler. Cardinal red, fall, 2' | .18 | .15 |
| Daybreak. Shell pink, fall, 2' | .25 | |
| Eden. Bright rose, fall, 2' | .18 | .15 |
| Emma Marie. Lemon yellow, fall, 2' | .18 | .15 |

For less than five, add five cents per plant to the 5-24 rate.

5-24 25¢
each each**Chrysanthemum**

| | | |
|--|------------|------------|
| Glory of Seven Oaks, Yellow, Sept., 2' | .18 | .15 |
| Granny Scovill. Coral Bronze, fall, 2'.. | .20 | .18 |
| Jean Cumming. White, fall, 2' | .18 | .15 |
| Judith Anderson. Yellow, fall, 18" | .20 | .18 |
| Mrs. Willis J. Martin, Strawberry, fall, 2' | .18 | .15 |
| Pale Moon. Yellow, fall, 2' | .30 | .25 |
| Peggy Ann Hoover. Lilac pink, fall, 2' .. | .18 | .15 |
| Tassiva. White, Sept., 18" | .18 | .15 |
| White Spoon. White, Oct., 18" | .25 | .20 |
| Yellow Normandie. Yellow, early fall, 2' .. | .18 | .15 |
| Yellow Spoon. Yellow, Oct., 18" | .25 | .20 |
| hardy large flowering, single, fall, 4' | .18 | .15 |
| California—yellow. | | |
| Excelsior—golden yellow. | | |
| Gypsy Girl—crimson, shading chestnut. | | |
| Lady Smith—bright pink. | | |
| Mrs. Calvin Coolidge—cardinal red. | | |
| Mrs. W. E. Buckingham—salmon pink. | | |
| Korean hybrids. Oct. 2-2½' | .20 | .15 |
| Aphrodite—pale pink. | | |
| Apollo—bronze, red and gold. | | |
| Ceres—chamois yellow. | | |
| Clara Curtis—salmon pink. | | |
| Daphne—daphne pink. | | |
| Diana—rose pink, blended lilac rose. | | |
| Indian Summer—double orange. | | |
| Kristina—deep rose pink. | | |
| Mars—amaranth red. | | |
| Mercury—bronze red. | | |
| Nancy Copeland—spectrum red. | | |
| Profusion—rich coppery old gold. | | |
| Saladin—oriental red, shading to coral. | | |
| Sappho—pure yellow. | | |
| Saturn—orange and bronze. | | |
| Siegfried—rich yellow. | | |
| The Moor—port wine red. | | |
| Viking—burnt orange. | | |
| maximum. White, all summer, 2' | .15 | .12 |
| maximum Alaska. White, July, Aug., 2'... | .15 | .12 |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25 & up each |
|--|--------------|-----------------|
| Chrysanthemum | | |
| maximum Chiffon. Dbl. White, summer, 18" | .30 | |
| maximum Esther Reed. Dbl. white, summer, 18" | .45 | |
| maximum Giant Single. White, summer, 30" | .30 | .25 |
| maximum Mrs. C. Lothian Bell. White, June, July, 2' | .18 | .15 |
| maximum White Swan. Dbl. White, summer, 18" | .30 | .25 |
| * morifolium. Rose, fall, 18" | .20 | .18 |
| zawadsky. Pink, June, July, 2' | .20 | |
| * Chrysoboltonia pulcherrima. Pink, Aug., 2" | .25 | |
| Cimicifuga racemosa. White, July, 5' | .15 | .12 |
| Clematis davidiana. Blue, Aug., 3' | .18 | .15 |
| davidiana hybrida. Light blue, Aug., 18" .. | .50 | .40 |
| integrifolia. Blue, July, 2' | .18 | .15 |
| recta. White, July, 3' | .18 | .15 |
| recta mandschurica. White, July, 4' | .18 | .15 |
| Codonopsis clematidea. White, June, 3' | .20 | |
| * Colchicum autumnale. Rosy lilac, Sept., 1' | .25 | |
| autumnale roseum plenum. Rosy lilac, Sept., 1' | .35 | |
| * Convallaria majalis. Clumps, white, May, 6" ... | .18 | .15 |
| Coptis trifolia. White, summer, 6" | .18 | .15 |
| Coreopsis auriculata. Orange, summer, 18" ... | .25 | .20 |
| grandiflora. Yellow, summer, 3' | .15 | .12 |
| lanceolata. Yellow, summer, 2' | .15 | .12 |
| * rosea. Rose, Aug., Sept., 1' | .15 | .12 |
| * verticillata. Yellow, July, Aug., 2' | .18 | .15 |
| * Coronilla cappadocica. Yellow, June, 6" | .25 | .20 |
| * varia. Pink, summer, 18" | .15 | .12 |
| * Corydalis cheilanthifolia. | | |
| Creamy white, July, 2' | .30 | .25 |
| * lutea. Yellow, July, 8" | .30 | .25 |
| * Cotula squalida. White, summer, 2" | .25 | .20 |
| * Crucianella stylosa. Crimson pink, July, 8" | .18 | |
| * Cynanchum acuminatifolium. | | |
| White, summer, 18" | .18 | .15 |
| Cypripedium acaule. Rose-purple, May, June, 1' | .45 | |
| parviflorum. Yellow, May, June, 1' | .45 | |
| spectabile. Rose, June, 2' | .45 | |

For less than five, add five cents per plant to the 5-24 rate.

5-24
each

 25
each

Delphinium belladonna .

Sky blue, all summer, 4'15 .12

bellamosum. Dark blue, all summer, 4'15 .12

***chinense.** Blue, July, 2'18 .15

***chinense album.** White, July, 2'18 .15

elatum. Blue, July, 4'15 .12

formosum. Indigo, July, 4'18 .15

formosum coelestinum.

Light blue, July, 3'15 .12

grandiflorum. Shades of blue, July, 3'15 .12

hybridum Blackmore and Langdon.

Various, July, 4'30 .25

hybridum Gold Medal.

Shades of blue, July, 4'15 .12

hybridum Wrexham's. Various, June, 5'... .35 .30

Iceberg. White, summer, 3'25 .20

Pacific Hybrids. Various, summer, 4'35

sibirica hybrids. Shades of blue, July, 3' .. .15 .12

Dennstedtia punctilobula. Hay-scented Fern.. .15 .12

Dianthus allwoodi. Pink, July, 1'..... .18 .15

***alpinus.** Rose, summer, 4"25 .20

***arenarius.** White, July, 10"15 .12

***arvernensis.** Pink, June, 4"20

barbatus. (Single Sweet William).

mixed colors, June, July, 1'15 .12

barbatus alba. White, June, July, 1'15 .12

barbatus atrococcineus. Crimson, June, 1'.. .15 .12

***barbatus Dwarf Giants.** Various, June, 8" .. .18 .15

barbatus fl. pl. (Double Sweet William).

mixed colors, June, July, 1'15 .12

barbatus Giant White. June, 1'15 .12

barbatus nigricans.

Dark velvety red, June, 1'15 .12

barbatus Pink Beauty. Pink, June, 1'15 .12

barbatus Salamonii. Salmon, June, 1'15 .12

barbatus Sutton's Scarlet.

Crimson, June, 1'15 .12

***caesius.** Rose pink, June, July, 9"15 .12

***chinensis heddewigi.**

Mixed, June, July, 8"15 .12

***deltoides.** Pink, June, 9"15 .12

***deltoides albus.** White, June, 9"15 .12

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| Dianthus | | |
| * deltoides Brilliant. Red, June, 9" | .15 | .12 |
| giganteus. Red, July, 2' | .18 | .15 |
| * grisebachii. Purple, June, 1' | .20 | .18 |
| hardy pinks. | | |
| Single, mixed, all summer, 9" | .15 | .12 |
| knappi. Yellow, summer, 1' | .18 | .15 |
| * latifolius atrococcineus. | | |
| Crimson, summer, 1' | .15 | .12 |
| * neglectus. Pink, May, June, 4" | .30 | |
| * plumarius. Mixed, summer, 8" | .15 | .12 |
| * plumarius fl. pl. Mixed, summer, 8" | .15 | .12 |
| * plumarius semperflorens. | | |
| Pink, June, 9" | .15 | .12 |
| * Abbotsford. Crimson, all summer, 9" | .18 | .15 |
| * Beatrix. Salmon pink, June, 18" | .25 | |
| * Bristol Jewel. White and crimson, June, 18" | .30 | |
| * Bristol Purity. White, June, 18" | .25 | |
| * Cyclops. Dark rose, June, July, 9" | .18 | .15 |
| * Elizabeth Peters. Pink, June, July, 9" | .20 | |
| * Furst Bismark. Rose, summer, 1' | .20 | .18 |
| * Gladys Cranfield. Pink, summer, 1' | .25 | |
| * Hardy Harvard. Red, summer, 1' | .35 | |
| * Homer. Rosy red, June, July, 9" | .18 | .15 |
| * Her Majesty. Dbl. white, June, July, 9" ... | .18 | .15 |
| * Little Joe. Crimson, summer, 6" | .35 | |
| * Pheasant's Eye. Pink, white eye, June, 1' .. | .18 | .15 |
| * Rose Cushion. Pink, June, 3" | .25 | |
| * Silver Mine. White, summer, 1' | .35 | |
| * Souv. de Sales. Dbl. pink, June, 9" | .20 | .18 |
| * Uncle Sam. White, red eye, June, 12" | .25 | |
| * White Reserve. White, June, July, 9" | .18 | .15 |
| * seguieri. Carmine, summer, 1' | .20 | |
| * speciosa. Pink, July, 10" | .15 | .12 |
| * subacaulis. Purple, June, July, 4" | .30 | .25 |
| * Dicentra eximea. Rose, all summer, 1' | | |
| spectabilis. Rose, May, June, 2' | .30 | .25 |
| Dictamnus albus. White, June, 2' | | |
| albus ruber. Red, June, 2' | .20 | .18 |
| caucasicus. Red, June, 3' | .25 | .20 |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| Digitalis ambigua. Yellow, June, July, 3' | .18 | .15 |
| gloxinaeflora. Mixed, June, July, 3' | .18 | .15 |
| Isabellina. Yellow, June, July, 3' | .18 | .15 |
| lanata. Creamy yellow, July, 3' | .18 | .15 |
| lutea. Yellow, June, July, 18" | .18 | .15 |
| purpurea. Mixed, June, July, 3' | .15 | .12 |
| purpurea maculata. Spotted, June, July, 18" | .15 | .12 |
| purpurea monstrosa. Various, June, July, 3' | .15 | .12 |
| purpurea, rose. June, July, 3' | .15 | .12 |
| purpurea, white. June, July, 3' | .15 | .12 |
| Shirley Hybrids, Mixed. June, July, 3' | .18 | .15 |
| * Dodecatheon meadia. Rose, May, 1' | .18 | .15 |
| *latilobum. White, May, June, 1' | .15 | .12 |
| Doronicum caucasicum. Yellow, April, May, 18" | .30 | .25 |
| clusi. Yellow, May, 12" | .30 | |
| plantagineum excelsum. Yellow, April, May, 3' | .25 | .20 |
| Dorycnium hirsutum. Pink, summer, 2' | .25 | .20 |
| * Draba aizoides. Yellow, March, 4" | .30 | |
| *altaica. White, April, 6" | .30 | .25 |
| *armata. Yellow, April, 2" | .35 | .30 |
| *bruniifolia. Orange, April, May, 4" | .35 | |
| *dedeana. White, May, June, 2" | .40 | |
| *fladnizensis. White, April, May, 3" | .30 | .25 |
| *hispanica. Yellow, April, 2" | .30 | .25 |
| *repens. Yellow, April, 6" | .20 | .18 |
| * Dracocephalum botryoides. Rose, July, 6" | .25 | .20 |
| *nutans. Blue, Aug., 1' | .20 | .18 |
| Ruyschianum japonicum. Blue, summer, 2' .. | .20 | .18 |
| * Dryas octopetala. White, June, July, 4" | .35 | |
| Dryopteris spinulosum. Wood Fern | .15 | .12 |
| thelypteris. Shield Fern, | .15 | .12 |
| Echinacea purpurea. Purple, July, Aug., 3' | .15 | .12 |
| Echinops humilis. Blue, July, 2' | .18 | .15 |
| ritro. Deep steel blue, July, 3' | .15 | .12 |
| sphaerocephalus. Pale blue, July, 5' | .15 | .12 |
| * Edraianthus dinaricus. Lilac, July, 3" | .25 | |
| *tenuifolius. Blue, summer, 5" | .25 | .15 |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| Elymus glaucus. Blue Lime Grass, 3' | .18 | .15 |
| * Epigaea repens. Pink, April, May, 4" | .45 | |
| Epilobium angustifolium. Rose, Aug., 4' | .18 | .15 |
| * Epimedium niveum. White, May, June 1' | .30 | |
| macranthum lilacina. Lilac, May, June, 1' .. | .50 | |
| sulphureum. Yellow, May, 1' | .35 | .30 |
| Eremurus himalaicus. White, June, 6' | 1.50 | |
| Erianthus ravennae. Plume Grass, 10' | .30 | .25 |
| * Erigeron elatior. Purple, July, 2' | .25 | .20 |
| * glabellus. Violet, June, July, 1' | .15 | .12 |
| * glabratus roseus. Pink. June, 1' | .20 | .18 |
| macranthus. Violet, June, 2' | .20 | .18 |
| * speciosus. Rich purple, June, July, 2' | .15 | .12 |
| * Erinus alpinus albus. White, May, 4" | .20 | .18 |
| * alpinus roseus. Rosy purple, May, 4" | .20 | .18 |
| * Erodium corsicum. Pink, summer, 2" | .30 | |
| Eryngium alpinum. Blue, July, 2' | .20 | .18 |
| amethystinum. Blue, summer, 18" | .18 | .15 |
| bourgati. Blue, summer, 18" | .20 | |
| * planum. Blue, July, Aug., 3' | .15 | .12 |
| * Erysimum kotschyanum. Orange, May, June, 5" | .18 | .15 |
| * ochroleucum. Yellow, May, 1' | .25 | .20 |
| * pulchellum. Lemon, May, June, 6" | .18 | .15 |
| Eulalia gracillima. Japan Rush, 4-6' | .15 | .12 |
| japonica variegata. 4-6' | .18 | .15 |
| zebrina. Zebra Grass, 4-6' | .18 | .15 |
| Eupatorium ageratoides. White, Aug., 3' | .15 | .12 |
| * coelestinum. Blue, Sept., Oct., 18" | .15 | .12 |
| purpureum. Purple, Aug., Sept., 5' | .15 | .12 |
| Euphorbia corollata. White, July, Aug., 2' | .18 | .15 |
| * cyparissias. Yellow, May, 10" | .15 | .12 |
| * epithymoides. Yellow, May, June, 1' | .25 | |
| * myrsinites. Yellow, May, June, 6" | .20 | .18 |
| Festuca glauca. Fescue Grass, June, 10" | .15 | .12 |
| Foeniculum atosanguineum. Summer, 3' | .18 | .15 |
| * Fragaria indica. White, May, 6" | .15 | .12 |
| Fuchsia magellanica. Red, summer, 3' | .30 | |
| Funkia. (See Hosta). | | |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25&up each |
|--|--------------|---------------|
| Gaillardia grandiflora. Yellow and Crimson, all summer, 2' | .15 | .12 |
| Burgundy. Red, summer, 2' | .30 | .25 |
| Goblin. Yellow and red, summer, 1' | .20 | .18 |
| Mr. Sherbrook. Yellow, summer, 2' | .25 | |
| Sun God. Yellow, Aug., 2' | .30 | |
| *Galax aphylla. White, June, 10" | .20 | .18 |
| Galega officinalis. Blue, June, July, 3' | .18 | .15 |
| officinalis hartlandi. Bluish white, July, 3' | .18 | .15 |
| Galium boreale. White, July, 1½' | .18 | .15 |
| *purpureum. Dark brown, Aug., 1' | .20 | .18 |
| *verum. Yellow, June, July, 6" | .25 | .20 |
| *Gentiana acaulis. Dark blue, Aug., 4" | .35 | .30 |
| alba. White, Aug., 2' | .15 | .12 |
| andrewsi. Blue, Aug., 2' | .15 | .12 |
| *cruciata. Deep blue, June, July, 1' | .30 | .25 |
| *freyniana. Blue, Aug., Sept., 6" | .35 | |
| *Purdomi. Blue, July, Aug., 6" | .30 | .25 |
| *septemfida. Deep blue, summer, 12" | .30 | .25 |
| *Geranium endressi. Rose, summer, 18" | .35 | |
| *grandiflorum. Lilac, June, July, 15" | .15 | |
| *grevilleanum. Mauve, June, July, 6" | .18 | .15 |
| *ibericum. Purple, May, June, 2' | .18 | .15 |
| *lancastriense. Mauve, May, June, 1' | .18 | .15 |
| *maculatum. Pink, May, June, 1' | .18 | .15 |
| *pratense album. White, July, Aug., 2' | .18 | .15 |
| *sanguineum. Red, June, July, 2' | .18 | .15 |
| *Geum atrosanguineum. Dark red, summer, 1½' | .18 | .15 |
| *Lady Strathedon. Orange, summer, 15"... | .18 | .15 |
| *montana. Yellow, July, 1' | .18 | .15 |
| *Mrs. Bradshaw. Double red, summer, 1'... | .18 | .15 |
| *Orange Queen. Orange, summer, 15" | .20 | .18 |
| *sibericum. Scarlet, June, July, 1' | .20 | |
| *urbanum. Yellow, July, 15" | .25 | .20 |
| Gillenia trifoliata. White, July, 4' | .18 | .15 |
| *Globularia cordifolia. Pale blue, June, 4" | .20 | .18 |
| *nana. Pale blue, June, 2" | .25 | .20 |
| *trichosantha. Blue, May, June, 6" | .18 | .15 |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25 & up each |
|---|--------------|-----------------|
| Gypsophila acutifolia. Pink, July, 2-3' | .15 | .12 |
| * cerastoides. White, summer, 4" | .20 | .18 |
| paniculata. White, July, Aug., 2-3' | .15 | .12 |
| paniculata Bristol Fairy. Dbl. white, summer, 3' | .30 | .25 |
| paniculata fl. pl. Dbl. white, July, Aug., 3' | .35 | .30 |
| * repens. Bluish white, all summer, 6" | .15 | .12 |
| * repens rosea. Pink. summer, 6" | .20 | .18 |
| Rosy Veil. Pink, summer, 2' | .30 | .25 |
| Helenium autumnale. Yellow, Aug., Sept., 5'.. | .18 | .15 |
| autumnale superbum. Yellow, Sept., 5' | .18 | .15 |
| bigelovi. Yellow, Sept., 4' | .20 | .18 |
| Chippersfield Orange. Copper and gold, Aug., 4' | .45 | |
| Gartensonne. Yellow, Aug., Sept., 3' | .25 | .20 |
| hoopesi. Orange, June, July, 3' | .20 | .18 |
| * pumilum. Yellow, Aug., 15" | .20 | .18 |
| Riverton Beauty. Lemon, Aug., Sept., 5'.. | .20 | .18 |
| Riverton Gem. Old Gold, Sept., Oct., 4'.... | .20 | .18 |
| rubrum. Brick red, Sept., 4' | .18 | .15 |
| * Helianthemum citrinum. Yellow, summer, 6" .. | .18 | .15 |
| * croceum. Saffron, June, July, 9" | .18 | .15 |
| * cupreum. Copper. June, July, 6" | .18 | .15 |
| * Fire Ball. Red, July, Aug., 12" | .18 | .15 |
| * mutabile. Flesh, May, June, 12" | .18 | .15 |
| * perfoliatum roseum. Salmon, summer, 6" .. | .18 | .15 |
| * purpureum. Bright pink, June, 6" | .25 | |
| * The Bride. White, June, July, 6" | .25 | |
| Helianthus atrorubens. Yellow, fall, 6' | .15 | .12 |
| maximiliana. Yellow, Sept., 6' | .15 | .12 |
| Miss Mellish. Yellow, Aug., Sept., 6' | .15 | .12 |
| mollis grandiflorus. Yellow, Aug., Sept., 4' .. | .15 | .12 |
| * multiflorus fl. pl. Yellow, summer, 4' | .18 | .15 |
| orgyalis. Bright yellow, Sept., 6-8' | .20 | .18 |
| rigidus. Yellow, Aug., 3' | .15 | .12 |
| Wolley Dod. Deep yellow, Sept., 7' | .15 | .12 |
| Heliopsis excelsa. Dbl. yellow, Aug., 3' | .18 | .15 |
| incomparabilis. Gold, summer, 30" | .50 | |
| pitcheriana. Orange, July, Aug., 3' | .15 | .12 |
| * Helleborus niger. White, Feb., Mar., 1' | .65 | |
| * orientalis. Various, March, 12" | .50 | |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| *Helxine soleirol. Creeping herb, 1" | .18 | .15 |
| Hemerocallis Apricot. Apricot color, June, 2' .. | .18 | .15 |
| aurantiaca. Orange, June, July, 2½' | .18 | .15 |
| Dr. Regal. Orange yellow, May, 18" | .18 | .15 |
| dumortieri. Orange, June, 2' | .15 | .12 |
| flava. Lemon yellow, June, 3' | .18 | .15 |
| florham. Golden yellow, June, 3' | .20 | .18 |
| fulva. Bronze, Aug., 3' | .15 | .12 |
| Gold Dust. Indian yellow, June, 2½' | .15 | .12 |
| gracilis. Yellow, June, 2' | .18 | .15 |
| Hyperion. Lemon, July, 4' | .60 | |
| J. A. Crawford. Apricot yellow, July, 4' ... | .30 | .25 |
| kwanso. Reddish orange, June, 2½' | .20 | |
| luteola. Orange, June, 2' | .15 | .12 |
| May Queen. Orange, May, 4' | .25 | |
| middendorffi. Orange, June, 3' | .15 | .12 |
| minor. Yellow, June, 2' | .15 | .12 |
| Orange Man. Deep orange, June, 2' | .15 | .12 |
| Sovereign. Rich orange, June, 1½' | .15 | .12 |
| thunbergi. Lemon yellow, June, 2-3' | .15 | .12 |
| hybrids. Named varieties, 2-3' | .40 | .35 |
| Bay State. Deep yellow, Aug. | | |
| Gypsy. Deep orange, July. | | |
| Harvest Moon. Orange, July. | | |
| Lemona. Pale lemon yellow, Aug. | | |
| Mrs. W. H. Wyman. Pale lemon, Aug. | | |
| The Gem. Deep orange, June, July. | | |
| *Hepatica triloba. Light blue, March, April, 4" .. | .15 | .12 |
| *Herniaria glabra. Green, summer, 4" | .18 | .15 |
| *Hesperis matronalis. Purple, June, July, 3' | .15 | .12 |
| *matronalis alba. White, June, July, 3' | .18 | .15 |
| Heuchera americana. Greenish white, 3' | .20 | .18 |
| *brizoides. Pink, June, July 2' | .18 | .15 |
| *Fire King. Red, May, June, 15" | .35 | |
| *Grenadier. Red, summer, 15" | .35 | |
| *Pleu de Feu. Red, May, June, 2' | .25 | .20 |
| *Red Pimpernell. June 1' | .25 | |
| *rosamundi. Coral, summer, 18" | .25 | .20 |
| *sanguinea. Coral red, June, 1' | .18 | .15 |
| *sanguinea alba. White, June, 1' | .30 | .25 |
| *sanguinea hybrids. Various, summer, 18" . | .18 | .15 |
| *villosa. White, summer, 12" | .20 | .18 |

For less than five, add five cents per plant to the 5-24 rate,

| | 5-24 each | 25&up each |
|--|--------------|---------------|
| Hibiscus Mallow Marvels. Mixed, July, Aug. | | |
| 5' | .15 | .12 |
| Mallow Marvels. Separate colors, Aug., | | |
| 5' | .18 | .15 |
| Mallow Marvels. Giant Red, Aug., 5' | .18 | .15 |
| moscheutos. Rose, June, July, 5' | .15 | .12 |
| moscheutos crimson eye. White, red eye, Aug., 5' | .15 | .12 |
| *Hieracium aurantiacum. Orange, summer, 6" | .15 | .12 |
| *alpinum. Yellow, May, June, 9" | .20 | .18 |
| Hosta caerulea. Blue, July, 1½' | .15 | .12 |
| fortunei. Pale lilac, July, 2' | .15 | .12 |
| lancifolia. Blue, July, 2' | .15 | .12 |
| minor alba. White, fall, 10" | .35 | |
| sieboldiana. Silvery foliage. | .20 | .18 |
| sub-cordata grandiflora. White, Aug. 18" | .20 | .18 |
| undulata variegata. White foliage, 2' | .15 | .12 |
| *Houstonia purpurea. Purple, May, June, 1' ... | .20 | |
| serpyllifolia. Blue, April, 2" | .18 | .15 |
| *Hutchinsia alpina. White, May, June, 4" | .30 | |
| Hyacinthus candicans. White, Aug., 3' | .18 | .15 |
| Hypericum ascyron. Yellow, Aug., 3' | .25 | .20 |
| *calycinum. Yellow, July, Aug., 1' | .18 | .15 |
| *Coris. Yellow, summer, 4" | .25 | .20 |
| *fragile. Yellow, July, Aug., 1' | .25 | .20 |
| moserianum. (See Shrubs). | | |
| *polyphyllum. Yellow, summer, 8" | .18 | .15 |
| *repens. Yellow, July, 4" | .25 | .20 |
| *rhodopaeum. Yellow, July, 4" | .20 | .18 |
| *Hyssopus officinalis. Purple, Aug., 18" | .18 | .15 |
| *Iberis gibraltarica. Delicate lilac, May, 1½' .. | .15 | .12 |
| *jordani. Rose, May, June, 6" | .30 | .25 |
| *saxatilis. White, summer, 8" | .18 | .15 |
| *sempervirens. White, May, June, 8" | .15 | .12 |
| *sempervirens Climax. White, May, 6" | .18 | .15 |
| *sempervirens Little Gem. White, April, 6" .. | .18 | .15 |
| *sempervirens Snowflake. White, May, 9" .. | .25 | .20 |
| *tenoreana. Purplish white, June, 6" | .25 | .20 |
| *Incarvillea delavayi. Rosy purple, June, July, 2' | .20 | .18 |
| *Inula ensifolia. Yellow, July, Aug., 8" | .18 | .15 |
| royleana. Yellow, July, Aug., 18" | .20 | |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25&up each |
|--|--------------|---------------|
| *Iris cristata. Light blue, May, June, 6" | .18 | .15 |
| dichotoma. Purple, Aug., 1' | .25 | |
| *ensata. Lilac, June, 10" | .30 | .25 |
| *ensata alba. White, June, 10" | .30 | |
| *flavissima. Yellow, May, 6" | .25 | .20 |
| fall blooming. Spring and fall, 1½-2' | .30 | |
| Autumn King —blue-purple | | |
| Autumn Queen —snow white | | |
| Olive White —cream | | |
| Ultra —ultramarine-blue | | |
| germanica. May, June 1½-2'. | | |
| Afterglow. Soft lavender shading yellow | .15 | .12 |
| Ambassadeur. Smoky purple, purple maroon falls | .18 | .15 |
| Aphrodite. Lilac pink | .18 | .15 |
| Archiveque. Purple | .15 | |
| Asia. Smoky blue | .18 | .15 |
| Ballerine. Violet with deeper falls | .18 | .15 |
| Bruno. Bronze, red purple falls | .18 | .15 |
| Cecil Minturn. Pink | .15 | .12 |
| Chasseur. Yellow, red veining | .20 | .18 |
| Cinnabar. Violet, maroon falls | .20 | .18 |
| Cluny. Lilac blue | .18 | .15 |
| Coppersmith. Coppery red | .18 | .15 |
| Darius. Yellow, lilac and white falls .. | .15 | .12 |
| Dorothea. Pearl gray | .15 | .12 |
| Dream. Light pink | .18 | |
| Fairy. White, bordered blue | .15 | .12 |
| Flavescens. Yellow | .15 | .12 |
| Florentina. Pale blue | .12 | .10 |
| Florentina alba. White | .15 | .12 |
| Germaine Perthius. Violet purple | .20 | .18 |
| Gold Imperial. Golden yellow | .12 | .10 |
| Her Majesty. Lilac pink | .12 | .10 |
| Isolene. Lilac pink, old rose falls | .15 | .12 |
| Jubilee . Cream, dotted brown | .18 | .15 |
| King of Iris. Yellow, brown falls | .18 | .15 |
| King Edward. Red violet | .15 | .12 |
| Kochi. Rich deep claret purple | .18 | .15 |
| Labor. Electric blue | .18 | |
| Leonidas. Lavender, mauve falls | .20 | .18 |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| Iris germanica. | | |
| Lent A. Williamson. Violet, rich purple falls with yellow beard | .15 | .12 |
| Lohengrin. Lilac rose | .12 | .10 |
| Lord of June. Lavender blue, violet falls | .15 | .12 |
| Loreley. Light yellow, blue falls | .12 | .09 |
| Mad. Henri Cayeau. Dark purple | .18 | .15 |
| Magnifica. Violet and reddish violet .. | .18 | |
| Mary Barnet. Lavender blue | .15 | .12 |
| Midnight. Dark blue | .15 | .12 |
| Mme. Chobaut. Buff and wine, dotted | .18 | |
| Moonlight. Silvery white | .15 | .12 |
| Monsignor. Violet purple, crimson falls | .15 | .12 |
| Mt. Royal. Pansy purple | .18 | |
| Nuce d'Orange. Slate gray with bronze and purple falls | .12 | .10 |
| Opera. Violet red, purple falls | .20 | .18 |
| Pallida Dalmatica. Lavender | .18 | .15 |
| Pallida speciosa. Light blue | .12 | .09 |
| Pluie d'Or. Yellow | .18 | |
| Pocahontas. White | .18 | .15 |
| Prairie Gold. Yellow | .15 | .12 |
| Princess Victoria Louise. Sulphur yellow, rich violet falls | .12 | .10 |
| Prospero. Lavender and purple | .15 | .12 |
| Queen Caterina. Lavender violet, orange beard | .12 | .10 |
| Rhea. Violet | .15 | .12 |
| Rhein Nixe. White, violet falls | .15 | .12 |
| Robt. W. Wallace. Violet purple | .15 | .12 |
| Shekinah. Pale yellow, shading to buff | .18 | .15 |
| Sherwin-Wright. Golden yellow | .12 | .10 |
| Snow White. White | .15 | |
| Souv. de Mad. Gaudichau. Deep velvety purple | .18 | .15 |
| Taj Mahal. White | .12 | .10 |
| Tamerlan. Light blue, darker falls | .12 | .10 |
| Thais. Soft rosy mauve | .18 | .15 |
| True Delight. Pure pink | .20 | |
| Victorine. White, mottled blue | .15 | .12 |
| Wedgewood. Blue | .15 | .12 |

For less than five, add five cents per plant to the 5-24 rate.

Iris5-24
each 25¢
each

| | | | |
|----------------------------------|---|-----|-----|
| intermedia hybrids. | May, 18" | .15 | .12 |
| Gerda. | Creamy yellow, darker falls. | | |
| Halfdan. | Creamy white. | | |
| Ingeborg. | Ivory white. | | |
| Helge. | Light citron. | | |
| Walhalla. | Light blue, purple falls. | | |
| kaempferi. Japanese Iris. | July, 2-3' | .30 | .25 |
| Awaji. | Large white overlaid lavender blue. | | |
| Bandai-San. | White standards and falls, bordered lavender. | | |
| Blue Bird. | Single dark blue. | | |
| Eumee. | Double lavender blue. | | |
| Fascination. | Double mauve pink, veined white. | | |
| Florence. | Amaranth purple. | | |
| Fukushima. | Reddish purple, veined white. | | |
| Gold Bound. | White, yellow shadings. | | |
| Iso-no-namie. | Double soft blue. | | |
| Kagaribi. | Double pink lavender. | | |
| Kumonoobi. | Clear purple, white halo. | | |
| Mahogany. | Double rich dark red. | | |
| Oyodo. | Double wine red. | | |
| Patrocle. | Single reddish violet. | | |
| Purple Emperor. | Large deep violet purple. | | |
| Purple & Gold. | Violet purple, golden throat. | | |
| Pyramid. | Double violet purple, veined white. | | |
| Seacrest. | Foam white. | | |
| Tacoma Beauty. | Pure white. | | |
| Thais. | Rich royal purple, velvety sheen. | | |
| Uchiu. | Crimson purple, white veins. | | |
| Warei-hotei. | Lavender blue, light blue halo. | | |
| prismatica. | Violet, May, June, 2' | .18 | .15 |
| pseudacorus. | Yellow, June, 3' | .15 | .12 |
| *pumila alba. | Dwarf, white, April, 9" | .15 | .12 |
| *pumila caerulea. | Dwarf, blue, April, 9" .. | .15 | .12 |
| *pumila californica. | Yellow, April, 9" | .20 | .18 |
| *pumila Curiosa. | Yellow, April, May, 9" .. | .25 | .20 |
| *pumila Fairy. | Pale blue, April, 6" | .20 | .18 |
| *pumila Grande. | Violet, blue falls, April, May, 9" | .25 | .20 |
| *pumila Louise. | Dark blue, April, 6" | .20 | |
| *pumila lutea. | Pale yellow, April, 6" | .15 | .12 |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25&up each |
|--|--------------|---------------|
| Iris | | |
| * pumila Schneecuppe. White, April, 6" ... | .18 | .15 |
| * pumila Sambo. Violet, April 9" | .15 | .12 |
| sibirica. Purplish blue, June, 3' | .15 | .12 |
| sibirica alba. White, June, 3' | .15 | .12 |
| sibirica Emperor. Clear blue, May, 2' | .20 | .18 |
| sibirica Snow Queen. White, May, 2' | .15 | .12 |
| * Stewart. Dwarf, yellow, April, 9" | .18 | .15 |
| * tectorum. Blue, June, 1' | .25 | .20 |
| * verna. Blue, May, June, 6" | .18 | .15 |
| versicolor. Blue, June, 2' | .15 | .12 |
| Isatis tinctoria. Yellow, May, June, 6' | .15 | .12 |
| * Jasione humilis. Blue, July, Aug., 6" | .18 | .15 |
| * perennis. Blue, June, July, 6" | .18 | .15 |
| * Jeffersonia diphylla. White, May, 8" | .18 | .15 |
| Kniphofia pfitzeri. Coral, Aug., Sept., 4' | .20 | .18 |
| Towers of Gold. Yellow, Aug., Sept., 30" | .25 | |
| * Lactuca perennis. Blue, June, 15" | .20 | .18 |
| * Lamium maculatum. Purple, July, Aug., 8" .. | .20 | .18 |
| Lathyrus latifolius. Pink to Red, July, 6' | .15 | .12 |
| * Lavandula officinalis. (Sweet Lavender). July, 2' | .18 | .15 |
| * nana. Lavender, Aug., 9" | .25 | .20 |
| * Leontopodium alpinum. Yellow, summer, 5" .. | .20 | .18 |
| * Lewisia rediviva. .Pink, June, July, 3" | .40 | .35 |
| Liatris pycnostachya. Purple, Aug., Sept., 4' .. | .15 | .12 |
| spicata. Purple, Aug., 3' | .15 | .12 |
| Ligularia clivorum. Yellow, Aug., Sept., 3' ... | .18 | .15 |
| Lilium auratum. (Gold Band Lily). White with gold band, July, Aug., 3' | .50 | .40 |
| auratum platyphyllum. White, spotted yel- low, July, Aug., 3' | .60 | .50 |
| batemanniae. Salmon red, July, 3' | .30 | .25 |
| browni. White, July, 3' | .65 | |
| canadense. Yellow to red, June, July, 3' .. | .15 | .12 |
| candidum. White, June, 3' | .35 | .30 |
| carolinianum. Orange, July, Aug., 3' | .35 | |
| concolor. Scarlet, July, 1' | .30 | .25 |
| elegans. Shades yellow and red, July, 2' .. | .25 | |
| elegans Alice Wilson. Lemon, June, July, 2' .. | .45 | |
| elegans atrosanguineum. Dark crimson, June, July, 1' | .40 | |

For less than five, add five cents per plant to the 5-24 rate.

5-24 each 25¢up each

Lilium

| | | |
|---|------|-----|
| elegans Orange Queen. Orange, June, July, 18" | .35 | |
| grayi. Red, July, 3' | .25 | |
| hansoni. Orange, June, July, 4' | .45 | |
| henryi. Yellow, July, 2' | .35 | |
| leichtlini. Red, July, Aug., 4' | .50 | |
| longiflorum giganteum. Waxy white, 2' .. | .60 | .50 |
| pardalinum. Scarlet and yellow, 2' | .25 | .20 |
| phillippinense formosanum. White, June, July, 2' | .35 | |
| philadelphicum. Orange red, June, July, 3' | .18 | .15 |
| regale. White, July, 4' | .30 | .25 |
| rubellum. Rose pink, June, July, 18" | .35 | .30 |
| speciosum album. White, Aug., 3' | .60 | .50 |
| speciosum longiflorum. White, Aug., 3' ... | .50 | .40 |
| speciosum melpomene. White, Aug., 3' ... | .50 | .40 |
| speciosum rubrum. Pinkish red, Aug., 3' .. | .50 | .40 |
| superbum. Orange, July, Aug., 5' | .15 | .12 |
| *tenuifolium. Scarlet, June, 18" | .20 | .18 |
| testaceum. Apricot, June, July, 5' | 2.50 | |
| tigrinum fl. pl. Orange, spotted, Aug. 4' .. | .25 | .20 |
| tigrinum. Orange, spotted, Aug., 4' | .20 | .18 |
| umbellatum. Scarlet red, July, 2' | .25 | .20 |
| washingtonianum. White, dotted purple, June, July, 4' | .60 | |
| willmottiae. Orange, July, 4' | .75 | |
| *Limonium auriculaefolium. Blue, June, July, 6" | .20 | .18 |
| eximium. Lilac rose, Aug., 2' | .18 | .15 |
| *gmelini. Purplish blue, Aug., 18" | .20 | .18 |
| *latifolium. Blue, July, Aug., 2' | .15 | .12 |
| *Linaria aequitriloba. Pale mauve, June, 1" .. | .20 | .18 |
| *alpina. Blue, summer, 6" | .18 | .15 |
| *alpina rosea. Rose, summer, 6" | .20 | |
| *cymbalaria. Lavender, summer, 4" | .18 | .15 |
| *organifolia. Purple, June, 10" | .35 | |
| *purpurea. Purple, summer, 3' | .25 | .20 |
| *Linum austriacum. Blue, summer, | .25 | .20 |
| *alpinum. Blue, June, 10" | .20 | .18 |
| *flavum. Yellow, June, July 1' | .18 | .15 |
| hirsutum. Lilac, summer, 2' | .18 | |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25¢up each |
|---|--------------|---------------|
| Linum | | |
| * narbonnense. Blue, June, July, 2' | .18 | .15 |
| * perenne. Blue, June, July, 1½' | .15 | .12 |
| * salsoloides. White, summer, 8" | .35 | |
| * tenuifolium. Pink, summer, 1' | .25 | |
| * Lithospermum graminifolium. Blue, June, 4" | .35 | |
| * purpureo-caeruleum. Blue, May, 10" | .35 | |
| Lobelia cardinalis. Scarlet, Aug., Sept., 3' | .15 | .12 |
| siphilitica. Blue, Sept., 3' | .15 | |
| Lupinus polyphyllus. Blue, June, July, 3' | .18 | .15 |
| polyphyllus albus. White, June, July, 3' ... | .18 | .15 |
| polyphyllus roseus. Pink, June, July, 3' ... | .18 | .15 |
| * Lychnis alpina. Rose color, June, 1' | .18 | .15 |
| arkwrighti. Scarlet, summer, 15" | .18 | .15 |
| chalconica. Scarlet, July, 3' | .15 | .12 |
| coronaria. Crimson, July, 2' | .15 | .12 |
| coronaria alba. White, July, 2' | .15 | .12 |
| flos jovis. Pink, June, 18" | .15 | .12 |
| * haageana. Scarlet, June, July, 1' | .15 | .12 |
| * viscaria splendens fl. pl. Red, June, 1' | .20 | .18 |
| Lysimachia clethroides. White, July, Aug., 3'.. | .18 | .15 |
| * nummularia. Yellow, June, July, 6" | .15 | .12 |
| * nummularia aurea. Yellow leaves, 3" | .25 | |
| punctata. Yellow, June, 3' | .25 | .20 |
| vulgaris. Yellow, July, Aug., 3' | .20 | .18 |
| Lythrum alatum. Magenta, July, Aug., 3' | .15 | .12 |
| salicaria roseum. Rose, July, 4' | .15 | .12 |
| virgatum. Deep rose, July, Aug., 1½' | .18 | .15 |
| Malva alcea. Rosy purple, July, Aug., 3' | .15 | .12 |
| moschata. Rose, July, Aug., 2' | .15 | .12 |
| moschata alba. White, July, Aug., 2' | .15 | .12 |
| Marrubium vulgare. White, summer, 3' | .25 | |
| Matricaria Golden Ball. Yellow, summer, 1' .. | .15 | .12 |
| * parthenoides. White, May, 1' | .15 | .12 |
| Silver Ball. Dbl. white, summer, 1' | .18 | |
| * Mazus reptans. Lilac, April, 4" | .20 | .18 |
| Melissa officinalis. White, Aug., 2' | .15 | .12 |
| Mentha anisatus. Anise-flavored. 15" | .25 | |
| crispa. Curly mint. 12" | .25 | |
| piperita. Peppermint. Purple, 2' | .15 | .12 |
| * requieni. Mauve, July, Aug., 2" | .20 | .18 |
| rotundifolia. Apple mint, 30" | .25 | |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| *Mertensia virginica. Purplish blue, March, April, 2' | .15 | .12 |
| *Micromeria rupestris. White, fall, 10" | .18 | .15 |
| *Mimulus luteus. Yellow, summer, 1' | .25 | .20 |
| Mitchella repens. White shaded pink, March, 4" | .18 | .15 |
| Monardi didyma. Red, July, Aug., 3' | .15 | .12 |
| didyma Cambridge. Scarlet, July, Aug., 3'.. | .15 | .12 |
| didyma Salmonea. Salmon, July, Aug., 3'.. | .20 | .18 |
| didyma Sunset. Mahogany, July, Aug., 3'.. | .18 | .15 |
| didyma splendens. Scarlet, July, Aug., 3'.. | .15 | .12 |
| didyma violacea. Violet, July, Aug., 3' | .15 | .12 |
| fistulosa. Lilac, July, 3' | .15 | .12 |
| Mulgedium Bourgaei. Lilac, summer, 5' | .25 | .20 |
| *Myosotis alpestris. Blue, April, May, 8" | .15 | .12 |
| *alpestris alba. White, May, June, 8" | .15 | .12 |
| *alpestris pink. May, June, 8" | .15 | .12 |
| *palustris. Blue, all summer, 6" | .15 | .12 |
| *palustris Pink Beauty. All summer, 6" | .18 | .15 |
| *Nepeta hederacea. Blue, May, 2" | .15 | .12 |
| macrantha. Lavender, summer, 2' | .18 | .15 |
| *mussini. Blue. June, July, 1' | .18 | .15 |
| nuda. Violet, Aug., 3' | .25 | .20 |
| *Six Hills Giant. Blue, summer, 1' | .30 | .25 |
| *Souv. de Andre Chaudron. Blue, summer, 1' | .25 | .20 |
| *Nierembergia rivularis. Creamy white, summer, 4" | .18 | .15 |
| Oenothera fraseri. Yellow, summer, 1' | .15 | .12 |
| fruticosa major. Yellow, summer, 2' | .15 | .12 |
| fruticosa youngi. Lemon, June, July, 2' ... | .18 | .15 |
| lamareckiana. Yellow, July, Aug., 4' | .15 | .12 |
| missouriensis. Yellow, July, Aug., 6" | .20 | .18 |
| rosea. Rose, summer, 15" | .25 | .20 |
| speciosa. White, July, Aug., 1½' | .18 | .15 |
| *taraxacifolia. Pink, summer, 6" | .30 | |
| trichocalyx. White, summer, 1' | .25 | .20 |
| Onoclea sensibilis. Sensitive Fern | .15 | .12 |
| struthiopteris. Ostrich Fern | .15 | .12 |
| Onopordon bracteatum. Pink, July, 5' | .20 | .18 |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25 & up each |
|---|--------------|-----------------|
| *Opuntia fragilis. Yellow. June, 4" | .25 | .20 |
| *humifusa. Yellow, June, 10" | .25 | .20 |
| megacantha. Yellow, June, 3' | .25 | .20 |
| Origanum vulgare. Pink, summer, 2' | .25 | |
| *Orobus vernus. Rose purple, May, 1' | .35 | |
| Osmunda cinnamomea. Cinnamon Fern | .15 | .12 |
| regalis. Royal Fern | .15 | .12 |
| Pachysandra terminalis. White, May, 3" | | |
| 2 year from pots | .12 | .10 |
| Paeonia officinalis rosea. Rose pink | .50 | .40 |
| officinalis rubra. Red | .50 | .40 |
| sinensis. Strong plants, 3-5 eyes. | | |
| Albert Crousse. Salmon pink | .50 | |
| August Dessert. Velvety rose | .50 | |
| Beauty of France. Pale rose | .50 | .40 |
| Claire Dubois. Satiny pink | .60 | |
| Dr. Vandertak. Crimson | .50 | |
| Duc de Wellington. White | .35 | .30 |
| Duchess de Nemours. Creamy white .. | .50 | .40 |
| Edulis. Deep rose | .30 | .25 |
| Felix Crousse. Brilliant red | .40 | .35 |
| Festiva maxima. Finest early white ... | .40 | .35 |
| Karl Rosenfield. Early red | .50 | |
| Lady Alexander Duff. Pale pink | .75 | |
| Longfellow. Red | .75 | |
| Marie Crousse. Salmon pink | .60 | |
| Marie Lemoine. Creamy white | .60 | .50 |
| Marquise of Lansdowne. Large, pink .. | .60 | |
| Mons. Martin Cahuzac. Dark purple garnet | 1.00 | |
| Mons. Jules Elie. Pink with darker guard petals | .60 | .50 |
| Mrs. Van Leeuwen. Light crimson | .50 | |
| Roem von Boskoop. Deep rose | .35 | .30 |
| Solange. White petals, golden brown center | .75 | |
| Souv. de Louis Bigot. Bengal rose | .75 | |
| Therese. Violet rose | .75 | |
| Triumph de Paris. Light pink, yellow center | .35 | .30 |
| Virginie. Lilac rose | .35 | .30 |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25&up each |
|--|--------------|---------------|
| Paeonia sinensis | | |
| Walter Faxon. Pure pink | .75 | |
| Wm. Mesman. White | .35 | .30 |
| single. Named colors, red, white, pink | 1.00 | |
| single Japanese. Named varieties | 1.25 | |
| Alba Grandiflora. White. | | |
| Cleopatra. Red. | | |
| Eva. Bright lilac-crimson. | | |
| Jacqueline. Pure white. | | |
| L'Etincelante. Bright light red. | | |
| Mikado. Dark red. | | |
| Oitmatsu. Light pink changing to white. | | |
| Shi-pen-kue. Nearest to blue in Peonies. | | |
| suffruticosa. Tree Peony. (See Page 91) | | |
| * Papaver alpinum. Various, summer, 6" | .18 | .15 |
| * nudicaule. All colors, summer, 8" | .15 | .12 |
| orientale bracteatum. Red, June, 2' | .18 | .15 |
| orientale. Orange scarlet, June, 2' | .15 | .12 |
| Beauty of Livermore. Crimson, June, 3' | .25 | |
| Enfield Beauty. Salmon, June, 2' | .18 | |
| Fairy. Pale pink, June, 2' | .25 | .20 |
| Lulu A. Neeley. Ox-blood red, June, 3' | .30 | |
| May Sadler. Salmon, June, 2' | .25 | |
| Mrs. Perry. Salmon pink, June, 3' | .20 | .18 |
| Olympia. Scarlet, June, 3' | .25 | .20 |
| Perry's White. White, June, 3' | .25 | |
| Princess Victoria Louise. Salmon, June, 2' | .20 | .18 |
| Wurtembergia. Rose-red, June, 2' | .25 | .20 |
| pilosum. Brick red, June, 3' | .20 | .18 |
| Pardanthus. (See Belamcanda). | | |
| * Paronychia serpyllifolia. White, July, 2" | .20 | .18 |
| Pennisetum japonicum. Fountain Grass | .20 | .18 |
| * Pentstemon alpinus. Bluish purple, June, 1' | .25 | .20 |
| *arizonicus. Purple, June, July, 8" | .20 | .18 |
| barbatus. Scarlet, July, 3' | .15 | .12 |
| barbatus coccineus. Scarlet, July, Aug., 4' .. | .18 | .15 |
| barbatus Pink Beauty. Pink, summer, 2' ... | .20 | .18 |
| digitalis. White, Aug., 3' | .18 | .15 |
| Garnet. Red, summer, 18" | .35 | |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| Pentstemon | | |
| glaber. Blue, summer, 2' | .20 | |
| grandiflora. Blue, summer, 3' | .30 | |
| hirsutus. Rosy purple, July, Aug., 2' | .18 | .15 |
| ovatus. Blue, July, Aug., 3' | .18 | .15 |
| *procerus. Blue, July, 1' | .20 | |
| *pygmaeus. Purplish blue, summer, 6" | .20 | .18 |
| unilateralis. Blue, June, 2' | .18 | .15 |
| Phalaris arundinacea variegata. Ribbon Grass.. | .15 | .12 |
| *Phlox amoena. Pink, May, 4" | .15 | .12 |
| *arendsi Louise. Lilac, all summer, 1' | .30 | |
| *divaricata. Lavender, May, June, 1' | .15 | .12 |
| *divaricata laphami. Violet, June, 1' | .25 | .20 |
| glaberrima. Pink, June, 18" | .18 | .15 |
| maculata. Purplish red, May, June, 4' | .15 | .12 |
| *ovata. Red, May, June, 1' | .18 | |
| paniculata. 2-3' | | |
| Africa. Carmine, red eye | .18 | .15 |
| Antonin Mercie. Lilac, white center .. | .18 | .15 |
| Athis. Salmon pink | .12 | .10 |
| B. Compte. Rich French purple | .18 | .15 |
| Baron von Dedem. Salmon red | .18 | .15 |
| Beacon. Cherry red | .18 | .15 |
| Border Queen. Dwarf pink | .20 | |
| Capt. Koehl. Blood red | .25 | |
| Caroline Vandenburg. Lavender blue.. | .25 | |
| Champs Elysees. Rich purple crimson.. | .15 | .12 |
| Commander. Crimson | .18 | .15 |
| Count Zeppelin. White, red eye | .18 | |
| Daily Sketch. Salmon pink, carmine eye | .25 | |
| Enchantress. Salmon pink, dark eye .. | .18 | .15 |
| Elizabeth Campbell. Salmon pink | .18 | .15 |
| Evelyn. Salmon rose | .20 | .18 |
| Feuerbrand. Orange scarlet | .20 | .18 |
| Fiancee. White | .20 | .18 |
| George Stipp. Salmon, lighter eye | .25 | .20 |
| Gustave Lind. Deep salmon | .30 | |
| Johnson's Favorite. Salmon rose | .15 | .12 |
| Jules Sandeau. Large pink | .18 | .15 |
| Karl Foerster. Orange scarlet | .25 | |
| Le Mahdi. Deep purple | .15 | .12 |
| Leo Schlageter. Bright scarlet..... | .35 | .30 |

For less than five, add five cents per plant to the 5-24 rate.

5-24
each
 25&up
each
Phlox paniculata

| | | |
|---|-----|-----|
| Lilian. Fine light pink | .25 | |
| Mad. Paul Dutrie. Soft pink | .18 | .15 |
| Maid Marian. Soft lavender | .18 | .15 |
| Mary Louise. Pure waxy white | .35 | |
| Mia Ruys. White | .25 | |
| Mrs. Jenkins. Pure white | .15 | .12 |
| Mrs. Milly van Hoboken. Soft pink | .20 | .18 |
| Miss Lingard. White | .18 | .15 |
| Miss Verboom. Rose | .35 | |
| Morgenrood. Bright rose, deeper eye .. | .25 | .20 |
| P. D. Williams. Apple blossom pink | .25 | |
| Peachblossom. Shell pink | .15 | .12 |
| Prof. Virchow. Orange scarlet | .18 | .15 |
| Rheinlander. Salmon pink, claret eye .. | .15 | .12 |
| Rokoko. Soft pink | .20 | .18 |
| R. P. Struthers. Carmine, claret red eye | .15 | .12 |
| Salmon Glow. Salmon pink | .25 | |
| Special French. Soft pink | .15 | .12 |
| Thor. Deep salmon pink | .18 | .15 |
| Widar. Light reddish violet, white eye.. | .18 | .15 |
| *pilosa. Lavender, May, 1' | .18 | .15 |
| *reptans. Lilac, May, 6-12" | .15 | .12 |
| *stellaria. Creeping, May, 4" | .15 | .12 |
| *subulata alba. White, April, May, 4" | .15 | .12 |
| *subulata atropurpurea. Purple, April, 4" .. | .20 | .18 |
| *subulata Blue Hills. Light blue, April, 4" .. | .20 | |
| *subulata Fairy. Blue, purple eye, April, 4" | .18 | .15 |
| *subulata G. F. Wilson. Lilac, May, 6" | .15 | .12 |
| *subulata lilacina. Light blue, April, May, | | |
| 4" | .15 | .12 |
| *subulata Little Dot. Lilac, April, 4" | .15 | .12 |
| *subulata nelsoni. White, May, 4" | .15 | .12 |
| *subulata Perfection. Rose, pink eye, April, | | |
| 4" | .15 | .12 |
| *subulata rosea. Pink, May, 4" | .12 | .10 |
| *subulata The Bride. White, pink eye, May, | | |
| 5" | .15 | .12 |
| *subulata Vivid. Pink, red eye, April, 4" ... | .18 | .15 |

Phygелиus capensis. Red, Aug., Sept., 3'20**Physalis francheti.** Red pods, Oct., 2'15 .12

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25 & up each |
|---|--------------|-----------------|
| Physostegia virginiana. Rose, Aug., 3' | .15 | .12 |
| virginiana alba. White, Aug., 3' | .15 | .12 |
| virginiana Vivid. Deep pink, Aug., 2' | .18 | .15 |
| * Phyteuma orbiculare. Purple, June, July, 2' | .25 | .20 |
| * scheuchzeri. Violet, June, 1' | .18 | .15 |
| Platycoden grandiflorum. Blue, summer, 2' | .15 | .12 |
| grandiflorum album. White, summer, 2' .. | .15 | .12 |
| * mariesi. Deep blue, summer, 1' | .15 | .12 |
| * mariesi album. White, summer, 1' | .15 | .12 |
| Plumbago larpentae. (See Ceratostigma). | | |
| Podophyllum peltatum. White, May, June, 1' .. | .15 | .12 |
| * Polemonium caeruleum. Deep blue, June, July, 1 1/2' | .15 | .12 |
| * caeruleum album. White, June, July, 1 1/2' .. | .15 | |
| * confertum. Blue, June, July, 18" | .18 | .15 |
| * reptans. Blue, May, June, 6" | .18 | .15 |
| * richardsoni. Sky blue, May, June, 6" | .18 | .15 |
| * Polygonum compactum. White, Aug., Sept., 1 1/2' .. | .15 | .12 |
| cuspidatum. White, Aug., Sept., 5' | .15 | .12 |
| oxyphyllum. Creamy white, Sept., 3' | .18 | .15 |
| spaethi. Pink, Sept., 6' | .35 | |
| Polystichum acrostichoides. Christmas Fern.... | .12 | .10 |
| * Potentilla atrosanguinea. Red, summer, 18" .. | .18 | .15 |
| * argentea. Yellow, summer, 18" | .20 | .18 |
| * crinita. Yellow, summer, 1' | .18 | .15 |
| * nepalensis. Showy red, May, June, 2' | .15 | .12 |
| * nepalensis Miss Willmott. Salmon pink, summer, 12" | .20 | .18 |
| * pyrenaica. Yellow, summer, 18" | .15 | .12 |
| * tridentata. White, summer, 1' | .18 | .15 |
| * Primula acaulis. Yellow, May, 9" | .18 | .15 |
| * auricula alpina. Various, May, 6" | .18 | .15 |
| * beesiana. Purple, May, 18" | .25 | .20 |
| * bulleyana. Apricot, June, 18" | .25 | .20 |
| * bulleyana hybrids. Various, May, 18" | .25 | .20 |
| * cashmiriana. Light lilac, May, 8" | .25 | .20 |
| * cortusoides. Deep rose, June, 10" | .20 | .18 |
| * denticulata. Purple, yellow eye, May, 6" .. | .25 | .20 |
| * denticulata alba. White, May, 6" | .25 | .20 |
| * elator. Yellow, May, 8" | .25 | |
| * elator atrocoerulea. Dark blue, May, 8" .. | .35 | |

For less than five, add five cents per plant to the 5-24 rate.

5-24
each 25&up
each

***Primula**

| | | |
|--|-----|-----|
| florindae. Yellow, May, 4' | .35 | .30 |
| *japonica atrosanguinea. Red, May, June, 1' | .20 | .18 |
| *japonica pink. May, June, 1' | .20 | .18 |
| *moerheim hybrids. Various, May, 12" | .25 | .20 |
| *polyanthus. White or yellow, May, 10" | .25 | .20 |
| *saxatilis. Rose, May, 10" | .25 | .20 |
| *veris. Yellow, April, May, 9" | .18 | .15 |
| *veris Giant Munstead. Various, May, 1' | .20 | .18 |
| *veris Gold Laced. Various, May, 9" | .25 | .20 |
| *veris lilacina fl. pl. Lilac, May, 4" | .50 | |

| | | |
|--|-----|-----|
| *Pulmonaria angustifolia. Blue, April, May, 8" .. | .20 | .18 |
| *saccharata. Pink, spring, 12" | .30 | |

| | | |
|---|-----|-----|
| *Prunella grandiflora. Violet, summer, 8" | .18 | .15 |
| *incisa rubra. Red, summer, 6" | .18 | .15 |
| *webbiana. Purple, summer, 6" | .18 | .15 |

| | | |
|---|-----|-----|
| Pyrethrum Dainty. Dbl. cherry red, summer, 1' .. | .35 | |
| James Kelway. Sgl. red, June, 1' | .20 | |
| Princess Margaret. Crested pink, June, 1' .. | .25 | |
| Rose Glory. Dbl. rose, June, 1' | .25 | |
| roseum. Various, May, June, 1' | .15 | .12 |
| roseum double. Various, May, June, 2' | .35 | |
| roseum Rosy Morn. Pink, June, 2' | .20 | .18 |
| roseum single scarlet. Summer, 1' | .35 | |
| uliginosum. White, Sept., 5' | .15 | .12 |

| | | |
|--|-----|-----|
| Ranunculus acris fl. pl. Yellow, June, 3' | .18 | .15 |
| *repens. Yellow, June, 4" | .18 | .15 |
| repens fl. pl. Yellow, June, 1' | .18 | .15 |

| | | |
|---|-----|-----|
| Rosmarinus officinalis. Light blue, April, 4" .. | .20 | .18 |
|---|-----|-----|

| | | |
|---|-----|-----|
| Rudbeckia Autumn Glory. Yellow, Aug., Sept., 6' | .15 | .12 |
| hirta. Yellow, Aug., Sept., 3' | .15 | .12 |
| laciniata. (Golden Glow). Yellow, Aug., 6' .. | .15 | .12 |
| nitida. Single yellow, Aug., Sept., 6' | .15 | .12 |
| Rayon d'Or. Yellow, Aug., 5' | .15 | .12 |
| speciosa. Yellow, July, Aug., 2' | .15 | .12 |
| subtomentosa. Lemon yellow, Aug., Sept., 4' | .15 | .12 |

| | | |
|--|-----|-----|
| *Ruta graveolens. Yellow, summer, 2½' | .15 | .12 |
|--|-----|-----|

| | | |
|--|-----|-----|
| *Sagina subulata. White, July, Aug., 3" | .18 | .15 |
|--|-----|-----|

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25 & up each |
|---|--------------|-----------------|
| <i>Salvia argentea</i> . Pinkish white, June, 3' | .15 | .12 |
| <i>azurea</i> . Blue, Aug., 4' | .15 | .12 |
| <i>azurea grandiflora</i> . Blue, Aug., 4' | .18 | .15 |
| <i>farinacea</i> . Blue. July, 2-3' | .15 | .12 |
| <i>glutinosa</i> . Yellow, June, July, 3' | .15 | .12 |
| <i>officinalis</i> . Blue, summer, 18" | .15 | .12 |
| <i>pitcheri</i> . (See <i>azurea grandiflora</i>). | | |
| <i>pratensis</i> . Deep blue, June, 3' | .15 | .12 |
| <i>pratensis rubicunda</i> . Rose, June, July, 3' .. | .20 | |
| <i>viscosa</i> . Pink, July, 3' | .18 | .15 |
| * <i>Sanguinaria canadensis</i> . White, April, 8" | .15 | .12 |
| * <i>Santolina chamaecyparissus</i> . Gray foliage, 1'.. | .18 | .15 |
| * <i>Saponaria caespitosa</i> . Rose, July, 3" | .20 | .18 |
| <i>ocymoides</i> . Pink, summer, 9" | .15 | .12 |
| <i>officinalis rosea</i> pl. Pink, summer, 18" | .15 | .12 |
| * <i>Saxifraga aizoides</i> . Yellow, Aug., 4" | .25 | |
| <i>altissima</i> . White, May, June, 2' | .25 | |
| <i>borisi</i> . Yellow, May, June, 3" | .25 | |
| <i>caespitosa</i> . Various, June, July, 6" | .25 | |
| <i>cochlearis</i> . White, May, June, 9" | .18 | .15 |
| <i>cordifolia</i> . Rose pink, May, June, 1' | .18 | .15 |
| <i>cotyledon</i> . White, May, June, 18" | .25 | .20 |
| <i>crassifolia</i> . Rosy pink, April, 1' | .18 | .15 |
| <i>decipiens</i> . White, May, June, 4" | .20 | .18 |
| <i>granulata</i> . White, May, June, 1' | .20 | .18 |
| <i>grisebachii</i> . Purple, May, June, 8" | .40 | |
| <i>haussmani</i> . Yellow, May, June, 8" | .20 | |
| <i>lantoscana</i> . White, May, June, 1' | .25 | .20 |
| <i>lingulata rosea</i> . Pink, April, 1' | .18 | .15 |
| <i>lingulata leichtlini</i> . Rose, April, 1' | .18 | .15 |
| <i>longifolia</i> . White, May, June, 2' | .35 | .30 |
| <i>marginata</i> . White, May, June, 3' | .25 | |
| <i>McNabiana</i> . White, May, June, 12" | .20 | .18 |
| <i>purpurea</i> . Rosy purple, April, 1' | .18 | .15 |
| <i>sarmentosa</i> . White, summer, 2' | .30 | .25 |
| <i>umbrosa</i> . Pink, May, June, 1' | .25 | .20 |
| <i>Scabiosa caucasica</i> . Lavender, all summer, 1'.. | .20 | |
| <i>caucasica alba</i> . White, summer, 1' | .20 | |
| <i>caucasica House's Hybrids</i> . Various, sum- mer, 1' | .25 | |
| <i>fischeri</i> . Blue purple, summer, 2' | .20 | |
| <i>japonica</i> . Lavender, Aug., Sept., 18" | .18 | .15 |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25 & up each |
|---|--------------|-----------------|
| * <i>Schivereckia bornmulleri</i> . White, summer, 4" .. | .20 | .18 |
| * <i>Scutellaria alpina</i> . Purple and white, summer, 6" | .18 | .15 |
| * <i>coelestina</i> . Blue, summer, 1' | .20 | .18 |
| * <i>orientalis</i> . Yellow, June, July, 8" | .20 | .18 |
| * <i>Sedum acre</i> . Yellow, June, July, 4" | .15 | .12 |
| * <i>aizoon</i> . Yellow, July, Aug., 1' | .15 | |
| * <i>album</i> . White, July, 4" | .15 | .12 |
| * <i>altissimum</i> . Yellow, July, Aug., 9" | .18 | .15 |
| * <i>anglicum</i> . Pink, July, Aug., 3" | .20 | |
| * <i>douglasi</i> . Yellow, July, 2" | .15 | .12 |
| * <i>ewersi</i> . Pink, Aug., Sept., 6" | .15 | .12 |
| * <i>glaucum</i> . Blue foliage, 2" | .15 | .12 |
| * <i>kamtschaticum</i> . Yellow, July, 6" | .15 | .12 |
| * <i>maximowiczii</i> . Yellow, July, Aug., 1' | .15 | .12 |
| * <i>maximum</i> . Pink. Sept., Oct., 18" | .15 | .12 |
| * <i>middendorffianum</i> . Yellow, June, July, 4" .. | .18 | .15 |
| * <i>murale</i> . Pink, July, 1' | .18 | .15 |
| * <i>obtusatum</i> . Yellow, July, Aug., 3" | .20 | .18 |
| * <i>reflexum</i> . Yellow, July, Aug., 8" | .15 | .12 |
| * <i>sarmentosum</i> . Yellow, July, 3" | .15 | .12 |
| * <i>sexangulare</i> . Yellow, June, July, 6" | .15 | .12 |
| * <i>sieboldi</i> . Pink, July, Aug., 1' | .18 | .15 |
| * <i>spectabile</i> . Pink, Aug., Sept., 1½' | .15 | .12 |
| <i>spectabile Brilliant</i> . Crimson, Sept., 1½' .. | .15 | .12 |
| * <i>spurium album</i> . White, July, Aug., 6" | .15 | .12 |
| * <i>spurium splendens</i> . Rosy crimson, Aug., 6" .. | .15 | .12 |
| * <i>stoloniferum</i> . Pink, July, Aug., 6" | .15 | .12 |
| * <i>stoloniferum coccineum</i> . Crimson, Aug., 6" .. | .15 | .12 |
| * <i>ternatum</i> . White, May, June, 4" | .15 | .12 |
| * <i>Sempervivum arachnoideum</i> . Red, June, 4" | .18 | .15 |
| * <i>arenarium</i> . Yellow, July, 6" | .18 | .15 |
| * <i>alberti</i> . White, July, 8" | .20 | .18 |
| * <i>atroviolaceum</i> . Reddish purple, 8" | .25 | |
| * <i>brauni</i> . Bronze, July, 6" | .18 | |
| * <i>doellianum</i> . Red, June, July, 6" | .18 | .15 |
| * <i>funcki</i> . Brown, June, July, 6" | .18 | .15 |
| * <i>fauconetti</i> . Pink, June, 6" | .20 | .18 |
| * <i>fimbriatum</i> . Pink, July, 8" | .20 | .18 |
| * <i>glaucum</i> . Pink, July, Aug., 6" | .20 | .18 |
| * <i>globiferum</i> . Yellow, June, 12" | .15 | .12 |
| * <i>tectorum violaceum</i> . Violet red, June, 4" .. | .15 | .12 |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25Gup each |
|---|--------------|---------------|
| * <i>Shortia galacifolia</i> . White, June, 8" | .25 | .20 |
| <i>Sidalcea Rose Queen</i> . Rose pink, July, Aug., 4' | .15 | .12 |
| * <i>Silene alpestris</i> . White, May, June, 6" | .18 | .15 |
| * <i>maritima</i> . White, summer, 1' | .18 | .15 |
| * <i>maritima rosea</i> . Pink, summer, 1' | .20 | .18 |
| * <i>multicaulis</i> . White, June, July, 1' | .25 | .20 |
| <i>orientalis</i> . Pink, July, 2' | .15 | .12 |
| * <i>roemerii</i> . White, July, Aug., 1' | .25 | |
| * <i>saxifraga</i> . White, summer, 6" | .18 | .15 |
| * <i>schafta</i> . Bright pink, July, 6" | .15 | .12 |
| <i>Silphium perfoliatum</i> . Yellow, July, 6' | .18 | .15 |
| * <i>Sisyrinchium angustifolium</i> . Blue, June, July, 6" | .18 | .15 |
| <i>Smilacina racemosa</i> . White, April, 2-3' | .15 | .12 |
| <i>Solidago canadensis</i> . Yellow, fall, 4-5' | .15 | .12 |
| <i>rigida</i> . Yellow, fall, 3-4' | .15 | .12 |
| <i>shortii</i> . Yellow, fall, 4' | .18 | .15 |
| <i>Spigelia marilandica</i> . Red, June, July, 2' | .25 | |
| <i>Spiraea aruncus</i> . White, June, July, 3-5' | .20 | .18 |
| <i>camtschatica</i> . White, July, 6' | .18 | .15 |
| <i>chinensis</i> . Silvery pink, June, July, 2' | .15 | .12 |
| <i>eximea</i> . Pink, June, July, 2' | .18 | .15 |
| <i>filipendula</i> . Single, white, June, July, 1'.. | .18 | .15 |
| <i>filipendula fl. pl.</i> White, summer, 15" | .25 | |
| <i>lobata</i> . Pink, July, 4' | .18 | .15 |
| <i>palmata</i> . Rosy crimson, June, July, 2' | .15 | .12 |
| <i>ulmaria fl. pl.</i> White, June, 3-4' | .18 | .15 |
| <i>venusta magnifica</i> . Deep pink, July, 3' | .18 | .15 |
| <i>Stachys lanata</i> . Purple, June, July, 1½' | .15 | .12 |
| <i>Statice</i> . (See <i>Limonium</i>). | | |
| * <i>Stellaria holostea</i> . White, May, June, 1½' | .18 | .15 |
| <i>Stenanthium robustum</i> . White, Aug., 3' | .25 | |
| <i>Stokesia laevis</i> . Lavender, Aug., Sept., 1' | .15 | .12 |
| <i>laevis alba</i> . White, Aug., Sept., 1' | .15 | .12 |
| <i>Tanacetum vulgare</i> . Yellow, summer, 3' | .15 | .12 |
| <i>Teucrium chamaedrys</i> . Rose, Aug., 1' | .18 | .15 |
| <i>orientale</i> . Blue, Aug., 10" | .20 | .18 |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25&up each |
|---|--------------|---------------|
| Thalictrum adiantifolium. Yellow, June, 4' | .15 | .12 |
| aquilegifolium. White, June, 5' | .15 | .12 |
| aquilegifolium purpureum. | | |
| Purple, June, 3' | .20 | .18 |
| baicalens. Yellow, June, 4' | .18 | .15 |
| dipterocarpum. Lilac, Aug., 3' | .25 | .20 |
| glaucum. Golden-yellow, June, 4' | .18 | .15 |
| minus. Greenish yellow, June, July, 2' | .18 | .15 |
| rochelbrunianum. Lavender, July, Aug., 3' .. | .30 | .25 |
| Thermopsis caroliniana. Yellow, June, 6' | .20 | .18 |
| mollis. Yellow, June, July, 2-3' | .20 | .18 |
| * Thymus odoratissimus. Lilac, summer, 6" | .18 | .15 |
| * nitidus. Rose, June, July, 3" | .20 | .18 |
| * serpyllum. White, June, 4" | .15 | .12 |
| * serpyllum citriodorus. | | |
| Purple, June, July, 3-5" | .15 | .12 |
| * serpyllum coccineus. Scarlet, June, 4" ... | .18 | .15 |
| * serpyllum lanuginosus. | | |
| Rosy purple, June, July, 5" | .18 | .15 |
| * serpyllum roseus. Rose, summer, 8" | .18 | .15 |
| * vulgaris. Lilac, June, July, 8" | .15 | .12 |
| * Tiarella cordifolia. Creamy white, June, 8" | .15 | .12 |
| Tradescantia virginiana. Blue, all summer, 2'.. | .15 | .12 |
| * Trientalis borealis. White, fall, 6" | .15 | .12 |
| * Trifolium rubens. Purplish red, summer, 1' | .18 | |
| * Trillium erectum. Purple, May, 1' | .15 | .12 |
| * grandiflorum. White, May, 1' | .15 | .12 |
| Tritoma. (See Kniphofia). | | |
| Trollius asiaticus. | | |
| Rich orange, July, Aug., 2' | .25 | .20 |
| * europeus. Citron yellow, July, Aug., 1'.... | .20 | .18 |
| * europeus Fire Globe. Orange, summer, 1'.. | .35 | |
| europeus Orange Globe. | | |
| Orange, summer, 18" | .25 | .20 |
| * ledebouri. Orange, summer, 18" | .35 | |
| * ledebouri Golden Queen. Orange, summer, | | |
| 18" | .35 | |
| * Tunica saxifraga. Light pink, June, July, 6" .. | .18 | .15 |
| * saxifraga alba. White, summer, 6" | .18 | |
| * saxifraga alba fl. pl. Summer, 6" | .30 | .25 |
| * saxifraga rosea fl. pl. Pink, summer, 6" ... | .30 | .25 |
| Valeriana officinalis. Rose, June, July, 5' | .18 | .15 |

| | 5-24 each | 25 & up each |
|---|--------------|-----------------|
| Verbascum chaixi. White, summer, 3' | .20 | .18 |
| densiflorum. Yellow, June, July, 6' | .15 | .12 |
| olympicum. Yellow, July, Aug., 5' | .15 | .12 |
| phoeniceum. Various, May, June, 3' | .18 | .15 |
| willmottiae. White, summer, 5' | .18 | .15 |
| *Verbena canadensis. Purple, Aug., 18" | .25 | .20 |
| *canadensis Attraction. Cerise, summer, 3" | .30 | |
| *canadensis Brilliant. Red, summer, 3" | .30 | |
| hastata. Blue, Aug., Sept., 3' | .15 | .12 |
| Vernonia noveboracensis. Purple, Aug., Sept., 5' | .15 | .12 |
| *Veronica allioni. Violet, June, 2" | .20 | .18 |
| *alpestris. Pale blue, June, 18" | .15 | .12 |
| *amethystina Royal Blue. | | |
| June, July, 12" | .18 | .15 |
| *Blue Spires. Blue, summer, 18" | .20 | .18 |
| *caucasica. White, July, 6" | .20 | .18 |
| *chamaedrys. Blue, May, June, 18" | .18 | .15 |
| *elegantissima. Blue, July, Aug., 2' | .15 | .12 |
| *erica. Pink, summer, 10" | .15 | .12 |
| *filiformis. Blue, May, 2" | .18 | .15 |
| *gentianoides. Pale blue, June, July, 1' | .20 | .18 |
| *incana. Pale blue, July, Aug., 1½' | .15 | .12 |
| *longifolia subsessilis. Blue, Aug., Sept., 2' | .20 | .18 |
| *orchidea. Blue, July, 18" | .18 | .15 |
| *pectinata rosea. Pink, May, June, 6" | .15 | .12 |
| *peduncularis. White, June, 6" | .18 | .15 |
| *pulchella. Blue, May, 1' | .15 | .12 |
| *repens. Pale blue, May, June, 2" | .15 | .12 |
| *rupestris. Blue, June, 6" | .15 | .12 |
| *rupestris alba. White, June, 4" | .20 | .18 |
| *rupestris nana. Dark blue, June, 2" | .20 | .18 |
| *rupestris pink. June, 4" | .20 | .18 |
| *saxatilis. Pale blue, July, 6" | .20 | .18 |
| *spicata. Blue, July, Aug., 2' | .15 | .12 |
| *spicata alba. White, Aug., 18" | .18 | |
| *spicata nana. Blue, June, 6" | .25 | |
| *spuria. Blue, June, 18" | .15 | .12 |
| *teucrium prostrata. Blue, June 1' | .15 | .12 |
| *True Blue. June, July, 12" | .18 | .15 |
| virginica. Pale blue, Aug., 4' | .18 | .15 |
| *Vesicaria utriculata. Yellow, April, May, 8" | .20 | .18 |

For less than five, add five cents per plant to the 5-24 rate.

| | 5-24 each | 25 & up each |
|--|--------------|-----------------|
| Vinca minor. Blue, all summer, 6" | .10 | .08 |
| minor alba. White, all summer, 6" | .25 | .20 |
| minor Bowles. Blue, summer, 6" | .25 | .20 |
| minor rubra plena. Red, all summer, 6" ... | .40 | .30 |
| *Viola alba. White, May, 6" | .12 | .10 |
| *bosniaca. Rosy mauve, June, July, 4" | .18 | .15 |
| *cornuta Admiration. Purple, all summer, 6" .. | .15 | .12 |
| *cornuta alba, type. White, all summer, 6" .. | .15 | .12 |
| *cornuta Apricot. Apricot, summer, 6" | .20 | .18 |
| *cornuta Arkwright Beauty. Red, summer, 6" .. | .25 | |
| *cornuta atropurpurea type. Purple, 6" ... | .15 | .12 |
| *cornuta Blue Perfection. Blue, all summer, 6" | .15 | .12 |
| *cornuta florariensis. Pale blue, summer, 6" .. | .20 | .18 |
| cornuta G. Wermig. Violet, all summer, 6" .. | .15 | .12 |
| *cornuta Lord Nelson. Blue, summer, 6" ... | .20 | |
| *cornuta Lutea Splendens. Yellow, all sum- mer, 6" | .15 | .12 |
| *cornuta Mauve Queen. Mauve, all summer, 6" | .15 | .12 |
| *cornuta Papilio. Violet, all summer, 6" ... | .15 | .12 |
| *cornuta Primrose Dame. Yellow, summer, 6" | .20 | .18 |
| *cornuta White Perfection. White, all sum- mer, 6" | .15 | .12 |
| *Dbl. Russian. Blue, June, 4" | .30 | .25 |
| *gracilis. Deep violet, summer, 1' | .15 | .12 |
| *Jersey Gem. Rich violet, summer, 6" | .18 | .15 |
| *odorata. Blue, April, May, 6" | .15 | .12 |
| *odorata Gov. Herrick. Blue, May, 6" | .18 | .15 |
| *odorata Princess of Wales. Violet, May, 6" .. | .18 | .15 |
| *odorata Rosina. Pink, May, 4" | .25 | .20 |
| *pedata. Violet, May, June, 6" | .18 | .15 |
| *primulifolia. Pale blue, summer, 6" | .20 | .18 |
| *Purple Glory. Purple, summer, 6" | .35 | |
| *Rohrbach's Everblooming. Violet, 4" | .50 | .45 |
| *wellsiana. Various, all summer, 6" | .18 | .15 |
| *White Jersey Gem. Summer, 6" | .20 | |
| Yucca filamentosa. White, June, July, 7' | | |
| 2 year | .15 | .12 |
| 3 year | .18 | .15 |
| glauca. White, June, July, 3' | .25 | .20 |

For less than five, add five cents per plant to the 5-24 rate.

FRUIT GARDEN MATERIAL**We are able to supply all the leading varieties**

| | | 1-4 Each | 5-24 Each | 25 & up Each |
|-----------------------------|----------------|-------------|--------------|-----------------|
| Apples, Crab, | 5 to 7 ft..... | 1.00 | .90 | |
| Standard, | 5 to 7 ft..... | 1.00 | .90 | |
| Cherry, Sour, | 5 to 7 ft..... | 1.00 | .90 | |
| Sweet, | 5 to 7 ft..... | 1.00 | .90 | |
| Peaches, | 5 to 7 ft..... | .75 | .60 | |
| Pears, Dwarf, | 5 to 6 ft..... | 1.00 | .90 | |
| Standard, | 5 to 7 ft..... | 1.00 | .90 | |
| Plums, | 5 to 7 ft..... | 1.00 | .90 | |
| Quinces, | 4 to 5 ft..... | 1.00 | .90 | |
| Asparagus | | | .05 | .03 |
| Blackberries | | | .08 | .06 |
| Currants | | .30 | .25 | .20 |
| Gooseberries | | .30 | .25 | .20 |
| Grapes, 3 yr. strong | | .30 | .25 | .20 |
| Raspberries | | | .08 | .06 |
| Rhubarb | | | .10 | .08 |
| Strawberries | | | .06 | .05 |

CONIFEROUS EVERGREENS

Abies balsamea
A. concolor
A. c. violacea
A. firma
A. fraseri
A. homolepis
A. nobilis glauca
A. nordmanniana
A. pectinata
A. pectinata pyramidalis
A. veitchi
Cedrus deodara
C. libani
Chamaecyparis lawsoniana
C. l. pendula
C. l. Triomphe de Boskoop
C. nootkatensis
C. obtusa compacta
C. o. crispis
C. o. gracilis
C. o. nana
C. pisifera
C. p. aurea
C. p. filifera
C. p. filifera aurea
C. p. filifera aurea nova
C. p. plumosa
C. p. plumosa aurea
C. P. plumosa lutescens
C. P. plumosa sulphurea
C. p. squarrosa
Cryptomeria japonica lobbi
Juniperus chinensis
J. c. albovariegata
J. c. columnaris
J. c. globosa
J. c. mas
J. c. neaboriensis
J. c. oblonga
J. c. pfitzeriana
J. c. sargentii
J. c. smithi
J. communis
J. c. dayi
J. c. depressa
J. c. depressa aurea
J. c. depressa plumosa
J. c. hibernica
J. c. kraccovica
J. c. suecica
J. c. suecica nana
J. conferta
J. excelsa
J. e. stricta
J. horizontalis
J. h. glauca
J. japonica
J. j. aurea
J. recurva
J. rigida
J. Sabina
J. s. tamariscifolia
J. s. von ehron
J. scopulorum
J. sphaerica
J. squamata
J. s. meyeri
J. virginiana
J. v. cannarti
J. v. elegantissima

J. v. glauca
J. v. globosa
J. v. keteleeri
J. v. kosteri
J. v. pendula
J. v. plumosa
J. v. schottii
J. v. tripartita
J. v. venusta
Libocedrus decurrens
Picea alba
P. a. gloriosa
P. alcockiana
P. canadensis
P. engelmanni
P. excelsa
P. e. aurea
P. e. clanbrasiliana
P. e. maxwelli
P. e. nana compacta
P. e. nana pyramidalis
P. e. pendula
P. e. pygmaea
P. e. remonti
P. glauca conica
P. mariana
P. m. doumeti
P. omorika
P. orientalis
P. polita
P. pungens
P. p. glauca
P. p. kosteri
P. p. moerheimi
P. rubra
Pinus banksiana
P. cembra
P. densiflora
P. flexilis
P. montana
P. m. mughus
P. nigra
P. ponderosa
P. resinosa
P. strobus
P. sylvestris
P. thunbergii
Pseudotsuga douglasi
Sciadopitys verticillata
Taxus baccata
T. b. erecta
T. b. fastigiata
T. b. repandens
T. b. washingtoni
T. canadensis
T. cuspidata
T. c. brevifolia
T. c. brevifolia compacta
T. c. capitata
Thuja occidentalis
T. o. aurea douglasi
T. o. columbia
T. o. compacta
T. o. compacta Parson's
T. o. elegantissima
T. o. ellwangeriana
T. o. ericoides
T. o. globosa
T. o. hoveyi
T. o. lutea

Coniferous Evergreens continued

- | | |
|------------------------------------|--------------------------------|
| <i>T. o. pumila</i> | <i>T. o. wareana lutescens</i> |
| <i>T. o. pyramidalis</i> | <i>T. o. woodwardi</i> |
| <i>T. o. douglasii pyramidalis</i> | <i>T. orientalis</i> |
| <i>T. o. Little Gem</i> | <i>T. o. conspicua</i> |
| <i>T. o. recurva nana</i> | <i>T. o. elegantissima</i> |
| <i>T. o. reevesii</i> | <i>T. o. nana aurea</i> |
| <i>T. o. reidi</i> | <i>T. o. sieboldi</i> |
| <i>T. o. riversi</i> | <i>T. plicata</i> |
| <i>T. o. rosenthalii</i> | <i>T. standishi</i> |
| <i>T. o. spiralis</i> | <i>Tsuga canadensis</i> |
| <i>T. o. umbraculifera</i> | <i>T. caroliniana</i> |
| <i>T. o. vervaeneana</i> | <i>T. sieboldi</i> |
| <i>T. o. wareana</i> | |

BROAD-LEAVED EVERGREENS

- | | |
|-------------------------------------|-------------------------------------|
| <i>Arctostaphylos uva-ursi</i> | <i>E. r. argenteo-marginatus</i> |
| <i>Azalea amoena</i> | <i>E. r. carrierei</i> |
| <i>A. a. hinodegiri</i> | <i>E. r. colorata</i> |
| <i>A. ledifolia</i> | <i>E. r. kewensis</i> |
| <i>Berberis julianae</i> | <i>E. r. minima</i> |
| <i>B. sargentiana</i> | <i>E. r. vegetus</i> |
| <i>B. triacanthophora</i> | <i>Ilex cornuta</i> |
| <i>B. verruculosa</i> | <i>I. crenata</i> |
| <i>Bruckenthalia spiculifolia</i> | <i>I. c. bullata</i> |
| <i>Buxus microphylla</i> | <i>I. c. latifolia</i> |
| <i>B. m. koreana</i> | <i>I. c. microphylla</i> |
| <i>B. sempervirens handsworthii</i> | <i>I. glabra</i> |
| <i>Calluna vulgaris</i> | <i>I. opaca</i> |
| <i>C. v. alba</i> | <i>Kalmia latifolia</i> |
| <i>C. v. alportii</i> | <i>Laurocerasus o. schipkaensis</i> |
| <i>C. v. aurea</i> | <i>Leucothoe catesbaei</i> |
| <i>C. v. carnea</i> | <i>Lonicera nitida</i> |
| <i>C. v. searlei</i> | <i>L. pileata</i> |
| <i>Chamaedaphne calyculata</i> | <i>Mahonia aquifolium</i> |
| <i>Crataegus pyracantha lalandi</i> | <i>Osmanthus aquifolium</i> |
| <i>C. p. coccinea</i> | <i>Pachistima canbyi</i> |
| <i>C. p. yunnanensis</i> | <i>Pieris floribunda</i> |
| <i>Daphne cneorum</i> | <i>P. japonica</i> |
| <i>Erica carnea</i> | <i>Rhododendron carolinianum</i> |
| <i>E. darleyensis</i> | <i>R. catawbiense</i> |
| <i>E. vagans</i> | <i>R. maximum</i> |
| <i>Euonymus patens</i> | <i>Skimmia japonica</i> |
| <i>E. radicans</i> | <i>Stranvaesia davidiana</i> |
| <i>E. r. acutus</i> | <i>Viburnum rhytidophyllum</i> |

DECIDUOUS SHADE TREES

- | | |
|-----------------------------|--------------------------|
| <i>Acer campestre</i> | <i>Alnus cordata</i> |
| <i>A. cappadocicum</i> | <i>A. glutinosa</i> |
| <i>A. dasycarpum</i> | <i>A. g. laciniata</i> |
| <i>A. d. pyramidale</i> | <i>A. incana</i> |
| <i>A. d. wieri</i> | <i>A. japonica</i> |
| <i>A. mandshuricum</i> | <i>Betula alba</i> |
| <i>A. negundo</i> | <i>B. a. fastigiata</i> |
| <i>A. nigrum</i> | <i>B. a. laciniata</i> |
| <i>A. platanoides</i> | <i>B. fontinalis</i> |
| <i>A. p. schwedleri</i> | <i>B. maximowicziana</i> |
| <i>A. pseudoplatanus</i> | <i>B. lenta</i> |
| <i>A. rubrum</i> | <i>B. lutea</i> |
| <i>A. saccharum</i> | <i>B. nigra</i> |
| <i>Aesculus carnea</i> | <i>B. papyrifera</i> |
| <i>A. glabra</i> | <i>B. p. cordifolia</i> |
| <i>A. hippocastanum</i> | <i>B. populifolia</i> |
| <i>A. h. baumannii</i> | <i>Carpinus betulus</i> |
| <i>A. octandra</i> | <i>C. caroliniana</i> |
| <i>A. turbinata</i> | <i>C. cordata</i> |
| <i>Ailanthus glandulosa</i> | <i>C. japonica</i> |
| <i>A. vilmoriniana</i> | <i>C. yedoensis</i> |

Deciduous Shade Trees Continued

- Catalpa bignonioides nana
 C. speciosa
 Cedrela sinensis
 Celtis occidentalis
 C. sinensis
 Cercidiphyllum japonicum
 C. j. sinense
 Davidia involucrata
 Eucommia ulmoides
 Fagus americana
 F. sylvatica
 F. s. fastigiata
 F. s. heterophylla
 F. s. pendula
 F. s. purpurea
 F. s. riversi
 Fraxinus americana
 F. chinensis
 F. excelsior
 F. lanceolata
 F. mandshurica
 F. nigra
 F. pennsylvanica
 F. quadrangulata
 Ginkgo biloba
 Gleditsia elegantissima
 G. japonica
 G. triacanthos
 G. t. inermis
 Gymnocladus dioica
 Hicoria ovata
 Juglans cineria
 J. nigra
 J. regia
 J. sieboldiana
 Larix europea
 L. laricina
 L. leptolepis
 Liquidambar formosana
 L. styraciflua
 Liriodendron chinense
 L. tulipifera
 L. t. pyramidale
 Magnolia acuminata
 M. conspicua
 M. fraseri
 M. hypoleuca
 M. tripetala
 Morus alba tatarica
 Ostrya virginica
 Paulownia tomentosa
 Phellodendron amurense
 P. lavallei
 P. sachalinense
 Platanus occidentalis
 P. orientalis
 Populus alba
 P. a. nivea
 P. berolinensis
 P. bolleana
 P. certinensis
 P. maximowiczii
 P. nigra italica
 P. nigra betulifolia
 P. simoni
 P. suaveolens przewalski
 P. tremuloides
 P. trichocarpa
 Prunus serotina
 Pseudolarix kaempferi
 Ptelia trifoliata
 Quercus alba
 Q. bicolor
 Q. coccinea
 Q. lyrata
 Q. macrocarpa
 Q. palustris
 Q. phellos
 Q. prinus
 Q. robur
 Q. rubra
 Q. texana
 Q. velutina
 Robinia pseudoacacia
 R. p. bessonianae
 R. p. descaisneana
 Salix babylonica
 S. b. crispa
 S. b. dolorosa
 S. b. salamonii
 S. elegantissima
 S. fragilis
 S. mandshurica
 S. niobe
 S. pentandra
 S. sieboldiana
 S. vitellina
 S. v. britzensis
 S. v. pendula
 S. wentworthii
 Sassafras variifolium
 Sorbus aria latifolia
 S. aucuparia
 S. a. fastigiata
 S. quercifolia
 S. terminalis
 Taxodium distichum
 Tilia americana
 T. cordata
 T. euchlora
 T. henryana
 T. heterophylla
 T. oliveri
 T. platyphyllos
 T. p. pyramidalis
 T. tomentosa
 T. vulgaris
 Ulmus americana
 U. a. molinei
 U. a. vase-shaped
 U. campestris
 U. c. klemmeri
 U. c. latifolia
 U. c. monumentalis
 U. c. purpurea
 U. c. vegeta
 U. c. wheatleyi
 U. fulva
 U. glabra
 U. g. camperdownii
 U. g. nana
 U. japonica
 U. parvifolia
 U. pumila
 U. racemosa
 Zelkova serrata

DECIDUOUS SMALL TREES

- Acanthopanax ricinifolium*
A. r. maximowiczii
Acer buergerianum
A. ginnala
A. griseum
A. japonicum aureum
A. palmatum
A. p. atropurpureum
A. p. filicifolium
A. p. roseo-marginata
A. pennsylvanicum
A. platanoides globosum
A. spicatum
A. tartaricum
Albizzia julibrissin rosea
Alnus pendula
Amygdalus davidiana
A. d. alba
A. persica alboplana
A. p. Clara Meyer
A. p. rosea plena
A. p. rubroplena
Aralia japonica
A. spinosa
Asimina triloba
Broussonetia papyrifera
Cercis canadensis
Cladrastis lutea
Cornus florida
C. f. plena
C. f. rubra
C. f. welchi
C. kousa
C. k. chinensis
C. mas
C. officinalis
Crataegus aprica
C. arkansana
C. arnoldiana
C. carrieri
C. coccinea
C. coccinioides
C. cordata
C. crugalli
C. cuneata
C. hupehensis
C. macracantha
C. mollis
C. monogyna
C. m. stricta
C. nitida
C. oxyacantha
C. o. plena
C. o. pauli
C. o. punicea
C. o. rosea plena
C. peregrina
C. persistens
C. pinnatifida major
C. pruinosa
C. prunifolia
C. punctata
C. succulenta
C. tomentosa
C. viridis
Diospyros virginiana
Gordonia alataamaha
Halesia tetraptera
H. monticola
Idesia polycarpa
Koelreuteria paniculata
Laburnum alpinum
L. vulgare
L. watereri
Maackia amurensis
Magnolia glauca
M. kobus
M. lennei
M. soulangeana
M. s. nigra
Malus angustifolia
M. arnoldiana
M. baccata
M. b. mandshurica
M. brevipes
M. coronaria
M. c. Charlotte
M. dolga
M. Elisa Rathke
M. florentina
M. floribunda
M. f. atrosanguinea
M. f. lemoinei
M. fusca
M. glaucescens
M. halliana
M. h. parkmani
M. hopa
M. ioensis
M. i. bechteli
M. micromalus
M. niedzwetzkyana
M. Oekonemurat Echtermeyer
M. purpurea
M. p. aldenhamensis
M. p. eleyi
M. prunifolia rinki
M. robusta
M. r. fastigiata
M. r. persicifolia
M. sargenti
M. scheideckeri
M. sieboldi
M. spectabilis
M. s. alba plena
M. sublobata
M. theifera
M. t. rosea
M. toringoides
M. tschonoski
M. yunnanensis veitchi
M. zumi
M. z. calocarpa
Morus alba pendula
Nyssa aquatica
N. sylvatica
Oxydendrum arboreum
Prunus americana
P. a. Newport
P. armeniaca sibirica
P. avium plena
P. cerasifera pissardi
P. cistena
P. hortulana
P. incisa
P. lannesiana
P. l. Amayadori
P. l. Jonioi
P. l. sirotae
P. maacki

Deciduous Small Trees Continued

- | | |
|------------------------|----------------------------|
| P. moseri fl. pl. | P. yedoensis |
| P. mume | P. y. taizanfukun |
| P. mume fl. pl. | Pterostyrax corymbosa |
| P. padus | Pyrus calleryana |
| P. pennsylvanicum | P. betulaefolia |
| P. serrulata | P. salicifolia |
| P. s. Amanogawa | P. serrulata |
| P. s. Gioiko | Rhus cotinus |
| P. s. Hata-zakura | R. javanica syn. osbecki |
| P. s. Horaisan | Robinia fertilis |
| P. s. Hosokawanioi | R. globosa |
| P. s. Higantakura | R. hispida |
| P. s. Hisakura | R. holdti |
| P. s. Jas. H. Veitch | R. pseudoacacia Marguerite |
| P. s. Kuramayami | Salix amygdaloides |
| P. s. Kwansan | S. caprea |
| P. s. Miyako | S. matsudana |
| P. s. sachalinensis | S. m. tortuosa |
| P. s. Shirofugen | S. regalis |
| P. s. Shogetsu | Sophora japonica |
| P. s. Sumizome | Sorbus americana |
| P. sieboldi syn. Naden | S. commixta |
| P. spinosa | S. spuria |
| P. subhirtella | Styrax japonica |
| P. s. ascendens | S. obassia |
| P. s. autumnalis | Syringa japonica |
| P. s. pendula | S. pekinensis |
| P. virginiana | |

DECIDUOUS SHRUBS

- | | |
|-------------------------------|---------------------------|
| Abelia grandiflora | B. t. minor |
| A. schumannii | B. t. pluriflora |
| Acanthopanax pentaphyllum | B. t. p. erecta |
| Aesculus parviflora | Berchemia racemosa |
| Alnus rugosa | Bischoffia trifoliata |
| A. viridis | Buddleia Charming |
| Amelanchier alnifolia | B. alternifolia |
| A. asiatica | B. davidi |
| A. canadensis | B. d. superba |
| A. laevis | B. d. veitchi |
| A. l. rosea | B. farquhari |
| A. oblongifolia | B. Ile de France |
| A. rotundifolia syn. vulgaris | B. intermedia |
| A. sanguinea | B. lindleyana |
| A. stolonifera | B. paniculata |
| Amorpha brachycarpa | Callicarpa americana |
| A. canescens | C. giraldiana |
| A. fruticosa | C. japonica |
| Amygdalus nana georgica | C. purpurea |
| Aronia arbutifolia | Calycanthus floridus |
| A. atropurpurea | C. occidentalis |
| A. melanocarpa | Caragana arborescens |
| A. m. elata | C. boisi |
| Artemisia abrotanum | C. corbergi |
| Azalea calendulacea | C. frutex |
| A. canescens | Caryopteris incana |
| A. kaempferi | C. tangutica |
| A. lutea | Ceanothus americanus |
| A. mollis | Cephalanthus occidentalis |
| A. nudiflora | Cercis chinensis |
| A. poukhanensis | Chionanthus virginica |
| A. viscosa | Clerodendron trichotomum |
| A. yodogawa | Clethra alnifolia |
| Baccharis halimifolia | C. barbinervis |
| Benzoin aestivale | C. paniculata |
| Berberis koreana | Colutea arborescens |
| B. thunbergi | C. media |
| B. t. atropurpurea | Comptonia asplenifolia |

Deciduous Shrubs Continued

- Cornus alba
 C. a. elegantissima
 C. a. sibirica
 C. a. spaethi
 C. alternifolia
 C. amomum syn. sericea
 C. baileyi
 C. paniculata
 C. paucinervis
 C. pubescens
 C. rugosa
 C. sanguinea
 C. s. viridissima
 C. stolonifera
 C. s. flaviramea
 Corylus americana
 C. avellana
 C. a. atropurpurea
 C. heterophylla setchuenensis
 C. rostrata
 Cotoneaster acutifolia
 C. a. villosula
 C. adpressa
 C. ambigua
 C. apiculata
 C. dammeri
 C. dielsiana
 C. divaricata
 C. foveolata
 C. francheti
 C. himalaicus
 C. horizontalis
 C. h. perpusilla
 C. hupehensis
 C. integerrima
 C. lucida
 C. melanocarpa
 C. microphylla
 C. moupinensis
 C. multiflora
 C. nitens
 C. obscura
 C. racemiflora soongarica
 C. rotundifolia
 C. rosea
 C. s. floccosa
 C. simonsi
 C. tenuipes
 C. wilsoni
 C. zabeli
 Cydonia cathayensis
 C. japonica
 C. j. alba
 C. j. alpina
 C. j. Columbia
 C. j. Falconet Charlet
 C. j. pygmaea
 C. j. rosea plena
 C. j. umbilicata
 C. j. Vermilion
 C. kermesiana semi-plena
 C. maulei
 Cytisus nigricans
 C. scoparius
 C. s. andreaeanus
 C. supinus
 Daphne mezereum
 D. m. alba
 Deutzia gracilis
 D. lemoinei
 D. l. avalanche
 D. l. compacta
 D. myriantha Boule Rose
 D. ningpoense
 D. parviflora
 D. rosea
 D. rosea campanulata
 D. r. carminea
 D. r. eximea
 D. r. venusta
 D. scabra
 D. s. candidissima
 D. s. Pride of Rochester
 D. s. rosea plena
 D. s. watereri
 D. s. wellsi
 D. schneideriana laxiflora
 D. vilmorinae
 Diervilla sessilifolia
 D. trifida
 Dirca palustris
 Eleagnus angustifolia
 E. argentea
 E. longipes
 E. parvifolia
 E. umbellata
 Elsholtzia stauntoni
 Enkianthus campanulatus
 E. perulatus
 Euonymus alatus
 E. a. compacta
 E. americanus
 E. atropurpureus
 E. bungeanus
 E. europaeus
 E. e. fructu-coccineus
 E. latifolius
 E. maacki
 E. nanus
 E. obovatus
 E. oxyphyllus
 E. yedoensis
 Evodia hupehensis
 Exochorda grandiflora
 E. g. wilsoni
 Fontanesia fortunei
 Forsythia europaea
 F. intermedia
 F. i. primulina
 F. i. spectabilis
 F. ovata
 F. suspensa
 F. s. atrocaulis
 F. s. fortunei
 F. s. sieboldi
 F. viridissima
 Fothergilla gardeni
 Gaylussacia baccata
 Genista juncea
 G. pilosa
 G. sagittalis
 G. tinctoria
 Hamamelis japonica
 H. j. rubra
 H. mollis
 H. vernalis
 H. v. tomentella
 H. virginiana
 Helwingia japonica
 Hibiscus syriacus

Deciduous Shrubs Continued

- H. variegatus*
H. v. meehani
Hippophae rhamnoides
Holodiscus d. ariaefolius
Hovenia dulcis
Hydrangea arborescens
H. a. grandiflora
H. cineraria sterilis
H. o. Otaksa
H. a. Thos. Hogg
H. paniculata
H. p. grandiflora
H. p. praecox
H. quercifolia
H. radiata
Hypericum arnoldiana
H. aureum
H. buckleyi
H. densiflorum
H. kalmianum
H. lobocarpum
H. moserianum
H. patulum
H. p. henryi
H. prolificum
Ilex geniculata
I. laevigata
I. monticola
I. serrata syn. sieboldi
I. verticillata
I. v. chrysocarpa
Indigofera amblyantha
I. kirilowi
I. potanini
Itea virginica
Jamesia americana
Jasminum nudiflorum
J. stephanense
Kerria japonica
K. j. florepleno
Kolkwitzia amabilis
Lagerstroemia indica rubra
Lespedeza bicolor
L. formosa syn. penduliflorum
L. f. albiflora
Ligustrum acuminatum
L. a. macrocarpum
L. amurense
L. ibolium
L. ibota
L. i. nanum
L. i. regelianum
L. lodense
L. ovalifolium
L. o. variegatum
L. vulgare
L. v. foliosum
L. v. leucocarpum
Lonicera bella albida
L. bella rosea
L. billardi
L. chrysantha
L. conjugialis
L. dioica
L. fragrantissima
L. gracilipes
L. Kesselringi
L. kohniana
L. korolkowi floribunda
L. ledebouri
L. maackii
L. m. podocarpa
L. morrowi
L. muendeniensis
L. quinquelocularis
L. ruprechtiana
L. saccata
L. spinosa alberti
L. standishi
L. syringantha
L. s. wolffi
L. tatarica
L. t. alba
L. t. grandiflora
L. t. lutea
L. t. sibirica
L. virginialis alba
L. xylosteum
Lycium chinense
L. halimifolium
Lyonia ligustrina
Magnolia parviflora
M. stellata
M. s. rosea
Myrica carolinensis
M. cerifera
M. gale
Nandina domestica
Neillia longeracemosa
N. sinensis
Nemopanthus mucronatus
Neviusia alabamensis
Paeonia suffruticosa
Perowskia atriplicifolia
Philadelphus Albatre
P. Argentine
P. Avalanche
P. Banniere
P. Bouquet Blanc
P. coronarius
P. c. aureus
P. c. nanus
P. c. multiflorus plenus
P. Dame Blanche
P. dianthiflorus plenus
P. falconeri
P. Favorite
P. Gerbe de Neige
P. Glacier
P. gordonianus
P. grandiflorus
P. incanus
P. lemoinei erectus
P. lewisi
P. Magdalene
P. nepalensis
P. nivalis
P. Norma
P. Ophelia
P. Pavillon Blanc
P. pyramidale
P. sericanthus
P. Sybille
P. virginal
P. Voie Lactee
P. zeyheri
Photinia villosa
P. v. laevis
Physocarpus intermedius
parvifolius

Deciduous Shrubs Continued

- P. monogynus*
P. opulifolius
P. o. luteus
P. o. nanus
Pieris mariana
Potentilla fruticosa
Prinsepia sinensis
Prunus besseyi
P. demissa
P. dunbari
P. glandulosa
P. g. albiplena
P. g. sinensis
P. japonica
P. maritima
P. pumila
P. tomentosa
P. triloba
P. t. plena
Rhamnus caroliniana
R. cathartica
R. dahurica
R. frangula
R. f. asplenifolia
R. koraiensis
R. purshiana
R. spathulaefolia
R. utilis
R. wilsoni
Rhodora canadensis
Rhodotypos kerrioides
Rhus canadensis
R. copallina
R. glabra
R. trilobata
R. typhina
R. t. laciniata
Ribes alpinum
R. aureum
R. fasciculatum
R. gordonianum
R. sanguineum
Robinia Elioti
R. kelseyi
R. pseudoacacia umbraculifera
R. viscosa
Rosa acicularis
R. blanda
R. b. willmottiae
R. canina
R. coriifolia froebeli
R. davurica
R. ecae
R. foetida
R. f. persiana
R. fujisanensis
R. helenae
R. hugonis
R. humilis
R. laevigata
R. lucida
R. marreti
R. maximowicziana jacki
R. moyesi
R. multiflora
R. m. cathayensis
R. nitida
R. palustris
R. pendulina
R. rouletti
R. rubiginosa
R. r. hybrids
R. rubrifolia
R. rugosa
R. r. alba
R. r. hybrids
R. r. repens
R. sericea
R. setigera
R. spinosissima altaica
R. s. hispida
R. s. hybrids
R. watsoniana
R. wichuraiana
R. w. hybrids
R. hybrid perpetuals
R. hybrid tea
R. climbing
R. polyantha hybrids
R. xanthina allard
R. x. spontanea
Rubus deliciosus
R. dumetorum
R. odoratus
R. phoenicolasius
Salix discolor
S. doniana
S. incana
S. irrorata
S. jessoensis
S. lucida
S. mutabilis
S. myricoides rigida
S. nigricans cotinifolia
S. patula
S. purpurea nana
S. uralensis
S. vitellina glauca
Sambucus canadensis
S. c. acutiloba
S. nigra
S. n. aurea
S. n. variegata
S. pubens
S. p. leucocarpa
S. racemosus
Shepherdia argentea
Smilax rotundifolia
Sophora vicifolia
Sorbaria aitchisoni
S. arborea glabrata
S. lindleyana
S. sorbifolia
Spirea arguta
S. billiardi
S. bumalda
S. b. Anthony Waterer
S. b. walluffi
S. chamaedryfolia ulmifolia
S. dasyantha
S. douglasi
S. fortunei
S. froebeli
S. japonica
S. j. ovalifolia
S. j. ruberrima
S. latifolia
S. margaritae
S. nipponica rotundifolia
S. prunifolia

Deciduous Shrubs Continued

- S. pubescens*
S. reevesiana
S. r. lanceata
S. salicifolia
S. superba
S. syringiflora
S. thunbergi
S. tomentosa
S. trichocarpa
S. van houttei
S. veitchi
S. wilsoni
Staphylea bumalda
S. colchica
S. pinnata
S. trifolia
Stephanandra flexuosa
Stewartia pentagyna
S. p. grandiflora
S. pseudocamellia
Symphoricarpos chenaulti
S. mollis
S. occidentalis
S. o. heyeri
S. racemosus
S. vulgaris
Symplocos paniculata
Syringa affinis giraldi
S. chinensis
S. c. alba
S. c. metensis
S. c. saugeana
S. emodi
S. henryi eximea
S. h. lutece
S. josikea
S. microphylla
S. oblata
S. o. dilatata
S. palibiniana
S. persica
S. p. alba
S. velutina
S. villosa
S. vulgaris
S. vulgaris alba
S. v. hybrids
S. yunnanensis
Tamarix africana
T. gallica
T. g. indica
T. juniperina
T. odessana
T. pentandra
T. tetandra purpurea
Ulex europeus
Vaccinium corymbosum
V. vacillans
Viburnum acerifolium
V. americanum
V. bitchuiense
V. betulifolium
V. burejaeticum
V. burkwoodi
V. carlesi
V. cassinoides
V. dentatum
V. dilatatum
V. d. leucocarpum
V. hupehense
V. lantana
V. l. rugosum
V. lentago
V. molle
V. nudum
V. opulus
V. o. nanum
V. o. sterile
V. o. xanthocarpum
V. ovatifolium
V. prunifolium
V. pubescens
V. rufidulum
V. sargentii
V. sieboldi
V. theiferum
V. tomentosum
V. t. plicatum
V. veitchi
V. venosum canbyi
V. wrighti
Vitex agnus castus
V. a. c. alba
V. macrophylla
V. negundo incisa
Weigela Abel Carriere
W. amabilis
W. candida
W. desboisi
W. Eva Rathke
W. floribunda
W. groenewegeni
W. Gustav Mallot
W. hortensis rubra
W. japonica
W. rosea
W. rosea nana variegata
W. sieboldi argenteomarginata
W. styriaca
W. Van Houtte
Zanthorhiza apiifolia
Zanthoxylum americanum

VINES

- Actinidia arguta*
Akebia lobata
A. quinata
Ampelopsis aconitifolia
A. henryana
A. heterophylla
A. h. amurensis
A. h. elegans
A. quinquefolia
A. q. engelmanni
A. q. murorum
A. q. saintpauli
A. tricuspidata veitchi
A. t. lowi
Aristolochia siphon
A. tomentosa
Bignonia grandiflora
B. g. Mad. Gallen

Vines Continued

| | |
|----------------------------------|-------------------------------------|
| <i>B. radicans</i> | <i>L. heckrotti</i> |
| <i>B. speciosa</i> | <i>L. henryi</i> |
| <i>Celastrus orbiculatus</i> | <i>L. hirsuta</i> |
| <i>C. scandens</i> | <i>L. japonica</i> |
| <i>Clematis apiifolia</i> | <i>L. j. halleana</i> |
| <i>C. chrysocoma sericea</i> | <i>L. j. reticulata aurea</i> |
| <i>C. crispa</i> | <i>L. periclymenum belgica</i> |
| <i>C. fargesii</i> | <i>L. prolifera syn. sullavanti</i> |
| <i>C. flammula</i> | <i>L. sempervirens</i> |
| <i>C. hybrids</i> | <i>L. tellmanniana</i> |
| <i>C. ligusticifolia</i> | <i>L. thibetica</i> |
| <i>C. montana rubens</i> | <i>L. verna</i> |
| <i>C. m. undulata</i> | <i>Periploca graeca</i> |
| <i>C. m. wilsoni</i> | <i>P. sepium</i> |
| <i>C. orientalis</i> | <i>Polygonum auberti</i> |
| <i>C. paniculata</i> | <i>Pueraria thunbergiana</i> |
| <i>C. serratifolia</i> | <i>Schizophragma hydrangoides</i> |
| <i>C. tangutica</i> | <i>Solanum dulcamara</i> |
| <i>C. texensis syn. coccinea</i> | <i>Tripterygium regeli</i> |
| <i>C. veitchii</i> | <i>Vinca minor</i> |
| <i>C. viorna</i> | <i>V. m. alba</i> |
| <i>C. virginiana</i> | <i>V. m. rubra plena</i> |
| <i>C. vitalba</i> | <i>Vitis aestivalis</i> |
| <i>C. viticella</i> | <i>V. amurensis</i> |
| <i>Decumaria barbara</i> | <i>V. coignetiae</i> |
| <i>Hedera helix</i> | <i>V. cordifolia</i> |
| <i>H. h. Albany</i> | <i>V. labrusca</i> |
| <i>H. h. baltica</i> | <i>V. rotundifolia</i> |
| <i>H. h. conglomerata</i> | <i>V. vulpina</i> |
| <i>H. h. gracilis</i> | <i>Wistaria frutescens</i> |
| <i>Hydrangea petiolaris</i> | <i>W. f. magnifica</i> |
| <i>Lonicera alseusmoides</i> | <i>W. multijuga</i> |
| <i>L. browni plantierensis</i> | <i>W. sinensis</i> |
| <i>L. caprifolium</i> | <i>W. s. alba</i> |
| <i>L. fuchsoides</i> | <i>W. venusta</i> |

LARGE SPECIMEN MATERIAL

We have a large collection of specially grown, heavy specimen plants in a wide range of sizes. Prices will be quoted on application. We are prepared to deliver B&B on platforms where necessary.

PLANTS FOR SPECIAL PURPOSES

In the following pages we undertake to suggest plants for special purposes which often present a problem to the landscape architect in making up a planting list.

Woody Plants for August and September Flowering

| | |
|-------------------------------------|-----------------------------|
| <i>Baccharis halimifolia</i> | <i>Hydrangea</i> in variety |
| <i>Bignonia grandiflora</i> | <i>Hypericum</i> in variety |
| <i>Buddleia</i> in variety | <i>Lonicera heckrotti</i> |
| <i>Clematis paniculata</i> | <i>Spirea tomentosa</i> |
| <i>Elscholtzia stauntoni</i> | <i>Tamarix aestivale</i> |
| <i>Hamamelis virginiana</i> | <i>Vitex agnus castus</i> |
| <i>Hibiscus syriacus</i> in variety | <i>Vitex macrophylla</i> |

Woody Plants with Fruits Attractive to Birds

Varieties marked with an asterisk furnish either fruit or seeds as food for birds in winter.

| | |
|----------------------------------|-----------------------------|
| Ampelopsis quinquefolia | Nyssa sylvatica |
| Ampelopsis tricuspidata veitchii | *Pinus in variety |
| Aronia arbutifolia | Photinia villosa |
| Aronia atropurpurea | Prunus besseyi |
| Benzoin aestivale | Prunus padus |
| *Betula papyrifera | Prunus pennsylvanicum |
| *Betula populifolia | Prunus serotina |
| *Betula lenta | *Rhamnus in variety |
| *Betula lutea | *Rhus copallina |
| Cornus in variety | *Rhus glabra |
| *Crataegus in variety | *Rhus typhina |
| Euonymus in variety | Ribes in variety |
| *Hypericum prolificum | Sambucus in variety |
| *Juniperus virginiana | *Symphoricarpus in variety |
| *Juniperus communis | Vaccinium corymbosum |
| *Ligustrum in variety | Viburnum in variety |
| Lonicera in variety | Vitis in variety |
| Morus alba | *Weigela hybrida in variety |
| *Myrica carolinensis | |

Low Woody Plants for Rock Gardens

| | |
|-------------------------------------|---------------------------------|
| Chamaecyparis obtusa compacta | Hypericum henryi |
| Chamaecyparis obtusa nana | Jasminum nudiflorum |
| Cotoneaster adpressa | Juniperus horizontalis |
| Cotoneaster horizontalis | Juniperus horizontalis glauca |
| Cotoneaster horizontalis perpusilla | Juniperus suecica nana |
| Cotoneaster rotundifolia | Juniperus sabina tamariscifolia |
| Daphne cneorum | Lonicera spinosa alberti |
| Daphne mezereum | Lonicera syringantha |
| Euonymus radicans minima | Lonicera thibetica |

Woody Plants Enduring Shade

For Dry Soil

| | |
|-----------------------|-------------------------|
| Ailanthus glandulosa | Ligustrum vulgare |
| Celastrus scandens | Rhus canadensis |
| Gleditsia triacanthos | Ribes alpinum |
| Hamamelis virginiana | Rubus odoratus |
| Ligustrum amurense | Symphoricarpus vulgaris |
| Ligustrum ibota | Vinca minor |

For Moist Soil

The above plants will do well in moist soil and may be considered with the following plants:

| | |
|---------------------------------|-------------------------|
| Acer pennsylvanicum | Benzoin aestivale |
| Acer spicatum | Carpinus in variety |
| Alnus glutinosa | Cercis canadensis |
| Alnus incana | Ostrya virginica |
| Cornus florida | Pachysandra terminalis |
| Euonymus radicans and varieties | Rhododendron in variety |
| Fagus americana | Tsuga canadensis |
| Hedera helix | Viburnum acerifolium |
| Kalmia latifolia | Zanthorhiza apiifolia |
| Amelanchier in variety | |

Woody Plants for Bank Planting

Those kinds marked with an asterisk are excellent binders for a steep bank.

Ailanthus glandulosa
Celastrus scandens
Cornus alba
Cornus amomum
Cornus stolonifera
Eunonymus radicans acutus
*Lonicera halleana
*Lonicera japonica
Lonicera tatarica
Physocarpus opulifolius
*Rhus typhina

Robinia pseudacacia
*Rosa setigera
*Rosa wichuraiana
*Rubus odoratus
Salix caprea
Salix discolor
Salix incana
*Symphoricarpus vulgaris
Vinca minor
Vitis vulpina

Plants for the Herb Garden

Achillea millefolium
Allium schoenoprasum
Anthemis nobilis
Artemisia abrotanum
Artemisia absinthium
Artemisia dracunculus
Artemisia pontica
Artemisia stelleriana
Asarum canadense
Asperula odorata
Calamintha alpina
Cedronella cana
Chrysanthemum balsamita
Foeniculum atosanguineum
Hysopus officinalis
Lavandula officinalis
Marrubium vulgare

Melissa officinalis
Mentha piperita
Mentha requieni
Monardi didyma
Monardi fistulosa
Nepeta hederacea
Origanum vulgare
Rosmarinus officinalis
Ruta graveolens
Salvia officinalis
Santolina chamaecyparissus
Tanacetum vulgare
Thymus serpyllum
Thymus serpyllum citriodorus
Thymus vulgaris
Valeriana officinalis

SCHEDULE OF B&B CHARGES

Schedule of charges for balling and burlapping deciduous trees and shrubs of various sizes, including those marked by an (*) asterisk. Where items are listed "B&B" this charge is included in the printed price.

| | | | |
|--------------|---------|---------|---------------------|
| 18-24" | | \$.30 | |
| 2- 3' | | .40 | |
| 3- 4' | | .55 | |
| 4- 5' | | .85 | |
| 5- 6' | | 1.10 | |
| | | | Diameter of Ball |
| 6- 8' Shrubs | } | \$ 1.50 | 16" |
| 1" Trees | | | |
| 8-10' Shrubs | } | 2.25 | 18" |
| 1¼" Trees | | | |
| 1½" Trees | | 3.00 | 20" |
| 1¾" " | | 4.00 | 22" |
| 2" " | | 5.00 | 24" |
| 2½" " | | 7.50 | 30" |
| 3" " | | 10.00 | 36" |
| 3½" " | | 15.00 | 42" |
| 4" " | | 20.00 | 48" |
| 4½" " | | 27.50 | 54" |
| 5" " | | 37.50 | 60" |

The depth of the ball will be no less than two thirds of the given diameter. The larger balls may be mounted on platforms. An extra charge will be made for the platforms but this will be cancelled upon their return to us by prepaid freight.

MEMORANDUM

MEMORANDUM



